Form 9-831 a (Feb. 1951)

# (SUBMIT IN TRIPLI

### UNITED STATES DEPARTMENT OF THE INTERIOR **GEOLOGICAL SURVEY**

SEE ATTACHED

### Budget Bureau No. 42-R358.4. Approval expires 12-31-60.

## SUNDRY NOTICES AND REPORTS ON

NOTICE OF INTENTION TO DRILL	<b>. X</b>	SUBSEQUENT REPORT OF WATER SHUT-OFF
		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY
NOTICE OF INTENTION TO ABANDON WELL		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

		•	June 28, 1961, 19
Well No is located	d680 ft. fi	$ rom_{} \begin{Bmatrix} N \\ S_{x} \end{Bmatrix}  $ line	and 350 ft. from $\left\{ egin{array}{c} E \\ \mathbf{W} \end{array} \right\}$ line of sec. 34
Na of Section 34	<u>18=S</u>	30-E (Range)	We Mential .
Undesignated	E <b>4</b> &3	r nty or Subdivision)	Nessata 9 Anno 9
The elevation of the derrick fl	oor above sea	level is	ft.
	DFT	TAILS OF W	OBK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Set 14 lb. 8-5/8" casing in top of salt at approximately 600 feet and circulate mud in front of 50 sacks of cement. Brill to an approximate total depth of 3100 feet to test usen sands at 2800 feet and 3000 feet. This well will be drilled with cable tools. 14 lb. J-55  $5\frac{1}{8}$ " pipe will be run to total depth with mud circulated before 150 sacks of cement. Pips will be perforated opposite pay zone and section fractured.

JUL 3

I understand that this plan of work must receive approval in writing by the Geological Survey before eperations have become ARTESIA, NEW 31 Company Reading & Bates, Inc. Address \_\_\_\_1101 Fhiltower Building Tulse Cklahoma

