DEPARTMENT GEOLOG DEPARTMENT GEOLOG SUNDRY NOTICES AN TICE OF INTENTION TO DRILL TICE OF INTENTION TO CHANGE PLANS. TICE OF INTENTION TO CHANGE PLANS. TICE OF INTENTION TO TEST WATER SHUT-OFF. TICE OF INTENTION TO RE-DRILL OR REPAIR WELL. TICE OF INTENTION TO RE-DRILL OR REPAIR WELL. TICE OF INTENTION TO SHOOT OR ACIDIZE. TICE OF INTENTION TO SHOOT OR ACIDIZE. TICE OF INTENTION TO ABANDON WELL. (INDICATE ABOVE BY CHECK MARK N (INDICATE ABOVE BY	ICAL SURV	INTERIO VEY PORTS IT REPORT OF IT REPORT OF IT REPORT OF IT REPORT OF IT REPORT OF	WATER SHUT-O SHOOTING OR ALTERING CASH RE-DRILLING OR ABANDONMENT STORY		19 ^*1
GEOLOG SUNDRY NOTICES AN SUNDRY NOTICES AN TICE OF INTENTION TO DRILL TICE OF INTENTION TO CHANGE PLANS TICE OF INTENTION TO TEST WATER SHUT-OFF. TICE OF INTENTION TO RE-DRILL OR REPAIR WELL TICE OF INTENTION TO PULL OR ALTER CASING. TICE OF INTENTION TO ABANDON WELL (INDICATE ABOVE BY CHECK MARK N (INDICATE ABOVE BY	ICAL SURV	VEY PORTS IT REPORT OF IT REPOR	WATER SHUT-CO SHOOTING OR ALTERING CASI RE-DRILLING CA ABANDONMENT STORY	DFF ACIDIZING ING DR REPAIR DR REPAIR	19 ^*1
SUNDRY NOTICES AN TICE OF INTENTION TO DRILL. TICE OF INTENTION TO CHANGE PLANS. TICE OF INTENTION TO TEST WATER SHUT-OFF. TICE OF INTENTION TO RE-DRILL OR REPAIR WELL. TICE OF INTENTION TO SHOOT OR ACIDIZE. TICE OF INTENTION TO SHOOT OR ACIDIZE. TICE OF INTENTION TO PULL OR ALTER CASING. TICE OF INTENTION TO ABANDON WELL. (INDICATE ABOVE BY CHECK MARK N (INDICATE ABOVE BY CHECK MARK	DREP SUBSEQUEN SUBSE	PORTS IT REPORT OF IT REPORT OF	WATER SHUT-O SHOOTING OR ALTERING CASH RE-DRILLING O ABANDONMENT STORY	ACIDIZING ING OR REPAIR ING ING	19 ^*1
TICE OF INTENTION TO DRILL. TICE OF INTENTION TO CHANGE PLANS. TICE OF INTENTION TO TEST WATER SHUT-OFF. TICE OF INTENTION TO RE-DRILL OR REPAIR WELL. TICE OF INTENTION TO SHOOT OR ACIDIZE. TICE OF INTENTION TO PULL OR ALTER CASING. TICE OF INTENTION TO ABANDON WELL. (INDICATE ABOVE BY CHECK MARK N (INDICATE ABOVE BY CHE	SUBSEQUEN SUBSEQUEN SUBSEQUEN SUBSEQUEN SUBSEQUEN SUBSEQUEN SUPPLEMEN SUPPLEMEN SUPPLEMEN SUPPLEMEN SUPPLEMEN SUPPLEMEN SUPPLEMEN	IT REPORT OF IT RE	WATER SHUT-O SHOOTING OR ALTERING CASH RE-DRILLING O ABANDONMENT STORY	ACIDIZING ING OR REPAIR ING ING	19 ^*1
TICE OF INTENTION TO DRILL. TICE OF INTENTION TO CHANGE PLANS. TICE OF INTENTION TO TEST WATER SHUT-OFF. TICE OF INTENTION TO RE-DRILL OR REPAIR WELL. TICE OF INTENTION TO SHOOT OR ACIDIZE. TICE OF INTENTION TO PULL OR ALTER CASING. TICE OF INTENTION TO ABANDON WELL. (INDICATE ABOVE BY CHECK MARK N (INDICATE ABOVE BY CHE	SUBSEQUEN SUBSEQUEN SUBSEQUEN SUBSEQUEN SUBSEQUEN SUBSEQUEN SUPPLEMEN SUPPLEMEN SUPPLEMEN SUPPLEMEN SUPPLEMEN SUPPLEMEN SUPPLEMEN	IT REPORT OF IT RE	WATER SHUT-O SHOOTING OR ALTERING CASH RE-DRILLING O ABANDONMENT STORY	ACIDIZING ING OR REPAIR ING ING	19 ^*1
TICE OF INTENTION TO DRILL. TICE OF INTENTION TO CHANGE PLANS. TICE OF INTENTION TO TEST WATER SHUT-OFF. TICE OF INTENTION TO RE-DRILL OR REPAIR WELL. TICE OF INTENTION TO SHOOT OR ACIDIZE. TICE OF INTENTION TO PULL OR ALTER CASING. TICE OF INTENTION TO ABANDON WELL. (INDICATE ABOVE BY CHECK MARK N (INDICATE ABOVE BY CHE	SUBSEQUEN SUBSEQUEN SUBSEQUEN SUBSEQUEN SUBSEQUEN SUBSEQUEN SUPPLEMEN SUPPLEMEN SUPPLEMEN SUPPLEMEN SUPPLEMEN SUPPLEMEN SUPPLEMEN	IT REPORT OF IT RE	WATER SHUT-O SHOOTING OR ALTERING CASH RE-DRILLING O ABANDONMENT STORY	ACIDIZING ING OR REPAIR ING ING	19 ^*1
TICE OF INTENTION TO CHANGE PLANS. TICE OF INTENTION TO TEST WATER SHUT-OFF. TICE OF INTENTION TO RE-DRILL OR REPAIR WELL. TICE OF INTENTION TO SHOOT OR ACIDIZE. TICE OF INTENTION TO PULL OR ALTER CASING. TICE OF INTENTION TO ABANDON WELL. (INDICATE ABOVE BY CHECK MARK N (INDICATE ABOVE BY	SUBSEQUEN SUBSEQ	IT REPORT OF A IT REP	SHOOTING OR ALTERING CASI RE-DRILLING O ABANDONMENT STORY	ACIDIZING ING OR REPAIR ING ING	19 ^*1
TICE OF INTENTION TO CHANGE PLANS	SUBSEQUEN SUBSEQ	IT REPORT OF A IT REP	ALTERING CASH RE-DRILLING CA ABANDONMENT STORY	ING DR REPAIR Repair Wij line of sec	, 19 ^^1
TICE OF INTENTION TO RE-DRILL OR REPAIR WELL TICE OF INTENTION TO SHOOT OR ACIDIZE TICE OF INTENTION TO PULL OR ALTER CASING TICE OF INTENTION TO ABANDON WELL (INDICATE ABOVE BY CHECK MARK N (INDICATE ABOVE B	SUBSEQUEN SUBSEQUEN SUPPLEMEN ATURE OF REPO	IT REPORT OF I IT REPORT OF I ITARY WELL HI RT, NOTICE, OR September Id	RE-DRILLING O ABANDONMENT STORY	NR REPAIR	, 19. 41
TICE OF INTENTION TO SHOOT OR ACIDIZE TICE OF INTENTION TO PULL OR ALTER CASING TICE OF INTENTION TO ABANDON WELL (INDICATE ABOVE BY CHECK MARK N (INDICATE ABOVE	SUBSEQUEN SUPPLEMEN	IT REPORT OF ITARY WELL HI RT, NOTICE, OR September Id	ABANDONMENT STORY OTHER DATA) 14 ft. from t. N.	line of sec	, 19 .41
TICE OF INTENTION TO PULL OR ALTER CASING TICE OF INTENTION TO ABANDON WELL (INDICATE ABOVE BY CHECK MARK N (INDICATE ABOVE BY CH	Supplement NTURE OF REPORT NTURE OF REPORT NUME Subdivision	TARY WELL HI RT, NOTICE, OR September nd	story other data) ft. from W .M. lian)	V] line of sec	, 19 .41
TICE OF INTENTION TO ABANDON WELL. (INDICATE ABOVE BY CHECK MARK N (INDICATE ABOVE BY CHECK MARK	N line ar	RT, NOTICE, OR September nd	t. from W.	V line of sec	, 19 .^1
(INDICATE ABOVE BY CHECK MARK N (INDICATE ABOVE SEA (INDICATE ABOVE SEA (INDICATE ABOVE SEA (INDICATE ABOVE BY CHECK MARK N (INDICATE BY CHECK MARK N (INDICATE ABOVE BY CHECK MARK N (INDICATE	(N) line ar subdivision)	Septenber nd 330 N. N. P.	t. from W.	V line of sec	, 19 ^1
ederal "M" I No. 1-35 is located	(N) line ar subdivision)	Septenber nd 330 N. N. P.	ft. from W	Nextco	, 19. 41 35
(K Sec. 35 (K Sec. 35 (K Sec. and Sec. No.) (Field) (Field) (Field) (County or i ce elevation of the derrick floor above sea leve DETAIL te names of and expected depths to objective sands; show sizes ing points, and all oth len to drill a 3200° Queen cand the response to ost approximately 625° of	(N) line ar Mai ange) Subdivision)	nd 330	ft. from W	Nextco	, 19. ^1
(K Sec. 35 (K Sec. 35 (K Sec. and Sec. No.) (Field) (Field) (Field) (County or i ce elevation of the derrick floor above sea leve DETAIL te names of and expected depths to objective sands; show sizes ing points, and all oth len to drill a 3200° Queen cand the response to ost approximately 625° of	(N) line ar Mai ange) Subdivision)	nd 330	ft. from W	Nextco	, 19
(K Sec. 35 (K Sec. 35 (K Sec. and Sec. No.) (Field) (Field) (Field) (County or i ce elevation of the derrick floor above sea leve DETAIL te names of and expected depths to objective sands; show sizes ing points, and all oth len to drill a 3200° Queen cand the response to ost approximately 625° of	ange)	N.N.P.	iian)	Nextco	. 35
(K Sec. 35 (K Sec. 35 (K Sec. and Sec. No.) (Twp.) (F Refly (Field) (County or i celevation of the derrick floor above sea leve DETAIL a names of and expected depths to objective sands; show sizes ing points, and all oth len to drill a 3200' Queen card the repose to est approximately \$25' of	ange)	N.N.P.	iian)	Nextco	35
(K Sec. 35 (K Sec. 35 (K Sec. and Sec. No.) (Field) (Field) (Field) (County or i ce elevation of the derrick floor above sea leve DETAIL te names of and expected depths to objective sands; show sizes ing points, and all oth len to drill a 3200° Queen cand the response to ost approximately 625° of	ange)	N.N.P.	iian)	Nextco	u
(4 Sec. and Sec. No.) (Twp.) (Field) (Field) (County or light (Field) (County or light) (County or li	Subdivision)		lian) Ment	Morriso or Territory)	 -u
(Field) (Country or i (Field) (Country or i e elevation of the derrick floor above sea leve DETAIL te names of and expected depths to objective sands; show sizes ing points, and all oth lon to drill a 3200° Queen card the repose to est approximately 625° of	Subdivision)		iler#	or Territory)	
e elevation of the derrick floor above sea leve DETAIL te names of and expected depths to objective sands; show sizes ing points, and all oth len to drill a 3200' Queen cand the copose to set approximately 625' of			(State	or Territory)	
DETAIL te names of and expected depths to objective sands; show sizes ing points, and all oth Lon to drill a 3200° Queen cand the repose to set approximately 625° of					
te names of and expected depths to objective sands; show sizes ing points, and all oth Lon to drill a 3290° Queen sand the copees to set approximately 625° of	l is	. ft. 💷	G. L.	RECI	EIVF
ing point, and all of Los to drill a 3200' Queen cand the repose to set approximately 625' of	s of wo	RK			
ion to drill a 3200' Queen cand the repose to set approximately 625' of	names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings ing points, and all other important proposed work)				
copees to set approximately \$25' of				U.S. GROUN	Salarite al
	e vlen zi	putty con	91#*	ARTESIA,	NEW NEX
			sina at t	the ten of	the es
	4 2/4 1	arten Sameran S		nan sah ar	
lon to set a 4 1/2" oil string on b	orten th	noush an		ed and cam	ant wit
serie.					
caping vill be run and computed so	aa to wa	et with t	the V. S.	. Coolegie	al furv
oval.					
understand that this plan of work must receive approval in w					

Address
Reswell, New Maxies
By The Company
Titl

GPO 862040

.

		•		SERVATION			FORM C-128
		LOCATION		· · · · · · · · · · · · · · · · · · ·			
	SEE IN	STRUCTIONS FO		NG THIS FORM	ON THE REV	ERSE SIDE	ARTESIA, DIFFICE
perator			Lesi				Well No.
John	h H. Trigg		<u> </u>	Federal			1-35
D	Section 35	Township 18 Sout		30 Bast	County	Eddy	County
ctual Fostage L	ocation of Vell:	•			┉┻╾┈┈╼╼╍╼╌		
660 round Level Ele	feet from the v. Producing I	ATTA BAL	lise and Pool	330 (*	et from the	West	line Dedicated Acreage:
3412.3	Queen			orth Benson	Queen		40 Acres
ubo has the ri another. (65- lf the answer t wise? YES	gbt to drill into an -3—29 (e) NMSA 1	d to produce from 935 Comp.) ''no,'' have the is If answer is ''yes	any pool and aterests of all ," Type of Co	to appropriate the the owners been apolidation	consolidated	either for his by communi	("Ouner" means the person nself or for himself and itization agreement or other-
Whet				Land Descri			<u>.</u>
	•						
					<u> </u>		
		SECTION	8			7	CERTIFICATION
2330	Bectio	in the NB m 34, Twp 10 Bast.	· · · ·			beliel. Name To k	n I. Trigg
- - -						Company	Owner
			<u></u>	· .			
			KEG.	NGINER & LANGER & LANGER & CANANA STATE OTT	n SI RVEY	shown of plotted f surveys supervis	certify that the well location a the plat in SECTION B was rom field notes of actual made by me or under my sion, and that the same is true ect to the best of my knowledge ef.
1			Z E	MEXICO			rveyed ept. 12, 1961 red Professional Engineer

. . ù .



Promet 1857 Boowell, New Hemion

September 22, 1961

Hr. John H. Trigg 2. 0. Box 520 Bowell, New Mexico

Dear Sir:

Your Motion of Intention to Brill well No. 1-35 Federal "BM" (sopy attached) in the might, sec. 35, T. 18 S., E. 30 K., H.H. P.H., Eddy County, New Maxime, Leave New Mexico 06245, has been forwarded to this office for approval.

Personant to authority deleganded to me by the Director, Geological Survey, on September 19, 1961, I hereby approve the Motion of Intentions to Brill well No. 1-35 Yederal "M" to a depth of 3,200 fast to bast the Queen Sand Soundion.

Please notify the District Regiment, Guelegical Survey, Denner B, Astonia, New Mexido, in sufficient time for a represouthtive to witness all computing operations.

Very truly yours,

(Orig. Sgd.) JCHN A. ANDERSON

JOHN A. AMPERSON Ingiousi Oil and Gas Supervisor

Attaciment

Copy to: Washington Mining Breach (2) MACC-Artesis(2) (w/2 eye Motice) Artesia (W/cy Metion) Bornell Office any



A States

Letter and the second

解释 化化学 化化学 and a second s and a second second

144 **1**0 (1

and the second and a state water and a state of the state o Annungen and market and the states of the

, The case of the second contraction of the second WERE CONTROL IN THE LOCATION AND STRATE TO AND STRATE 18 Instant and the first of the second states and andisamente instant many and and a state a second and a state of a second

-Forsen a carlod out in and the grant for the state of the second TTER ATE AND THE SERVICE IS A MARKED AND ALLERTH , A SAMPLE . and start in olt so: all carrelag uportacions.

ferres from from

Rotaten ik men The proving the set is through

literaise 1:

not and the store damas saturda WEDG-ATERCIACS (4) CYA KOLLOS (and (a) a lager Vite sold i fibred