

AREA 640 ACRES
LOCATE WELL CORRECTLY

NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

RECEIVED

WELL RECORD

JUN 29 1960

D. C. C.

ARTESIA, OFFICE

Mail to District Office, Oil Conservation Commission, to which Form C-101 was sent not later than twenty days after completion of well. Follow instructions in Rules and Regulations of the Commission. Submit in QUINTUPLICATE. If State Land submit 6 Copies

Hondo Oil & Gas Company
(Company or Operator)

State 'ED'

(Lease)

Well No. 6, in SE 1/4 of SW 1/4, of Sec. 36, T. 18-S, R. 30-E, NMPM.

Culvin

Pool,

Eddy

County.

Well is 330 feet from South line and 2310 feet from West line

of Section 36. If State Land the Oil and Gas Lease No. is E-7811

Drilling Commenced 5-8-60, 19..... Drilling was Completed 6-12-60, 19.....

Name of Drilling Contractor. Dannelly Drilling Company

Address. Artesia, New Mexico

Elevation above sea level at Top of Tubing Head 3526 The information given is to be kept confidential until....., 19.....

OIL SANDS OR ZONES

No. 1, from 3013 to 3135 No. 4, from.....to.....

No. 2, from.....to..... No. 5, from.....to.....

No. 3, from.....to..... No. 6, from.....to.....

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.

No. 2, from.....to.....feet.

No. 3, from.....to.....feet.

No. 4, from.....to.....feet.

CASING RECORD

| SIZE | WEIGHT PER FOOT | NEW OR USED | AMOUNT | KIND OF SHOE | CUT AND PULLED FROM | PERFORATIONS | PURPOSE |
|--------|-----------------|-------------|--------|--------------|---------------------|--------------|------------|
| 8-5/8" | 28# | Used | 732' | Float | | | Surface |
| 4-1/2" | 49.5# | New | 3148' | Float | | | Oil String |

MUDDING AND CEMENTING RECORD

| SIZE OF HOLE | SIZE OF CASING | WHERE SET | NO. SACKS OF CEMENT | METHOD USED | MUD GRAVITY | AMOUNT OF MUD USED |
|--------------|----------------|-----------|---------------------|--------------|-------------|--------------------|
| 10" | 8-5/8" | 732' | 50 | Pump + pPlug | | |
| 8" | 4-1/2" | 3148' | 100 | Pump - Plug | | |

RECORD OF PRODUCTION AND STIMULATION

(Record the Process used, No. of Qts. or Gals. used, interval treated or shot.)

Treated formation thru perforation at 3106 - 3114 and 3122 - 3130

with 60,000# 20/40 sand and 20,000 gallon oil.

Result of Production Stimulation. 96 bbls. oil in 24 hrs. thru 18/64" choke.

Depth Cleaned Out.....

RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto

TOOLS USED

Rotary tools were used from...feet to...feet, and from...feet to...feet.
Cable tools were used from...feet to...feet, and from...feet to...feet.

PRODUCTION

Put to Producing...19...
OIL WELL: The production during the first 24 hours was...barrels of liquid of which...% was oil;...% was emulsion;...% water; and...% was sediment. A.P.I. Gravity...
GAS WELL: The production during the first 24 hours was...M.C.F. plus...barrels of liquid Hydrocarbon. Shut in Pressure...lbs.
Length of Time Shut in...

PLEASE INDICATE BELOW FORMATION TOPS (IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE):

| Southeastern New Mexico | | | Northwestern New Mexico | | |
|-------------------------|------|-----------------|-------------------------|--|--|
| T. Anhy. | | T. Devonian. | T. Ojo Alamo. | | |
| T. Salt. | 705 | T. Silurian. | T. Kirtland-Fruitland. | | |
| B. Salt. | 1950 | T. Montoya. | T. Farmington. | | |
| T. Yates. | 2212 | T. Simpson. | T. Pictured Cliffs. | | |
| T. 7 Rivers. | 2532 | T. McKee. | T. Menefee. | | |
| T. Queen. | 3013 | T. Ellenburger. | T. Point Lookout. | | |
| T. Grayburg. | | T. Gr. Wash. | T. Mancos. | | |
| T. San Andres. | | T. Granite. | T. Dakota. | | |
| T. Glorieta. | | T. | T. Morrison. | | |
| T. Drinkard. | | T. | T. Penn. | | |
| T. Tubbs. | | T. | T. | | |
| T. Abo. | | T. | T. | | |
| T. Penn. | | T. | T. | | |
| T. Miss. | | T. | T. | | |

FORMATION RECORD

| From | To | Thickness in Feet | Formation | From | To | Thickness in Feet | Formation |
|-------|-------|-------------------|-------------------|------|----|-------------------|-----------|
| 0 | 705' | 705' | Anhy. and Red bed | | | | |
| 705' | 1950' | 1245' | Salt | | | | |
| 1950' | 2532' | 582' | Anhy. and Sand | | | | |
| 2532' | 3150' | 618' | Dolo. and Sand | | | | |

OIL CONSERVATION COMMISSION
ARTESIA DISTRICT OFFICE

No. Copies Received 7

DISTRIBUTION

| | NO. FURNISHED |
|-------------------|---------------|
| OPERATOR | |
| SANTA FE | 2 |
| PRORATION OFFICE | 1 |
| STATE LAND OFFICE | |
| U. S. G. S. | 2 |
| TRANSPORTER | |
| FILE | 1 |
| BUREAU OF MINES | 1 |

ATTACH SEPARATE SHEET IF ADDITIONAL SPACE IS NEEDED

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

Company or Operator...Hondo Oil & Gas Company...Address...Box 125, Artesia, New Mexico...
Name...J. H. ...Position or Title...Dist. Prod. Supt...
(Date) 6-27-60