

M. M. O. C. G. COR

CAN J.

Budget Bureau No. 42-R358.4. Form Approved.

(SUBMIT IN TRIPLICATE)

Land Office .... Las Crucus

## UNITED STATES DEPARTMENT OF THE INTERIOR

Unit G

GEOLOGICAL SURVEY

## SUNDRY NOTICES AND REPORTS ON WELLS

1 '		SUBSEQUENT REPORT OF WATER SHUT-OFF
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	X	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY

NOTICE OF INTENTION TO ABANDON WELL			1
(INDICATE AS	OVE BY CHECK MARK NATURE OF REPO	RT, NOTICE, OR OTHER DATA)	
			10
			, 194
Puckett "A"	N):	1 (E) E (E)	- 44
ell No is located _	1950 ft. from the line and	d 1980 ft. from $\{E\}$ line of se	C <b></b>
54/4 82c. 24 (½ Sec. and Sec. No.)	173 31E (Range)	(Meridian)	
	, .,		
Maljamar (Field)	(County or Subdivision)	(State or Territory)	
he elevation of the derrick floo	or above sea level is	.ft.	
	DETAILS OF WO		
		ngths of proposed casings; indicate mudding	iobs, ceme
	ing points, and all other important p	roposed work)	
insure the best pe	posible response to wa	reated in this well. In terflooding, it is propos	ed to
insure the best perform the follow gravel to 3740'. 3" tubing and set	possible response to wa wing work: Set umbrol Plug back with Cal Se packer at 3654'. Fro 1000' sand Yorbal app		ed to ek wit meker galls
insure the best perform the follow gravel to 3740'. 3" tubing and set lease oil plus 5,6	pssible response to wa wing work: Set umbrel Plug back with Cal Se packer at 3654'. Fre	terflooding, it is propos la plug at 3754', plug ba al to 3713'. Rum Lynes p e balow packer with 5,000	ed to ek wit meker galls
insure the best perform the follow gravel to 3740'. 3" tubing and set lease oil plus 5,6	possible response to wa wing work: Set umbrol Plug back with Cal Se packer at 3654'. Fro 1000' sand Yorbal app	terflooding, it is propos la plug at 3754', plug ba al to 3713'. Rum Lynes p e balow packer with 5,000	ed to ek wit meker galls
insure the best perform the follow gravel to 3740'. 3" tubing and set lease oil plus 5,6 on May 20, 1964.	posible response to waring work: Set umbre level of the cal Se packer at 3654'. Fre poor sand Terbal approach to the cal se packer at 3654'. Fre poor sand Terbal approach to the call of	terflooding, it is proposed a plug at 3754', plug bat 3713'. Rum Lynes per balow packer with 5,000 reval was obtained by Mr.	ed to ck wit acker galls Shock
insure the best perform the follow gravel to 3740'. 3" tubing and set lease oil plus 5,6 on May 20, 1964.  I understand that this plan of work mur	posible response to waring work: Set umbre leading work: Set umbre leading back with Cal Se packer at 3654'. Free poor sand Ferbal approved the Call Set of th	terflooding, it is propos la plug at 3754', plug ba al to 3713'. Rum Lynes p e balow packer with 5,000	ed to ck wit acker gallo Shook
insure the bast perform the follow gravel to 3740'. 3" tubing and set lease oil plus 5,6 on May 20, 1964.  Junderstand that this plan of work mur	posible response to waring work: Set umbre leading work: Set umbre leading back with Cal Se packer at 3654'. Free poor sand Ferbal approved the Call Set of th	terflooding, it is proposed a plug at 3754', plug bat 3713'. Rum Lynes per balow packer with 5,000 reval was obtained by Mr.	ed to ck wit acker galls Shock
insure the bast perform the follow gravel to 3740'.  3" tubing and set lease oil plus 5,6 on May 20, 1964.  Junderstand that this plan of work much before the second services of the s	posible response to war ing work: Set umbre in Plug back with Cal Se packer at 3654'. From Section 24 1964  MAY 24 1964  13 14 C.  All 14 C.  A	terflooding, it is proposed a plug at 3754', plug based to 3713'. Rum Lynes per balow packer with 5,000 reval was obtained by Mr.	ed to ek wit acker galls Shock
insure the best perform the follow gravel to 3740'.  3" tubing and set lease oil plus 5.6 on May 20, 1964.  Junderstand that this plan of work mu Company William A. A. E.	posible response to waing work: Set umbre level and the cal Se packer at 3654'. From the color and the call a	terflooding, it is proposed a plug at 3754', plug based to 3713'. Rum Lynes per balow packer with 5,000 reval was obtained by Mr.	ed to ek wit acker gallo Shook
insure the bast perform the follow gravel to 3740'. 3" tubing and set lease oil plus 5,6 on May 20, 1964.	posible response to waing work: Set umbre level and the cal Se packer at 3654'. From the color and the call a	terflooding, it is proposed a plug at 3754', plug bat 3713'. Rum Lynes per balow packer with 5,000 reval was obtained by Mr.	ed to ek wit acker gallo Shook