Capy to 54

Form 9-331 Dec. 1973

5-USGS-ARTES NIMOCC COPPUB, ENGR. 1-R. J. STAKLAK-TULSA 1-A. B. CARY-MIDLAND UNITED STATES

1-EF, FOREMAN

1-FILE

Form Approved.
..Budget Bureau No. 42-R1424

OWNED OWNED	5. LEASE (6)
DEPARTMENT OF THE INTERIOR	LC-029419 (2)
GEOLOGICAL SURVEY	6. IF INDIAN, ALLOTTEE OR TRIBE NAME
SUNDRY NOTICES AND REPORTS ON WELLS  (Do not use this form for proposals to drill or to deepen or plug back to a different reservoir, Use Form 9–331–C for such proposals.)	7. UNIT AGREEMENT NAME Skelly Unit
reservoir. Use Form 9–331–C for such proposals.)	8. FARM OR LEASE NAME
1. oil gas	
well well other Injection	9. WELL NO.
2. NAME OF OPERATOR /	85
Getty Oil Company V	10. FIELD OR WILDCAT NAME
3. ADDRESS OF OPERATOR	Grayburg Jackson, Fren-7 Rivers
P. O. Box 730, Hobbs, New Mexico 88240	11. SEC., T., R., M., OR BLK. AND SURVEY OR
4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17	AREA AREA
below.)	Sec. 27, T-17S, R-31E
AT SURFACE: Unit letter B, 660' FNL & 1980' FE AT TOP PROD. INTERVAL:	
AT TOTAL DEPTH:	Eddy New Mexico
·	14. API NO.
16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA	
·	15. ELEVATIONS (SHOW DF, KDB, AND WD) 3824' DF
REQUEST FOR APPROVAL TO: SUBSEQUENT REPORT OF:	
TEST WATER SHUT-OFF	
FRACTURE TREAT  SHOOT OR ACIDIZE  RECE	IVED
REPAIR WELL	
PULL OR ALTER CASING T	(NOTE: Report results of multiple completion or zone change on Form 9–330.)
MULTIPLE COMPLETE   JAN	8 1979
CHANGE ZONES	
ABANDON° [ Cother) Open 7-Rivers Zone to injection C. C	
(other) Open 7-Rivers Zone to injection	
17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state	
including estimated date of starting any proposed work. If well is d measured and true vertical depths for all markers and zones pertiner	
measured and true vertical depths for all markers and zones pertiner	nt to this work.)*  ARTESIA,
	ARTESIA
1. Pull tubing.	्र को <del>हिं</del> स
2. Perforate and acidize Fren-7 Rivers Zone	
2. Perforate and acidize Fren-7 Rivers Zone	
3 Day Avel contain 11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
3. Run dual retrievable packer to + 2000' as	nd a permanent single
packer to + 3200'.	
4. Inject into the Fren-7 Rivers Zone and the	he Grayburg-Jackson Zone.
	그 그 그 그 그는 그는 그를 가는 것 같습니다.
Subsurface Safety Valve: Manu. and Type	Set @Ft.
	Set @Ft.
18. I hereby cortify that the foregoing is true and correct	
SIGNED ATEN Supt.	DATE 1-3-79
(This space for Federal or State of	
APPROVED BY LOCAL LOTAL ACTING DISTRICT E	NGINEER IAM 2 3
CONDITIONS OF A DODOWAL IF AND	