

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

N.M. Oil & Gas Division  
311 S. 1st Street  
Albuquerque, NM 88210-2834

FORM APPROVED  
Bureau No. 1004-0135  
Expires March 31, 1993

C/SF

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.  
Use "APPLICATION FOR PERMIT -" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well

☐ Oil Well ☐ Gas Well ☐ Other ☒ Water Injection

2. Name of Operator

The Wiser Oil Company

3. Address and Telephone No.

8115 Preston Road, Suite 400, Dallas, TX 75225 (214)265-0080

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

Unit C, 660' FNL & 1980' FWL, Sec 28, T17S, R31E

5. Lease Designation and Serial No.

NM-98122

6. If Indian, Allote or Tribe Name

7. If Unit or CA, Agreement Designation

Skelly Unit

8. Well Name and No.

90

9. Well API No.

30-015-05428

10. Field and Pool, or Exploratory Area

Grayburg Jackson 7-Rivers-QN-GB-SA

11. County or Parish, State

Eddy, New Mexico

12. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

TYPE OF SUBMISSION

☐ Notice of Intent  
☒ Subsequent Report  
☐ Final Abandonment Notice

TYPE OF ACTION

☐ Abandonment  
☐ Recompletion  
☐ Plugging Back  
☐ Casing Repair  
☐ Altering Casing  
☐ Other  
☐ Change of Plans  
☐ New Construction  
☐ Non-Routine Fracturing  
☐ Water Shut-Off  
☒ Conversion to Injection  
☐ Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log Form)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this zone).\*

07/07/97 MIRU Pool WS # 682. Removed WH. Attempted to install new WH. Needed 4' nip. Installed old WH.  
07/08/97 Removed WH. Replaced 7" x 4' nip. Installed WH. NU BOP. RIH w/7" Baker RBP & set @ 3400'. Attempted to test csg. had leak. Reset RBP @ 3150'. Tstd csg. unsuccessful. POH w/tbg & setting tool. RIH w/7" AD-1 pkr. & set @ 3140'. Tstd RBP unsuccessful. Test csg. @ 3140'-surf. to 500#. Held ok. POH w/pkr.  
07/09/97 RIH w/retrieving tool on 2-3/8" tbg. Retrieved RBP & POH. RIH w/6-1/4" bit on 2-3/8" tbg. CO fill @ 3421'-3600'. Circ clean. POH. LD tbg. & bit. Dumped 2 sks. sand down csg.  
07/10/97 RIH w/7" Baker J-Lok pkr., on-off tool & 101 jts. 2-3/8" WF tbg. ND BOP. Installed WH. Circ. pkr. & set @ 3131'. Tstd csg. to 500#. Held ok. RU. HES & acidized perfs. @ 3413'-3441' open hole zone & 3460'-3600' w/7500 gals 15% Fer-check w/1,000# rock salt in 2 stages. ATP 3000# @ 3.6 bpm. MTP 3220# @ 4 bpm. ISIP 1941# 5 min 18-6#, 10 min 1819#, 15 min 1798#  
07/17/97 Initial injection rate 400 BWPD @ 500#.

Post TA-3  
4-12-98  
Prod. to WH

14. I hereby certify that the foregoing is true and correct

Signed:

*Betty Grier*


Title Production Administrator

Date 03/13/98

(THIS SPACE FOR FEDERAL OR STATE OFFICE USE)

Approved By:

Title




Date

Conditions of approval, if any:

Title 18 U. S. C. Section 1001, makes it a crime for any person knowingly and willfully to make any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

\*See Instruction on Reverse Side

DR



The W. sec 0.1 Company  
Skelly Unit # 90  
Unit Letter C, Sec 28, T17S R31E  
LC-029420-B Eddy Co, NM

B.A.R. Treathney

L. Scott Paul