IT IS THEREFORE ORDERED THAT:

05-0545

Varid_ Prop-Pane-

SWD Order No. R-9666 5/6/92

pull-DH

(1) Marbob Energy Corporation, as applicant in both Division Case Nos. 10465 and 10466, is hereby authorized to utilize its Turner "B" Well No. 65 located 330 feet from the South line and 1980 feet from the West line (Unit N) of Section 20, and Turner "B" Well No. 69, located 380 feet from the North line and 2310 feet from the East line (Unit B) of Section 29, both in Township 17 South, Range 31 East, NMPM, Eddy County, New Mexico, to dispose of produced salt water into the Cedar Lake-Abo Pool through the following perforated intervals:

> Well No. 65 Well No. 69

6890 feet to 7480 feet 6890 feet to 7230 feet.



BUREAU OF	3D STATES NT OF THE INTERIOR LAND MANAGEMENT	1	OIL CONS COMMISSION awer DD FORM APPROVED tesiaBud Musurds And 1004-0135 Expires: March 31, 1993 5. Lease Designation and Serial No. LC-029395B
SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill or to deepen or reentry to a different reservoir. Use "APPLICATION FOR PERMIT—" for such proposals			6. If Indian, Allottee or Tribe Name
SUBMIT IN TRIPLICATE			7. If Unit or CA, Agreement Designation
1. Type of Well Gas Image: Solution of the second		8. Well Name and No. Turner B #69	
Marbob Energy Corporation Image: Composition for the composition of the compositi		 9. API Well No. 30-15-05453 10. Field and Pool, or Exploratory Area Cedar Lake Abo 11. County or Parish, State Eddy, N.M. 	
CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA			
TYPE OF SUBMISSION		TYPE OF ACTION	
Notice of Intent	X Abandonment Recompletion Plugging Back		Change of Plans New Construction Non-Routine Fracturing
Final Abandonment Notice	Casing Repair Altering Casing Other		Water Shut-Off Conversion to Injection Dispose Water (Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)
 Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give suburface locations and measured and true vertical depths for all markets and zones pertinent to this work.)* 1) Spot 14 sxs cement plug at 6900' w.o.c. did not tag any cement 2) Set 4¹/₂ C.I.B.P. at 6900' cap w/35' cement 3) Load hole w/mud 4) Spot 100' cement plug at 3800' 5) Spot 100' cement plug at 1650' w.o.c. tag cement top at 1480' 6) Perforate 4¹/₂ casing at 1200' unable to pump into perforations Perforate 4¹/₂ casing at 362' at 13 3/8 shoe, was able to pump into perforations but did not load 7) Spot 10 sxs cement plug at 400' w/30 sxs cement w.o.c. tag cement top at 362' pump 75 sxs cement between 4¹/₂ and 8 5/8 w.o.c. did not tag cement. Respot cement plug at 400' w/30 sxs cement inside 4¹/₂ casing at 335' 9) Spot 150 sxs cement between 4¹/₂ and 8 5/8 to surface and spot cement from 335' to surface inside 4¹/₂ casing set p and a marker. 			
All the second and the second			
Signed Maymon / a dumale	Title Supenveren		
(This space for Federal or State office use) Approved by Conditions of approval, if any:	변화 [] [] [] [] [] [] [] [] [] [] [] [] []	,許可能認識	Date 10/12/94

+ 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements epresentations as to any matter within its jurisdiction.

=