

APPROVED

APR 27 1962

RONNIE E. SHOOK
ACTING DISTRICT ENGINEER

(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office **Las Cruces**

Lease No. **089395(b)**

Unit **THUNDERBOLT VIDE**

APR 30 1962

O. C. C.
FIELD OFFICE

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL		SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL	<input checked="" type="checkbox"/>		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Well No. **73** is located **380** ft. from **[N]** line and **2700** ft. from **[W]** line of sec. **27**
NE 1/4 Sec 27 (1/4 Sec. and Sec. No.)
Cedar Lake Area (Field)
17S (Twp.)
2E (Range)
107W (Meridian)
Doña (County or Subdivision)
New Mexico (State or Territory)

The elevation of the derrick floor above sea level is _____ ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

PROPOSE TO: Set retrievable bridge plug at 7010'. Set perforators 1-1/2" casing in the zone approximately 7011-7016 w/t jet shots per foot. Run acid treatment 7011-7016 w/100 gals acid and test.

RECEIVED

APR 27 1962

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company **Simclair Oil & Gas Company**

Address **500 E Broadway**

Doña, New Mexico

By _____

Title **Asst Dist Supt**

Orig Rec: USGS; as: 487, 21, 712