

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT  
N.M. Oil Cons. Division  
811 S. 1st Street  
Artesia, NM 88210-2834

FORM APPROVED  
Budget Bureau No. 1004-0135  
Expires March 31, 1993

C/SF

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.  
Use "APPLICATION FOR PERMIT—" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well  
☐ Oil Well ☐ Gas Well ☒ Other WIW

2. Name of Operator  
**DEVON ENERGY CORPORATION (NEVADA)** ADON

3. Address and Telephone No.  
**20 NORTH BROADWAY, SUITE 1500, OKLAHOMA CITY, OKLAHOMA 73102 (405) 235-3611**

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)  
**1980' FNL & 660' FEL of Section 30-T17S-R31E**

5. Lease Designation and Serial No.  
**LC-065014**

6. If Indian, Allottee or Tribe Name

7. If Unit or CA, Agreement Designation

8. Well Name and No.  
**Max Friess #4**

9. API Well No.  
**30-015-05471**

10. Field and Pool, or Exploratory Area  
**Grayburg-Jackson Field**

11. County or Parish, State  
**Eddy County, NM**

CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

TYPE OF ACTION

- ☒ Notice of Intent
- ☐ Subsequent Report
- ☐ Final Abandonment Notice

- ☐ Abandonment
- ☐ Recompletion
- ☐ Plugging Back
- ☐ Casing Repair
- ☐ Altering Casing
- ☒ Other Deepen, run 4 1/2" casing & perf

- ☐ Change of Plans
- ☐ New Construction
- ☐ Non-Routine Fracturing
- ☐ Water Shut-Off
- ☐ Conversion to Injection
- ☐ Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

Workover existing water injection well as follows:

1. Deepen wellbore to 3600'.
2. Set 4 1/2" 11.6# J-55 LT&C casing at 3600'. Cement to surface.
3. Selectively perforate the interval 2850' - 3550' (OA).
4. RIH with Baker AD-1 packer on 2 3/8" (IPC) tubing and set at 2800'.
5. Return well to injection through perforations 2850' - 3550' (OA).

REC-11

NOV - 1996

OIL CONSERVATION  
DISTRICT

14. I hereby certify that the foregoing is true and correct

Signed Charles H. Carleton  
(This space for Federal or State office use)

Charles H. Carleton  
Title Sr. Engineering Tech.

Date 10/16/96

Approved by (ORIG. SGD.) ALEXIS C. SWOBODA  
Conditions of approval, if any:

Title PETROLEUM ENGINEER

Date 11/5/96