



NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

RECEIVED

NOV 24 1961

WELL RECORD

O. C. C.
ARTESIA, OFFICE

Mail to District Office, Oil Conservation Commission, to which Form C-101 was sent not later than twenty days after completion of well. Follow instructions in Rules and Regulations of the Commission. Submit in QUINTUPLICATE. If State Land submit 6 Copies

AREA 640 ACRES
LOCATE WELL CORRECTLY

THE OHIO OIL COMPANY

(Company or Operator)

Culpepper Unit

(Lease)

Well No. 1, in NW 1/4 of SE 1/4, of Sec. 30, T. 18-S, R. 26-E, NMPM.

Atoka-Penn

Pool,

Eddy

County.

Well is 1650 feet from south line and 1650 feet from east line

of Section 30. If State Land the Oil and Gas Lease No. is

Drilling Commenced 7-29-61, 19. Drilling was Completed 9-19-61, 19.

Name of Drilling Contractor A. W. Thompson, Inc.

Address Midland, Texas

Elevation above sea level at Top of Tubing Head 3458' DF

The information given is to be kept confidential until

, 19.

OIL SANDS OR ZONES

No. 1, from none to No. 4, from to

No. 2, from to No. 5, from to

No. 3, from to No. 6, from to

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from to feet.

No. 2, from to feet.

No. 3, from to feet.

No. 4, from to feet.

CASING RECORD

| SIZE | WEIGHT PER FOOT | NEW OR USED | AMOUNT | KIND OF SHOE | CUT AND PULLED FROM | PERFORATIONS | PURPOSE |
|--------|-----------------|-------------|--------|--------------|---------------------|--------------|---------|
| 8-5/8" | 32# | New | 2009 | Guide | - | - | Surface |
| | | | | | | | |
| | | | | | | | |

MUDDING AND CEMENTING RECORD

| SIZE OF HOLE | SIZE OF CASING | WHERE SET | NO. SACKS OF CEMENT | METHOD USED | MUD GRAVITY | AMOUNT OF MUD USED |
|--------------|----------------|-----------|---------------------|-------------|-------------|--------------------|
| 12 1/4 | 8-5/8 | 2014 | 1280 | 2-Stage | - | - |
| | | | | | | |
| | | | | | | |

RECORD OF PRODUCTION AND STIMULATION

(Record the Process used, No. of Qts. or Gals. used, interval treated or shot.)

Dry & abandoned.

Result of Production Stimulation

Depth Cleaned Out

RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto

TOOLS USED

Rotary tools were used from 0 feet to 9355' feet, and from feet to feet.
Cable tools were used from feet to feet, and from feet to feet.

PRODUCTION

Put to Producing Dry & abandoned, 19.

OIL WELL: The production during the first 24 hours was barrels of liquid of which % was
was oil; % was emulsion; % water; and % was sediment. A.P.I.
Gravity.

GAS WELL: The production during the first 24 hours was M.C.F. plus barrels of
liquid Hydrocarbon. Shut in Pressure lbs.

Length of Time Shut in.

PLEASE INDICATE BELOW FORMATION TOPS (IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE):

| Southeastern New Mexico | | | Northwestern New Mexico | | |
|-------------------------|------|--|-------------------------|------|-----------------------|
| ELECTRIC LOG TOPS: | | | | | |
| T. Anhy. | | | T. Devonian | | T. Ojo Alamo |
| T. Salt | | | T. Silurian | | T. Kirtland-Fruitland |
| B. Salt | | | T. Montoya | | T. Farmington |
| T. Yates | | | T. Simpson | | T. Pictured Cliffs |
| T. 7 Rivers | | | T. McKee | | T. Menefee |
| T. Queen | | | T. Ellenburger | | T. Point Lookout |
| T. Grayburg | | | T. Gr. Wash | | T. Mancos |
| T. San Andres | 805 | | T. Granite | | T. Dakota |
| T. Glorieta | 2185 | | T. Strawn | 8178 | T. Morrison |
| T. Drinkard | | | T. Band | 8650 | T. Penn. |
| T. Tubbs | | | T. "A" Zone | 8888 | T. Mississippian Line |
| T. Abo | 4440 | | T. "B" Zone | 8997 | 9330 |
| T. Wolfcamp | 5776 | | T. "C" Zone | 9068 | |
| T. Cisco? | 7063 | | T. Chester | 9168 | |
| T. Canyon ? | 7728 | | | | |

FORMATION RECORD

| From | To | Thickness in Feet | Formation | From | To | Thickness in Feet | Formation |
|-------|------|----------------------|--------------------|------|----|----------------------|---|
| 1 | 289 | 289 | Red Bed | | | | DISTRIBUTION: NMOCC Mr. J. A. Grimes Mr. L. H. Shearer Mr. D. V. Kitley Mr. T. A. Steele Mr. T. O. Webb |
| 289 | 827 | 538 | Shale, Lime | | | | |
| 827 | 6335 | 5508 | Lime | | | | |
| 6335 | 6675 | 340 | Shale | | | | |
| 6675 | 6983 | 308 | Shale, Lime | | | | |
| 6983 | 7234 | 251 | Shale | | | | |
| 7234 | 8021 | 787 | Shale, Lime | | | | |
| 8021 | 8814 | 793 | Lime | | | | |
| 8814 | 8836 | 22 | Lime, Chert | | | | |
| 8836 | 8930 | 94 | Lime | | | | |
| 8930 | 9230 | 300 | Shale & Sd (cored) | | | | |
| 9230 | 9355 | 125 | Lime | | | | |
| 9355' | TD | | | | | | |

ATTACH SEPARATE SHEET IF ADDITIONAL SPACE IS NEEDED

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

November 20, 1961 (Date)
Company or Operator THE OHIO OIL COMPANY Address 2107, Hobbs, New Mexico
Name E. E. Moore Position Title Asst. Supt.