	ide       7. If Unit or CA/Agreement, Name and/or         8. Well Name and No.         Yates A #15         9. API Well No.         a0-015-10072         471         10. Field and Pool, or Exploratory Area         Loco Hills-Q-GB-SA         M, SWSW)         11. County or Parish, State         Eddy Co., NM         COF NOTICE, REPORT, OR OTHER DATA         COF ACTION         Production (Start/Resume)         Well Integrity         Recomplete         Other         Temporarily Abandon         Water Disposal         It depting and measured and true vertical depths of all pertinent markers and measured and true vertical depths of all pertinent markers and the BLM/BIA. Required subsequent reports shall be filed within it for or recompletion in a new interval, a Form 3160-4 shall be file within it for or recompletion in a new interval, a Form 3160-4 shall be file within it for night.         and plugging equipment. Nippled deplies and the operators and the operators and the operators and the second plug at 260 plug at 260 plug. Shut well in for night.         cated 5-1/2" casing at 1270'. POON	
Subsequent Report     Notice of Intent     Notice of Intent     Subsequent Report     Notice of Intent     Subsequent Report     Type of Subsequent Report     Notice of Intent     Subsequent Report     Type of Subsequent Report     Subsequent Report     Type of Complete Operation (clearly state all pertinent details, including estimates     Type of Subsequent Report     Type of Subsequent Report     Type of Subsequent Report     Type of Subsequent Report     Subsequent Report     Type of Complete Operation (clearly state all pertinent details, including estimates     Type -2002 - Moved in and rigged up pulling unit a     wellhead and nippled up BOP. Rigged up floor and     workstring. Shut well in for night.     T-20-22-2002 - Tallied and picked up 2-3/8" works     Circulated hole with plugging mud. POOH with tut     T-23-2002 - Rigged up wireline and RIH and perfor     and rigged down wireline. RIH with packer and tu     Substate Subsequent Report     Type -2002 - Pressured up to 1000 psi and worked p     joints tubing plugged. Rigged up wireline and RIH     and rigged down wireline. RIH with packer and tu     class C Neat cement. Displaced to 1170'. Shut ve     Subsequent Report     Substate Rigged up wireline and RIH with packer and tu     Subsequent Report     Subsequent R	NM-021095         6. If Indian, Allottee or Tribe Name         ide         7. If Unit or CA/Agreement, Name and/or         8. Well Name and No.         Yates A #15         9. API Well No.         rea code)         471         10. Field and Pool, or Exploratory Area         Loco Hills-Q-GB-SA         M, SWSW)         11. County or Parish, State         Eddy Co., NM         COF NOTICE, REPORT, OR OTHER DATA         COF ACTION         Production (Start/Resume)         Water Shut-Off         Reclamation         Well Integrity         Recomplete         Other         Temporarily Abandon         Water Disposal         ted starting date of any proposed work and approximate duration fand measured and true vertical depths of all pertinent markers and the BLM/BIA. Required subsequent reports shall be filed within jtion or recompletion in a new interval, a Form 3160-4 shall be file nents, including reclamation, have been completed, and the operation of the shall be file within jtion or recompletion in a new interval, a Form 3160-4 shall be file nents, including reclamation, have been completed, and the operation of the shall be file within jtion or recompletion in a new interval, a Form 3160-4 shall be file nents, including reclamation, have been completed, and the operation of the shall be file nents, including reclamation, have been completed, and the operating and RIH. Tagged	
CLINERY NOTICES AND REPORTS ON WELLS     Deprot of periods from top proposals to drill or to re-enter an     abandoped well. Use from 3160-3 (APD) for such proposals.     SUBMIT IN THPLICATE - Other Instructions on reverse s     abandoped well. Use from 3160-3 (APD) for such proposals.     SUBMIT IN THPLICATE - Other Instructions on reverse s     abandoped well. Use from 3160-3 (APD) for such proposals.     SUBMIT IN THPLICATE - Other Instructions on reverse s     abandoped well. Use from 3160-3 (APD) for such proposals.     SUBMIT IN THPLICATE - Other Instructions on reverse s     abandoped well. Use from 3160-3 (APD) for such proposals.     SUBMIT IN THPLICATE - Other Instructions on reverse s     abandoped well. Use from 5160-3148 detection     Address     105 S. 4th St Artesia, NM 88210 505-748-14     Location of Well (Footage, Sec., T. R. M., or Survey Description)     330' FSL & 330' FWL of Section 6-T18S-R30E (Unit     12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE     TYPE OF SUBMISSION TYPE     Address     Ather Casing Fracture Treat     Casing Repair New Construction     Casing Repair New Construction     Change Plans Plug and Abandon     Final Abandoment Notice     Convert to Injection Plug Back     Subsequent Report     Casing Repair New Construction     fibe proposals to deepen directionally or recomplete brizontally, give subarface locations     fibe proposals to deepen directionally or recomplete brizontally, give subarface locations     fibe and nippled up BOP. Rigged up pulling unit a     wellhead and nippled up BOP. Rigged up floor and     workstring. Shut well in for night.     7-20-22-2002 - Tallied and picked up 2-3/8" works     Circulated hole with plugging mud. POOH with tut     7-23-2002 - Rigged up wireline and RIH and perfor     and rigged down wireline. RIH with packer and tu     Class C Neat cement. Displaced to 1170'. Shut we     figged up wireline and RIH with bars - did not ta     Shut well in for night.     7-24-2002 - Pressured up to 1000 psi and worked p     joints tu	6. If Indian, Allottee or Tribe Name         ide       7. If Unit or CA/Agreement, Name and/or         8. Well Name and No.         Yates A #15         9. API Well No.         rea code)         471         10. Field and Pool, or Exploratory Area         Loco Hills-Q-GB-SA         M, SWSW)         11. County or Parish, State         Eddy Co., NM         COF NOTICE, REPORT, OR OTHER DATA         COF ACTION         Production (Start/Resume)         Well Integrity         Recomplete         Other         Temporarily Abandon         Water Disposal         ted starting date of any proposed work and approximate duration tand measured and true vertical depths of all pertinent markers and the BL/MBLA. Required subsequent reports shall be filed within tion or recompletion in a new interval, a Form 3160-4 shall be file nents, including reclamation, have been completed, and the operation of the pertinent markers and the operation in a new interval, a Form 3160-4 shall be filed within the plugging equipment. Nippled date of any proposed work and approximate duration tand measured and true vertical depths of all pertinent markers and the operation in a new interval, a Form 3160-4 shall be filed within the plugging equipment. Nippled date of any proposed work and approximate duration tand the operation in a new interval, a Form 3160-4 shall be filed within the proposed work and approximate duration tand the operation in a new interval, a Form 3160-4 shall be filed within the o	
A abardone Wiell       Use Form 3160-3 (APD) for such proposals.         SUBMIT IN TRIPLICATE - Other Instructions on reverse s         Oil Well       Gas well       Other         Plug & Abandon         Name of Operator       Yates Petroleum Corporation         3a. Address       3b. Phone No. (include a         105 S. 4th St Artesia, NM       88210       505-748-14         4. Location of Well (Footage, Sec. T. R., M., or Survey Description)       330' FSL & 330' FWL of Section 6-T18S-R30E (Unit         12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE         TYPE OF SUBMISSION       TYPE         Image: Subsequent Report       Acidize       Deepen         Atter Casing       Fracture Treat         Subsequent Report       Casing Repair       New Construction         If he proposal is to deepen directionally or recomplete horizonin results in a multiple complete direction results in	ide       7. If Unit or CA/Agreement, Name and/or         8. Well Name and No.         Yates A #15         9. API Well No.         a0-015-10072         471         10. Field and Pool, or Exploratory Area         Loco Hills-Q-GB-SA         M, SWSW)         11. County or Parish, State         Eddy Co., NM         COF NOTICE, REPORT, OR OTHER DATA         COF ACTION         Production (Start/Resume)         Well Integrity         Recomplete         Other         Temporarily Abandon         Water Disposal         It depting and measured and true vertical depths of all pertinent markers and measured and true vertical depths of all pertinent markers and the BLM/BIA. Required subsequent reports shall be filed within it for or recompletion in a new interval, a Form 3160-4 shall be file within it for or recompletion in a new interval, a Form 3160-4 shall be file within it for night.         and plugging equipment. Nippled deplies and the operators and the operators and the operators and the second plug at 260 plug at 260 plug. Shut well in for night.         cated 5-1/2" casing at 1270'. POON	
1. Type of Well       2 S2 23 0 C         1. Oil Well       Cas Wetl       Other       Plug & Abandon         2. Name of Operator       3b. Phone No. (include a 105 S. 4th St Artesia, NM 88210       505-748-1.         3. Address       3b. Phone No. (include a 105 S. 4th St Artesia, NM 88210       505-748-1.         4. Location of Well (Footage, Sec., T. R., M., or Survey Description)       330' FSL & 330' FWL of Section 6-T18S-R30E (Unit         12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE         TYPE OF SUBMISSION         TYPE         Notice of Intent         Acidize         Deepen         Classing Repair         New Construction         Deepen         Classing Repair         New Construction         Deepen         Classing Repair         New Construction         Deepen Order to Injection         Plug ad Abandon         Classing Repair         New Construction         Deepen         Classing Repair         New Construction         Deag Adabandon <tr< td=""><td>8. Well Name and No. Yates A #15         9. API Well No.         9. API Well No.         30-015-10072         471         10. Field and Pool, or Exploratory Area Loco Hills-Q-GB-SA         M, SWSW)         11. County or Parish, State         Eddy Co., NM         COF NOTICE, REPORT, OR OTHER DATA         COF ACTION         Production (Start/Resume)         Production (Start/Resume)         Well Integrity         Reclamation         Well Integrity         Recomplete         Other         Temporarily Abandon         Water Disposal         ted starting date of any proposed work and approximate duration from or recompletion in a new interval, a Form 3160-4 shall be filed within 1 from or recompletion in a new interval, a Form 3160-4 shall be filed within 1 from or recompletion in a new interval, a Form 3160-4 shall be filed within 1 from 1 generation, have been completed, and the operation or recompletion in a new interval, a Form 3160-4 shall be filed within 1 from 1 generation 1 generation, have been completed, and the operation or recompletion in a new interval, a Form 3160-4 shall be filed within 1 from 1 generation 1 generatio</td></tr<>	8. Well Name and No. Yates A #15         9. API Well No.         9. API Well No.         30-015-10072         471         10. Field and Pool, or Exploratory Area Loco Hills-Q-GB-SA         M, SWSW)         11. County or Parish, State         Eddy Co., NM         COF NOTICE, REPORT, OR OTHER DATA         COF ACTION         Production (Start/Resume)         Production (Start/Resume)         Well Integrity         Reclamation         Well Integrity         Recomplete         Other         Temporarily Abandon         Water Disposal         ted starting date of any proposed work and approximate duration from or recompletion in a new interval, a Form 3160-4 shall be filed within 1 from or recompletion in a new interval, a Form 3160-4 shall be filed within 1 from or recompletion in a new interval, a Form 3160-4 shall be filed within 1 from 1 generation, have been completed, and the operation or recompletion in a new interval, a Form 3160-4 shall be filed within 1 from 1 generation 1 generation, have been completed, and the operation or recompletion in a new interval, a Form 3160-4 shall be filed within 1 from 1 generation 1 generatio	
<ul> <li>1 Name of Operator</li> <li>Name of Operator</li> <li>Yates Petroleum Corporation</li> <li>3a. Address</li> <li>105 S. 4th St Artesia, NM 88210 505-748-14</li> <li>4. Location of Well (Footage, Sec., T., R., M., or Survey Description)</li> <li>330' FSL &amp; 330' FWL of Section 6-T18S-R30E (Unit</li> <li>12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE</li> <li>TYPE OF SUBMISSION</li> <li>TYPE</li> <li>Notice of Intent</li> <li>Acidize</li> <li>Deepen</li> <li>Alter Casing</li> <li>Fracture Treat</li> <li>Casing Repair</li> <li>New Construction</li> <li>Change Plans</li> <li>Plug and Abandon</li> <li>Convert to Injection</li> <li>Plug Back</li> <li>Describe Proposed or Completed Operation (clearly state all pertinent details, including estimal fit he proposal is to deepen directionally or recomplete horizontally, give subsurface locations Attach the Bond under which the work will be performed or provide the Bond No. on file wi following completed. Final Abandoment Notice</li> <li>Describe Proposed or Completed Operations. If the operation results in a multiple complete testing has been completed. Final Abandoment Notices and the Bond under which the work will be performed or provide the Bond No. on file wi following completed. Final Abandoment Notices and the bin volved operations. If the operation all be file only after all requirer determined that the site is ready for final inspection.)</li> <li>7-19-2002 - Moved in and rigged up pulling unit a wellhead and nippled up BOP. Rigged up floor and workstring. Shut well in for night.</li> <li>7-20-22-2002 - Tallied and picked up 2-3/8" works Circulated hole with plugging mud. POOH with tut 7-23-2002 - Rigged up wireline and RIH and perfor and rigged down wireline. RIH with packer and tu Class C Neat cement. Displaced to 1170'. Shut we Rigged up wireline and RIH with bars - did not ta Shut well in for night.</li> <li>7-24-2002 - Pressured up to 1000 psi and worked pioints tubing plugged. Rigged up wireline and RI with packer and tu and rigged down wireline.</li></ul>	Yates A #15         9. API Well No.         30-015-10072         471         10. Field and Pool, or Exploratory Area         Loco Hills-Q-GB-SA         M, SWSW)         11. County or Parish, State         Eddy Co., NM         2 OF NOTICE, REPORT, OR OTHER DATA         3 OF ACTION         Production (Start/Resume)         Production (Start/Resume)         Water Shut-Off         Reclamation         Well Integrity         Recomplete         Other         Temporarily Abandon         Water Disposal         ted starting date of any proposed work and approximate duration from or recompletion in a new interval, a Form 3160-4 shall be filed within 1         ion or recompletion in a new interval, a Form 3160-4 shall be filed within 1         ion or recompletion in a new interval, a Form 3160-4 shall be filed within 1         ind plugging equipment. Nippled date 1 2-3/8" tubing equipment. Moved         string and RIH. Tagged plug at 26         oring. Shut well in for night.         cated 5-1/2" casing at 1270'. POOL	
Yates Petroleum Corporation         Ja. Address       Jb. Phone No. (include a 105 S. 4th St Artesia, NM 88210 505-748-1.4         Location of Well (Footage, Sec., T. R., M., or Survey Description)       330' FSL & 330' FWL of Section 6-T18S-R30E (Unit         12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE         TYPE OF SUBMISSION       TYPE         Image: Active of Intent       Active       Deepen         Image: Active of Intent       Active       New Construction         Image: Active of Intent       Active       New Construction         Image: Active of Intent       Active       Plug and Abandon         Image: Active of Intent       Casing Repair       New Construction         Image: Active of Intent       Convert to Injection       Plug and Abandon         Image: Active of Completed Operation (clearly state all pertiment details, including estimations. If t	9. API Well No.         9. API Well No.         30-015-10072         471         10. Field and Pool, or Exploratory Area         Loco Hills-Q-GB-SA         M, SWSW)         11. County or Parish, State         Eddy Co., NM         COF NOTICE, REPORT, OR OTHER DATA         COF ACTION         Production (Start/Resume)         Production (Start/Resume)         Water Shut-Off         Reclamation         Well Integrity         Recomplete         Other         Temporarily Abandon         Water Disposal         ted starting date of any proposed work and approximate duration of and measured and true vertical depths of all pertinent markers and the BL/BIA. Required subsequent reports shall be filed within it for or recompletion in a new interval, a Form 3160-4 shall be filed within it for or recompletion in a new interval, a Form 3160-4 shall be filed within it for or recompletion, have been completed, and the operation or recompletion in a new interval, a Form 3160-4 shall be filed within it for or recompleted and true vertical depths of all pertinent. Nippled det 1 2-3/8" tubing equipment. Nippled det 2-3/8" tubing equipment. Moved         String and RIH. Tagged plug at 26:         Oring. Shut well in for night.         Cated 5-1/2" casing at 1270'. POOL	
<ul> <li>Ja. Address</li> <li>Jo S. 4th St Artesia, NM 88210</li> <li>Jo S. 4th St Artesia, NM 88210</li> <li>Jo S. 4th St Artesia, NM 88210</li> <li>Jo So So</li></ul>	rea code)       30-015-10072         471       10. Field and Pool, or Exploratory Area Loco Hills-Q-GB-SA         M, SWSW)       11. County or Parish, State         Eddy Co., NM         COF NOTICE, REPORT, OR OTHER DATA         COF ACTION         Production (Start/Resume)       Water Shut-Off         Reclamation       Well Integrity         Recomplete       Other         Temporarily Abandon       Water Disposal         ted starting date of any proposed work and approximate duration to and measured and true vertical depths of all pertinent markers and the BLM/BIA. Required subsequent reports shall be filed within it ion or recompletion in a new interval, a Form 3160-4 shall be filed within 12-3/8" tubing equipment. Nippled del 2-3/8" tubing equipment. Moved         String and RIH. Tagged plug at 260         Oring. Shut well in for night.         Casing at 1270'. POOL	
105 S. 4th St Artesia, NM 88210       505-748-14         4. Location of Well (Footage, Sec. T. R. M. or Survey Description)       330' FSL & 330' FWL of Section 6-T18S-R30E (Unit         12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE       12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE         TYPE OF SUBMISSION         TYPE OF SUBMISSION         Notice of Intent         Acidize         Deepen         Acidize         Classing Repair         New Construction         Plug and Abandon         Classing Repair         New Construction         Plug and Abandon         Classing Repair         New Construction <td cols<="" td=""><td>471       10. Field and Pool, or Exploratory Area         Loco Hills-Q-GB-SA         M, SWSW)       11. County or Parish, State         Eddy Co., NM         COF NOTICE, REPORT, OR OTHER DATA         COF ACTION         Production (Start/Resume)         Water Shut-Off         Reclamation         Well Integrity         Recomplete         Other         Temporarily Abandon         Water Disposal         ted starting date of any proposed work and approximate duration to and measured and true vertical depths of all pertinent markers and the BLM/BLA. Required subsequent reports shall be file within 5 ion or recompletion in a new interval, a Form 3160-4 shall be file nents, including reclamation, have been completed, and the operation of the subsequent state of a plug ging equipment. Nippled det 2-3/8" tubing equipment. Moved 10. 2-3/8" tubing equipment. Provide the string and RIH. Tagged plug at 260 plug. Shut well in for night. 2-3/2" casing at 1270'. POOL</td></td>	<td>471       10. Field and Pool, or Exploratory Area         Loco Hills-Q-GB-SA         M, SWSW)       11. County or Parish, State         Eddy Co., NM         COF NOTICE, REPORT, OR OTHER DATA         COF ACTION         Production (Start/Resume)         Water Shut-Off         Reclamation         Well Integrity         Recomplete         Other         Temporarily Abandon         Water Disposal         ted starting date of any proposed work and approximate duration to and measured and true vertical depths of all pertinent markers and the BLM/BLA. Required subsequent reports shall be file within 5 ion or recompletion in a new interval, a Form 3160-4 shall be file nents, including reclamation, have been completed, and the operation of the subsequent state of a plug ging equipment. Nippled det 2-3/8" tubing equipment. Moved 10. 2-3/8" tubing equipment. Provide the string and RIH. Tagged plug at 260 plug. Shut well in for night. 2-3/2" casing at 1270'. POOL</td>	471       10. Field and Pool, or Exploratory Area         Loco Hills-Q-GB-SA         M, SWSW)       11. County or Parish, State         Eddy Co., NM         COF NOTICE, REPORT, OR OTHER DATA         COF ACTION         Production (Start/Resume)         Water Shut-Off         Reclamation         Well Integrity         Recomplete         Other         Temporarily Abandon         Water Disposal         ted starting date of any proposed work and approximate duration to and measured and true vertical depths of all pertinent markers and the BLM/BLA. Required subsequent reports shall be file within 5 ion or recompletion in a new interval, a Form 3160-4 shall be file nents, including reclamation, have been completed, and the operation of the subsequent state of a plug ging equipment. Nippled det 2-3/8" tubing equipment. Moved 10. 2-3/8" tubing equipment. Provide the string and RIH. Tagged plug at 260 plug. Shut well in for night. 2-3/2" casing at 1270'. POOL
330' FSL & 330' FWL of Section 6-T18S-R30E (Unit         12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE         TYPE OF SUBMISSION         TYPE OF SUBMISSION         Notice of Intent         O Acidize         Deepen         O Notice of Intent         O Acidize         Deepen         O Subsequent Report         O Casing Repair         New Construction         O Plug Back         IS Subsequent Report         O Convert to Injection         Plug and Abandon         O Convert to Injection         Plug Back         IS Describe Proposed or Completed Operations. If the operation results in a multiple complete torizontally, give subsurface locations Attach the Bond under which the work will be performed or provide the Bond No. on file wif following completed. Final Abandonment Notices shall be filed only after all requirer determined that the site is ready for final inspection.)         7-19-2002 - Moved in and rigged up pulling unit at wellhead and nippled up BOP. Rigged up floor and workstring. Shut well in for night.         7-20-22-2002 - Tallied and picked up 2-3/8" works         Circulated hole with plugging mud. POOH with tut 7-23-2002 - Rigged up wireline and	M, SWSW)  11. County or Parish, State Eddy Co., NM  OF NOTICE, REPORT, OR OTHER DATA  OF ACTION  Production (Start/Resume)  Reclamation  Well Integrity Recomplete Other Temporarily Abandon Water Disposal  ted starting date of any proposed work and approximate duration tand measured and true vertical depths of all pertinent markers and the BLM/BIA. Required subsequent reports shall be filed within the operation or recompletion in a new interval, a Form 3160-4 shall be filed within the operation of recompletion, have been completed, and the operation of the grant plugging equipment. Nippled del 2-3/8" tubing equipment. Moved the string and RIH. Tagged plug at 260 Doing. Shut well in for night. Teated 5-1/2" casing at 1270'. POOL	
TYPE OF SUBMISSIONTYPEImage: Notice of IntentImage: AcidizeImage: DeepenImage: Subsequent ReportImage: AcidizeImage: DeepenImage: Subsequent ReportImage: Casing RepairImage: New ConstructionImage: Subsequent ReportImage: Subsequent ReportImag	COF NOTICE, REPORT, OR OTHER DATA COF ACTION Production (Start/Resume) Water Shut-Off Reclamation Well Integrity Recomplete Other Temporarily Abandon Water Disposal ted starting date of any proposed work and approximate duration tand measured and true vertical depths of all pertinent markers and the BLM/BIA. Required subsequent reports shall be filed within i tion or recompletion in a new interval, a Form 3160-4 shall be filed nents, including reclamation, have been completed, and the opera and plugging equipment. Nippled de 1 2-3/8" tubing equipment. Moved string and RIH. Tagged plug at 265 poing. Shut well in for night. stated 5-1/2" casing at 1270'. POOL	
TYPE OF SUBMISSIONTYPEImage: Notice of IntentImage: AcidizeImage: DeepenImage: Subsequent ReportImage: AcidizeImage: DeepenImage: Subsequent ReportImage: Casing RepairImage: New ConstructionImage: Subsequent ReportImage: Subsequent ReportImag	COF ACTION  Production (Start/Resume) Reclamation Reclamation Recomplete Cother Recomplete Recomplete Recomplete Recomplete Recomplete Recomplete Recomplete Reclamation Required and true vertical depths of all pertinent markers and the starting date of any proposed work and approximate duration the BLM/BIA. Required subsequent reports shall be filed within and measured and true vertical depths of all pertinent markers and the BLM/BIA. Required subsequent reports shall be filed within a new interval, a Form 3160-4 shall be filed within a new interval, a Form 3160-4 shall be filed within a new interval, a Form 3160-4 shall be filed within a new interval, a Form 3160-4 shall be filed within a new interval, a Form 3160-4 shall be filed within a new interval, a Form 3160-4 shall be filed within a new interval, a Form 3160-4 shall be filed within a new interval, a Form 3160-4 shall be filed within a new interval, a Form 3160-4 shall be filed within a new interval, a Form 3160-4 shall be filed within a new interval, a Form 3160-4 shall be filed within a new interval, a Form 3160-4 shall be filed within a new interval, a Form 3160-4 shall be filed within a new interval, a Form 3160-4 shall be filed within a new interval, a Form 3160-4 shall be filed within a new interval, a Form 3160-4 shall be filed within a new interval, a Form 3160-4 shall be filed within a new interval, a Form 3160-4 shall be filed within a new interval, a Form 3160-4 shall be filed within a new interval, a Form 3160-4 shall be filed within a new interval, a Form 3160-4 shall be filed within a new interval, a Form 3160-4 shall be filed within a new interval, a Form 3160-4 shall be filed within a new interval, a Form 3160-4 shall be filed within a new interval, a Form 3160-4 shall be filed within a new interval, a Form 3160-4 shall be filed within a new interval a form 3160-4 shall be filed within a new interval a form 3160-4 shall be filed within a new interval a form 3160-4 shall be filed within a new interval a form 3160-4 shall be filed within a	
<ul> <li>Acidize</li> <li>Deepen</li> <li>Acidize</li> <li>Deepen</li> <li>Alter Casing</li> <li>Fracture Treat</li> <li>Casing Repair</li> <li>New Construction</li> <li>Change Plans</li> <li>Plug and Abandon</li> <li>Convert to Injection</li> <li>Plug Back</li> <li>Describe Proposed or Completed Operation (clearly state all pertinent details, including estima If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations Attach the Bond under which the work will be performed or provide the Bond No. on file wit following completion of the involved operations. If the operation results in a multiple complet testing has been completed. Final Abandoment Notices shall be filed only after all requirer determined that the site is ready for final inspection.)</li> <li>7-19-2002 - Moved in and rigged up pulling unit a wellhead and nippled up BOP. Rigged up floor and workstring. Shut well in for night.</li> <li>7-20-22-2002 - Tallied and picked up 2-3/8" works Circulated hole with plugging mud. POOH with tub 7-23-2002 - Rigged up wireline and RIH and perfor and rigged down wireline. RIH with packer and tu Class C Neat cement. Displaced to 1170'. Shut we Rigged up wireline and RIH with bars - did not ta Shut well in for night.</li> <li>7-24-2002 - Pressured up to 1000 psi and worked p joints tubing plugged. Rigged up wireline and RI and rigged down wireline. RIH with packer and tu</li> </ul>	Production (Start/Resume)          Water Shut-Off         Reclamation       Well Integrity         Recomplete       Other         Temporarily Abandon	
<ul> <li>Notice of Intent</li> <li>Alter Casing</li> <li>Fracture Treat</li> <li>Casing Repair</li> <li>New Construction</li> <li>Change Plans</li> <li>Plug and Abandon</li> <li>Change Plans</li> <li>Plug and Abandon</li> <li>Convert to Injection</li> <li>Plug Back</li> <li>Describe Proposed or Completed Operation (clearly state all pertinent details, including estimal If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations Attach the Bond under which the work will be performed or provide the Bond No. on file will following completion of the involved operations. If the operation results in a multiple complete testing has been completed. Final Abandonment Notices shall be filed only after all requirer determined that the site is ready for final inspection.)</li> <li>7-19-2002 - Moved in and rigged up pulling unit a wellhead and nippled up BOP. Rigged up floor and workstring. Shut well in for night.</li> <li>7-20-22-2002 - Tallied and picked up 2-3/8" works</li> <li>Circulated hole with plugging mud. POOH with tut 7-23-2002 - Rigged up wireline and RIH and perfof and rigged down wireline. RIH with packer and tu Class C Neat cement. Displaced to 1170'. Shut we Rigged up wireline and RIH with bars - did not ta Shut well in for night.</li> <li>7-24-2002 - Pressured up to 1000 psi and worked pioints tubing plugged. Rigged up wireline and RI</li> </ul>	Reclamation Well Integrity Recomplete Other Temporarily Abandon Water Disposal ted starting date of any proposed work and approximate duration t and measured and true vertical depths of all pertinent markers and th BLM/BIA. Required subsequent reports shall be filed within 1 tion or recompletion in a new interval, a Form 3160-4 shall be filed ments, including reclamation, have been completed, and the opera and plugging equipment. Nippled de 1 2-3/8" tubing equipment. Moved to string and RIH. Tagged plug at 261 ping. Shut well in for night. stated 5-1/2" casing at 1270'. POOL	
<ul> <li>Subsequent Report</li> <li>Casing Repair</li> <li>New Construction</li> <li>Change Plans</li> <li>Plug and Abandon</li> <li>Change Plans</li> <li>Plug and Abandon</li> <li>Convert to Injection</li> <li>Plug Back</li> </ul> 13 Describe Proposed or Completed Operation (clearly state all pertinent details, including estimal If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations Attach the Bond under which the work will be performed or provide the Bond No. on file with following completion of the involved operations. If the operation results in a multiple complete testing has been completed. Final Abandoment Notices shall be filed only after all requirer determined that the site is ready for final inspection.) 7-19-2002 - Moved in and rigged up pulling unit a wellhead and nippled up BOP. Rigged up floor and workstring. Shut well in for night. 7-20-22-2002 - Tallied and picked up 2-3/8" works Circulated hole with plugging mud. POOH with tut 7-23-2002 - Rigged up wireline and RIH and performand rigged down wireline. RIH with packer and tu Class C Neat cement. Displaced to 1170'. Shut well in for night. 7-24-2002 - Pressured up to 1000 psi and worked pioints tubing plugged. Rigged up wireline and RI	■ Recomplete ■ Other ■ Temporarily Abandon ■ Water Disposal ted starting date of any proposed work and approximate duration of and measured and true vertical depths of all pertinent markers and the BLM/BIA. Required subsequent reports shall be filed within 3 tion or recompletion in a new interval, a Form 3160-4 shall be filed nents, including reclamation, have been completed, and the opera- and plugging equipment. Nippled de 1 2-3/8" tubing equipment. Moved string and RIH. Tagged plug at 265 poing. Shut well in for night. stated 5-1/2" casing at 1270'. POOL	
☐ Final Abandonment Notice ☐ Final Abandonment Notice ☐ Convert to Injection ☐ Plug Back ☐ Describe Proposed or Completed Operation (clearly state all pertinent details, including estima If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations Attach the Bond under which the work will be performed or provide the Bond No. on file wi following completion of the involved operations. If the operation results in a multiple complet testing has been completed. Final Abandonment Notices shall be filed only after all requirer determined that the site is ready for final inspection.) 7-19-2002 - Moved in and rigged up pulling unit a wellhead and nippled up BOP. Rigged up floor and workstring. Shut well in for night. 7-20-22-2002 - Tallied and picked up 2-3/8" works Circulated hole with plugging mud. POOH with tub 7-23-2002 - Rigged up wireline and RIH and perforf and rigged down wireline. RIH with packer and tu Class C Neat cement. Displaced to 1170'. Shut w Rigged up wireline and RIH with bars - did not ta Shut well in for night. 7-24-2002 - Pressured up to 1000 psi and worked p joints tubing plugged. Rigged up wireline and RI and rigged down wireline. RIH with packer and tu	→ Water Disposal ted starting date of any proposed work and approximate duration thand measured and true vertical depths of all pertinent markers and the BLM/BIA. Required subsequent reports shall be filed within a ion or recompletion in a new interval, a Form 3160-4 shall be filed ments, including reclamation, have been completed, and the opera- and plugging equipment. Nippled de 1 2-3/8" tubing equipment. Moved a string and RIH. Tagged plug at 265 ping. Shut well in for night. stated 5-1/2" casing at 1270'. POOL	
13 Describe Proposed or Completed Operation (clearly state all pertinent details, including estima If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations Attach the Bond under which the work will be performed or provide the Bond No. on file wi following completion of the involved operations. If the operation results in a multiple complet esting has been completed. Final Abandonment Notices shall be filed only after all requirer determined that the site is ready for final inspection.) 7-19-2002 - Moved in and rigged up pulling unit a wellhead and nippled up BOP. Rigged up floor and workstring. Shut well in for night. 7-20-22-2002 - Tallied and picked up 2-3/8" works Circulated hole with plugging mud. POOH with tut 7-23-2002 - Rigged up wireline and RIH and performand rigged down wireline. RIH with packer and tu Class C Neat cement. Displaced to 1170'. Shut well in for night. 7-24-2002 - Pressured up to 1000 psi and worked pioints tubing plugged. Rigged up wireline and RI and rigged down wireline. RIH with packer and the shut well in for night.	ted starting date of any proposed work and approximate duration in and measured and true vertical depths of all pertinent markers and the BLM/BIA. Required subsequent reports shall be filed into or recompletion in a new interval, a Form 3160-4 shall be file ments, including reclamation, have been completed, and the opera and plugging equipment. Nippled de 1 2-3/8" tubing equipment. Moved is string and RIH. Tagged plug at 265 ping. Shut well in for night. stated 5-1/2" casing at 1270'. POOL	
If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations Attach the Bond under which the work will be performed or provide the Bond No. on file wi following completion of the involved operations. If the operation results in a multiple comple- testing has been completed. Final Abandonment Notices shall be filed only after all requirer determined that the site is ready for final inspection.) 7-19-2002 - Moved in and rigged up pulling unit a wellhead and nippled up BOP. Rigged up floor and workstring. Shut well in for night. 7-20-22-2002 - Tallied and picked up 2-3/8" works Circulated hole with plugging mud. POOH with tub 7-23-2002 - Rigged up wireline and RIH and perfor and rigged down wireline. RIH with packer and tu Class C Neat cement. Displaced to 1170'. Shut w Rigged up wireline and RIH with bars - did not ta Shut well in for night. 7-24-2002 - Pressured up to 1000 psi and worked p joints tubing plugged. Rigged up wireline and RI and rigged down wireline. RIH with packer and tu	and measured and true vertical depths of all pertinent markers and th BLM/BIA. Required subsequent reports shall be filed within 3 ion or recompletion in a new interval, a Form 3160-4 shall be file nents, including reclamation, have been completed, and the opera and plugging equipment. Nippled de 1 2-3/8" tubing equipment. Moved a string and RIH. Tagged plug at 263 bing. Shut well in for night. stated 5-1/2" casing at 1270'. POOL	
	well in for 4 hours with 600 psi. ag. POOH and rigged down wireline backer loose. POOH with packer - : TH and tagged plug at 1314'. POOH bbing to 983'. Squeezed with 60 se	
Name (Printed/Typed)		
Michelle Taylor Date	Reg. Compl. Mgr	
PHIS SPACE FOR FEDERAL OR STA		
Approved by Title (onditions of approval, if any, are attacked. Approval of this notice does not warrant or		
ertify that the applicant holds legal dequitable title to those rights in the subject lease office which would entitle the applicant to conduct operations thereon.	xe	
Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person kn tates any faise, fictitious or factulent statements or representations as to any matter within its juri	wingly and willfully to make to any department or agency of the sdiction.	
1		

YATES PETROLEUM CORPORATION Yates A #15 Section 6-T18S-R30E Eddy County, New Mexico

SUNDRY NOTICE CONTINUED:

and POOH with packer. Rigged up wireline. RIH with bars - did not tag. Cement started coming out of backside. POOH and rigged down wireline. RIH with 2 joints of tubing and packer. Set packer to stop cement flow on backside. Shut well in for night.

7-25-2002 - Released packer and POOH with packer. Rigged up wireline. RIH with bars and tagged cement at 525'. POOH and rigged down wireline. RIH with tubing and notched collar. Circulated clean to 563'. Plug was solid. POOH with tubing. Rigged up wireline. RIH and perforated 5-1/2" casing at 475'. POOH and rigged down wireline. RIH with packer and tubing to 198'. Squeezed with 60 sacks Class C Neat cement. Displaced to 366'. Shut well in for night. WOC.

7-26-2002 - Rigged up wireline. RIH and tagged plug at 317'. POOH and rigged down wireline. RIH with tubing and POOH with tubing. Rigged up wireline. RIH and perforated 5-1/2" casing at 100'. POOH and rigged down wireline. Rigged down tubing equipment and floor. Nippled down BOP. Casing parted. POOH with 5-1/2" casing from 100' and layed down. Installed 8-5/8" X 2" swedge with valve. Squeezed with 80 sacks Class C Neat cement. Shut well in for night. WOC.

7-27-2002 - RIH and tagged plug at 18'. Pumped 25 sacks Class C Neat cement down 8-5/8" and down backside of 8-5/8" casing. Rigged down pulling unit and plugging equipment. Installed regulation abandonment marker. <u>PLUGGED AND ABANDONED - FINAL REPORT.</u> Plugging completed 7-26-2002.

Michillo Juglor

Form 3460-5 (August H999)	G BUREAU OF	TED STATES NT OF THE INTERIC LAND MANAGEMEI	Altesi	Dil Cons. DIV-Dist. 2 Grand Ave a, NM-882	CMB No. 1004-0135 CMB No. 1004-0135 Chrest Overnber 30, 2000		
REDEATE Show use this form for proposals to drill or to re-enter an				NM-02109	NM-021095		
OCD - AK Low for abandoned well. Use Form 3160-3 (APD) for such proposals.				6. If Indian, All	6. If Indian, Allottee or Tribe Name		
Cetta .	مر المراجع مسر مذار				A/Agreement, Name and/or No.		
المعالم المعالم المعالم المعالم المعالم SUBMIT		Other Instructions	on reverse side		wagreement, name and/or No.		
1. Type of Well				8. Well Name	and No.		
	Gas Well	X Other	Temporarily Abandoned	Yates "A"			
2. Name of Operator				9. API Well			
Yates Petroleum Corporation /				30-015-100	30-015-10072		
3a Address         3b. Phone No. (include area code)           105 S. 4th Street - Artesia, NM 88210         505-748-1471				10. Field and F	10. Field and Pool, or Exploratory Area		
4. Location of Well (Footage, Sec., T.,R., M., or Survey Description)					Loco Hills-Q-G-SA		
330' FSL and 330' FWL Section 6 T18S-R30E				11. County or	Parish, State		
				Eddy Co.,			
12. CHECK A	PPROPRIATE BOX(E T	S) TO INDICATE NAT	TURE OF NOTICE, REPORT TYPE OF ACTION	, OR OTHER DA	TA		
X Notice of Intent	Acidize	Deepen	Production (Start/Resume)	Water Shut-Of	·····		
Subsequent Report	Alter Casing	Fracture Treat		Well Integrity			
Final Abandonment Notice	Casing Repair	New Construction	Recomplete	Other			
	Change Plans	X Plug and Abandon	Temporarily Abandon				
	Convert to Injection	Plug Back	Water Disposal		n		
or provide the Bond No. on file wit completion or recompletion in a ne reclamation, have been completed Propose to plug and abar TIH with tbg and tag CIE Perforate the 5-1/2" casi Set cement retainer at 1 Set cement retainer at 3 Spot at 15 sxs plug at th Remove all surface equi	h BLM/BIA. Required subsequen aw interval, a Form 3160-4 shall b d, and the operator has determine adon this well as follows: BP at 2682'. <b>CAP</b> us ing at 1270' and at 466'. 170'. Squeeze perfs with 66'. Squeeze perfs with 66'. Squeeze perfs with e surface. pment, and install regular	t reports shall be filed within 30 of the filed once testing has been or d that the site is ready for final in <b>by 35' CEMENT</b> a 45 sxs Class C + 5 pps for site of the site o	T s salt. Leave 35' cement on top of salt. Leave 35' cement on top of TTE CEMENT BEH //	perations. If the operation to be filed only after all required only after all required only after all required only after all required on the file of	s results in a multiple irrements, including		
I hereby certify that the foregoing is true and correct			I GE	NERAL REQU	JIREMENTS AND		
Name (Printed/Typed)			ECIAL STIPU	LATIONS ATTACHED			
Susan Herpin Signature	, 		Engineering Techni Date	Ician			
Mirin there.	•		2-May-02				
<i>ff</i>	THIS	SPACE FOR FEDE	RAL OR STATE OFFICE	USE			
Approved by (OF	IIG. SGD.) ALFXIS (	. SWOBODA	Title OFTROLEUM	ENGIMEEN	Date		
Conditions of approval, if any, are the applicant holds legal or equita applicant to conduct operations th	bie title to those rights in the subj	-	Office				
Title 18U.S.C. Section 1001 and or fraudulent statements or repres			vingly and willfully to make to any department	nt or agency of the United	States any false, fictilious		