



GEOLOGICAL SURVEY P. G. Braver 1857 Rosvell, New Maxico RECEIVED

IN REPLY REFER TO:

JUL 2 1963

D. C. C. ARTESIA, OFFICE

JULI - 1963

122

Floyd W. Smith and Company, Inc. P. O. Box 1518 Midland, Texas

Gentlemen:

Your Motice of Intention to Drill well No. 2 Light (copy attached) in the MEASE& sec. 29, T. 18 S., R. 30 K., N.M.P.M., Eddy County, New Maxico, lease Las Cruces 068719-A, to a depth of 3,200 feet to test the Queen-Grayburg formation, has been forwarded to this office for approval.

Pursuant to authority dalegated to the Regional Oil and Gas Supervisor on May 10, 1962, 27 F.R. 4814, I hereby approve the Notice of Intention to Drill described in the foregoing.

Please notify the District Engineer, Geological Survey, Drewer U, Artesia, New Mexico, in sufficient time for a representative to witness all cementing operations.

(ORIG. SED.) JOHN A. ANDERSON

JOHN A. ANDERSON Regional Oil and Gas Supervisor

Attachment

Copy to: Washington Mining Branch (2) MEDCC-Artesis (2) (w/2 cys Notice) Artesis Roswell (2)

JAKnauf:bb 5/28/63

ĸ



UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

: · · · ·

· · · · ·

· · · · ·

Á\$	- Ra	Ä	14/	A	CON	
	£12.+	υ,	1.1	υ.	WIT	

Budget Bureau No. 42-R358.4. Form Approved.

Land Offic	. kri	es!		×.	1
Lease No.	URA	. 14	06	71	ÿ.,

Unit _____

٦ 1

Form 9-331a (Feb. 1951)								
ļ								
-								
				*				

(SUBMIT IN TRIPLICATE)

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

	SUBSEQUENT REPORT OF WATER SHUT-OFF
NOTICE OF INTENTION TO DRILL	A THE AT A CHOATING OR ACIDIZING
NOTICE OF INTENTION TO CHANGE PLANS	A REAL OF A TEDING CASING
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	THE PERSON AND A P
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	
NOTICE OF INTENTION TO PULL OR ALTER CASING	
NOTICE OF INTENTION TO ABANDON WELL	
(INDICATE ABOVE BY CHECK M	IARK NATURE OF REPORT, NOTICE, OR OTHER DATA)
	June 26
	line and the ft. from E line of sec. 29
Vell No. 2 is located 1960 ft. fr	rom_{S} line and it. from inte of sec
	1043384
18 A of 58/4 18 8	(Renge) (Meridian)
(Twp.)	(Range) (Meridian)
	anty or Subdivision) (State or Territory)
(Field)	
The elevation of the derrick floor above sea	a level is 3419 ft.
The elevation of the derrick noor above sea	1. 10 101 10 10 10 10 10 10 10 10 10 10 10
DE	TAILS OF WORK
the transfer and the second state sho	ow sizes, weights, and lengths of proposed casings; indicate mudding job comput- d all other important proposed work)
1. Approximately 30 ft. of coods	eter pipe will be set a training depth ?"
a in A-1/h" hole will be drille	d to approximately 200 It. as which the calculated
anating will be not and compute	A WILL BULLIGING COMMENT
and This string will be	ant into the Russler Antydrive.
1. A 6-1/4" hole will be drilled	through the Grayburg to an approximate depth
of JEOD IV.	laterolog will be FWE.
the A gamme of a portion and 11 he must have	TD and computed with approximately 100 sacks
	ined from the logs, will be perforated and
6. The pay intervals, as ascerna	Transfer with more second and the second s
free treated.	
	· · · · · ·
	to the framework in the commenced.
I understand that this plan of work must receive appr	roval in writing by the Geological Survey before operations may be commenced.
I understand that this plan of work must receive appro	roval in writing by the best p
Floor K. Smith and Co	roval in writing by the company
Company	roval in writing by the company
Company	mpany, Ind.
Company P. O. Box 1528	mpany, Ind.
Company	By Tario Ettalder
Company P. J. Box 1528	mpany, Ind.
Company Floye W. Smith and Con Address P. 0. Box 1518	By Tario Ettalder

	TRIBUTION	
SANTA RE		
FILE		
U.S.G.S.		_
LAND OFFICE		
	OIL	
TRANSPORTER	GAS	
PROBATION OFFIC	E	
OPERATOR		

he -----

NEW MEXICO OIL CONSERVATION COMMISSION

FORM C-128 Revised 5/1/57

WELL LOCATION AND ACREAGE DEDICATION PLAT

SEE INSTRUCTIONS FOR COMPLETING THIS FORM ON THE REVERSE SIDE

OPERATOR									
~				SECTIO	NA				
	. Smith & C CMAIXINGII	and the second		Lease	light	-			Well No.
Unit Letter S	ection	Township	<u> </u>	Rang		<u> </u>	County		
1	29	18 Se	oth		East			ddy	
Actual Footage Loca						···			
*/**	feet from the	South	line and	66	0	feet	from the	Bast	line
Ground Level Elev.	Producing Fo			Pool				_	Dedicated Acreage:
3410	Queen-O	ryburg			ndesigne	te	An Ber	son B	40 Acres
who has the right another. (65–3–	to drill into and -29 (e) NMSA 193 question one is '' _ NO If	to produce f 5 Comp.) no," have th answer is "?	rom any pool e interests o yes,'' Type o	and to ap of all the o of Consoli	propriate th owners been dation	n con	roduction e nsolidated	<i>ither for hir</i> by communi	. ("Owner" means the person mself or for himself and itization agreement or other-
Owner					Land Descr	riptı	on		
			· · · · · · · · · · · · · · · · · · ·			-	NB:8	<u>81</u>	
		SECTIO	ON B					٦	CERTIFICATION
				Ref.	10 - 19 - C	AN AN	42.04	in SECTI plete to t belief. Name Louis Position Assist Company Loyd W Date	certify that the information ION A above is true and com- the best of my knowledge and is EMALAN E. Holder, Jr. E. Holder, Jr. Cant General Manager J. Smith & Co., Inc. m, 1963
					158c	2	660	shown on plotted fra surveys m supervisio and correc and belief Date Surv Registe re and/or La	eyed 18, 1963 ed Professional Engineer and Surveyor A MacAus J
0 330 660 990	1320 1650 198	0 2310 264	0 2000	1500	1000	50	20 04	Certificate	• No.

INSTRUCTIONS FOR COMPLETION OF FORM C-128

- 1. Operator shall furnish and certify to the information called for in Section A.
- 2. Operator shall outline the dedicated acreage for both oil and gas wells on the plat in Section B.
- 3. A registered professional engineer or land surveyor registered in the State of New Mexico or approved by the Commission shall show on the plat the location of the well and certify this information in the space provided.
- 4. All distances shown on the plat must be from the outer boundaries of the Section.
- 5. If additional space is needed for listing owners and their respective interests as required in question 3 of Section A, please use space below.