

in RECEIVED UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

nFC 2.4 1963

- to ST.

O.C.C. ARTESIA, OFFICE

2. 0. Dramar 1857 Reguell, New Maxico

December 23, 1963

Floyd V. Smith & Company, Inc. 7. 0. Box 1518 Midland, Teens

Dear Sit:

Your Notice of Intention to Brill well No. 3 USA Hiliott (copy attached) in the Slight set. 29, 7, 18 S., R. 30 H., H.H.F.H., Midy County, New Munico, Lense Les Cruces 068402, to a dupth of 3,230 feet to test the Greyburg Sometion, has been forwarded to this office for approval.

Purguant to authority delegated to the Regional Oil and Gas Supervicor on May 10, 1962, 27 F.R. 4814, I hereby approve the Motice of Intention to Drill described in the foregoing.

Floose notify the District Regimeer, Geological Survey, Drawer U, Artonia, Now Monico, in sufficient time for a representative to witness all commiting operations.

Very truly yours,

(ONIG. SECTION A. ARCHISCH

JOHN A. ANDERSON Regional 011 & Gas Supervisor

Attachment

Copy to: Washington Mining Branch (2) HMDCC-Artesia (2) (w/2 eys Notice) Artesia Rosvell (2)

JAKnauf:hb 12/20/63



UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

and the second

i sin a sha

the state of the second st

the states and

a the second state of the second state with

and a second second second second second a second secon

. Provide a provide control classic per series in a contract of the second series and - A REAL AND THE SECOND OF THE ADDRESS

• • • • • • • • • • •

ante a la servicia de la serv

「「「「「」」」:「「」」

(") its do

A second s

N. M. O. C	. C. 684X	Budget Bureau No. 42-R358.4. Form Approved.		
Form 9-331 a (Feb. 1951)		Land Office Arteela, N. M.		
(SUBMI	(SUBMIT IN TRIPLICATE)			
LINI	TED STATES	Lease No. LC 083402 Unit P RECEIVED		
	NT OF THE INTERIOR			
GEOLO	OGICAL SURVEY			
×		NFC 2-4 1963		
SUNDRY NOTICES A	AND REPORTS O	N WELLS		
NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATE	R SHUT-OFF		
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOO	TING OR ACIDIZING		
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		RING CASING		
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF RE-DR	RILLING OR REPAIR		
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		NDONMENT		
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTOR	Y		
NOTICE OF INTENTION TO ABANDON WELL				
(INDICATE ABOVE BY CHECK MAR	RK NATURE OF REPORT, NOTICE, OR OTH			
	December 17.	1053		
		······································		
(1/ Sec. and Sec. No.)	(Range) (Meridian)	CEL 108 SUP		
(V Sec. and Sec. No.) (Twp.)	evel is ft.	(State or Typedory) DEC 111 (111)		
(V Sec. and Sec. No.) (Twp.) (Twp.) (Twp.) (Twp.) (Count (Count) (Cou	level is ft. AILS OF WORK	(State or Tereford of)		
(4 Sec. and Sec. No.) (14 Sec. and Sec. No.) (Twp.) (15 or 15 o	In writing by the Geological Survey be	(State or Terstory) casings; indicate mudding jobs, cement- i be not and cornented at which depth 7" persont to fill the cal- Fusiler Anhydrite. to an appreximate porf and frac treated.		
(4 Sec. and Sec. No.) (14 Sec. and Sec. No.) (Twp.) (Field) (Country (Field) (Country (Co	IdyN IdyN Ievel isft. AILS OF WORK sizes, weights, and lengths of proposed II other important proposed work) conductor casing will approximately 500', mied with sufficient of will be set into the rough the Orayburg FUR. commanded. d on the logs will be in writing by the Geological Survey be apparty, Inc.	(State or Territors) casings; indicate mudding jobs, cement- i be not and correspond at which depth 7" personi to fill the cal- Fundier Anhydrite. to an approximate port and frac troated.		
(4 Sec. and Sec. No.) (Twp.) (Twp.) (Twp.) (Twp.) (Country (IdyN IdyN Ievel isft. AILS OF WORK sizes, weights, and lengths of proposed II other important proposed work) conductor casing will approximately 500', mied with sufficient of will be set into the rough the Orayburg FUR. commanded. d on the logs will be in writing by the Geological Survey be apparty, Inc.	(State or Terstory) casings; indicate mudding jobs, cement- i be not and comented at which depth 7" rement to fill the cal- Pustion Anhydrite. to an approximate port and frac tracit.		
(4 Sec. and Sec. No.) (Twp.) (Field) (Count (Field) (Count (Count (Count (Count (Count (Count (Count (Count (Count (Count (Count (Count (Count (Count DETA (State names of and expected depths to objective sands; show a ing points, and al Approximately 30' of 9 5/8" (State names of and expected depths to objective sands; show a ing points, and al (State names of and expected depths to objective sands; show a ing points, and al (State names of and expected depths to objective sands; show a ing points, and al (State names of and expected depths to objective sands; show a ing points, and al (State names of and expected depths to objective sands; show a ing points, and al (State names of and expected depths to objective sands; show a ing points, and al (State names of and expected depths to objective sands; show a (State names of and expected depths to objective sands; show a state of an analysis of all of a state (State names of and expected depths to objective sands; show a (State names of and expected depths to objective sands; show a (State names of and expected depths to objective sands; show a (State names of and expected depths to objective sands; show a (State names of and expected depths to objective sands; show a (State names of and expected depths to objective sands; show a (State names of and expected depths to objective sands; show a (State names of an expected depths to objective sands; show a (State names of an expected depths to objective sands; show a (State names of an expected depths to objective sands; show a (State names of an expected depths to objective sands; show a (State names of an expected depths to objective sands; show a (State names of an expected depths to objective sands; show a (State names of an expected depth sands; show a (State names of	IdyN IdyN Ievel isft. AILS OF WORK sizes, weights, and lengths of proposed II other important proposed work) conductor casing will approximately 500', aloci with sufficient of will be set into the rough the Orayburg FUR. consented. I on the loge will be apany, Inc. By	(State or Territors) casings; indicate mudding jobs, cement- i be set and cornented at which depth 7" pement to fill the cal- Funiter Anhydrite. to an apprentmate perf and frac treated.		



NUMBER OF COPIES RECEI DISTRIBUTIO DISTRIBUTIO DISTRIBUTIO SUMERA FE FILE U.S.G.S. LAND OFFICE TRANSPORTER OIL GAS PRORATION OFFICE OPERATOR		NEW MEXI WELL LOCATI SEE INSTRUCTIONS	CO OIL On An		GE [®] DEDI	EAFIGN	FLATED	ised 5/1/57
	-		SECTIO	NA		D.	And the second s	
Operator	1	7	Lease	1. 1339.L	- * *	ARIES	Well No.	
Unit Letter	Smith & Co.	Township	Rang		County			
P	29	T-18-5		-30-E	Edd	v		
Actual Footage L	ocation of Well:						<u> </u>	
660 Ground Level Ele	feet from the	South line and g Formation	660 Pool	fee	t from the	East	line	
	ev. Producing	g rormation	P001				Dedicated Acre	age: Acres
3404						<u> </u>	40	
wise? YES	NO	is "no," have the interests . If answer is "yes," Type is "no," list all the owners	of Consol and their	idation	erests below:		ization agreeme	nt or other-
· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	SECTION B			· - · · ·]	CERTIFICATIO	м
		Р-30-е				in SECTIO plete to the belief Name Position Company	certify that the is DN A above is the best of my known is the best of my k	rue and com- iowledge and $\frac{1}{2}$
T 18		29						
S				#3 o	_660 '	shown on a plotted fro surveys ma supervisio and correc and belief Date Surve Decem	yed ber 21, 19	TION B was actual der my same is true my knowledge 63
		P		.099		and/or Lar	d Professional I ad Surveyor	ingineer Zooun
0 330 660	990 1320 1650	1980 2310 2640 200	1500	1000 5	500 0/	Vennicate	542	

INSTRUCTIONS FOR COMPLETION OF FORM C-128

- 1. Operator shall furnish and certify to the information called for in Section A.
- 2. Operator shall outline the dedicated acreage for *botb* oil and gas wells on the plat in Section B.
- 3. A registered professional engineer or land surveyor registered in the State of New Mexico or approved by the Commission shall show on the plat the location of the well and certify this information in the space provided.
- 4. All distances shown on the plat must be from the outer boundaries of the Section.
- 5. If additional space is needed for listing owners and their respective interests as required in question 3 of Section A, please use space below.