

NEW MEXICO  
OIL CONSERVATION COMMISSION  
P. O. DRAWER DD  
ARTESIA, NEW MEXICO

Feb. 1968

No. A 30

SUPPLEMENT TO THE OIL PRORATION SCHEDULE

DATE 2/15/68

PURPOSE: ALLOWABLE REVISION

Effective 2/15/68, the allowable of the following Texaco Inc. wells in the North Benson Queen Grayburg Pool are hereby revised as indicated.

L.R.Manning B Fed. NCT-1 #3-P, 28-18-30  
14 days at 9 bbls 126 bbls current  
15 days at 11 bbls 165 bbls current

Total Feb. Allowable, 291 Bbls.  
L.R.Manning B Fed. NCT-1 #4-O, 28-18-30  
14 days at 3 bbls 42 bbls current  
15 days at 5 bbls 75 bbls current

Total Feb. Allowable, 117 Bbls.  
L.R. Manning B Fed. NCT-1 #5-J, 28-18-30  
14 days at 11 bbls 154 bbls current  
15 days at 31 bbls 465 bbls current

Total Feb. Allowable, 619 Bbls.

Continued

WAG/jw  
Texaco Inc.  
TNM

OIL CONSERVATION COMMISSION

  
SUPERVISOR, DISTRICT NO. 2

EXTRA COPY

**SUPPLEMENT A--30 CONTINUED**

L.R.Manning B Fed.NCT-1 #11-G,28-18-30

14 days at 14 bbls 196 bbls current

15 days at 18 bbls 270 bbls current

**Total Feb. Allowable, 466 Bbls.**

L.R.Manning B Fed. NCT-1 #16-E, 27-18-30

14 days at 15 bbls 210 bbls current

15 days at 20 bbls 300 bbls current

**Total Feb. Allowable, 510 Bbls.**

1. *Myrica maritima* L.

*Myrica maritima* L. is a small, upright, branched shrub, growing to a height of 1-2 m. It is found in coastal areas, particularly in salt marshes and along the edges of ponds and lakes.

2. *Phragmites australis* (Cav.) Rostk & Schmidt

*Phragmites australis* (Cav.) Rostk & Schmidt is a tall, upright, branched grass, growing to a height of 2-3 m. It is found in wetlands, particularly in marshes and along the edges of ponds and lakes.

3. *Spartina patens* (Muhl.) B. & P.