



(SUBMIT IN TRIPLICATE)
UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Budget Bureau 42-11338-4
Approval expires 12-31-52.

Land Office Las Cruces
Lease No. 058126
Unit Travis

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

November 4, 1955

Well No. 8 is located 660 ft. from N line and 660 ft. from E line of sec. 19

NE NE Sec 19 (1/4 Sec. and Sec. No.) 12 S (Twp.) 29 E (Range) N.M.P.M. (Meridian)
Loco Mills (Field) Sddy (County or Subdivision) New Mexico (State or Territory)

The elevation of the derrick floor above sea level is _____ ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

We propose to drill a well with cable tools to a depth of 3250 feet unless oil and gas is encountered in commercial quantities at a lesser depth. All casing set will be cemented by approved methods of the U.S.G.S. and 8 5/8 inch casing will be set at top of salt and 7 inch oil string will be set at approx. 2500 feet. The surface casing will be cemented with approx. 50 max cement, oil string will be cemented with approx. 100 max cement.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Harvey E. Yates
Address 303 Booker Bldg., Artesia, New Mexico

By [Signature]
Title Bookkeeper