

## UNITED STATES DEPARTMENT OF THE INTERIOR

GEOLOGICAL SURVEY P. 0. Drawer 1857 Nesvell, New Mantee

November 27, 1963

-----

Simme & Reese Oil Company 200 Booker Building Artesia, New Mexico

Gent Lemen:

Your Notice of Intention to Drill well No. 6X McClay (copy attached) in the NEMSEL sec. 33, T. 18 S., R. 30 K., N.M.P.M., Eddy County, New Mexico, lease Las Cruces 028978(b), to a depth of 3,250 feet to test the Grayburg formation, has been forwarded to this office for approval.

Pursuant to authority delegated to the Regional Gil and Gas Supervisor on May 10, 1962, 27 F.R. 4814, I hereby approve the Notice of Intention to Drill described in the foregoing.

Please notify the District Engineer, Goological Survey, Drawer U, Artesia, New Mexico, in sufficient time for a representative to witness all commuting operations.

Very truly yours,

(ORIG. SGD.) JOHN A. ANDERSON

JOHN A. ANDERSON Regional Gil and Gas Supervisor

Attachment

Copy to: Washington Mining Branch (2) NMDCC-Artesia (2) (w/2 cys Notice) -Artesia Roswell (2)



JAKnauf:hb 11/18/63



## DEPARTNENT OF THE INTERIOR GECLOGICAL SURVEY

.

:



Form <b>9-331</b> a	- ML D. C. C. COPM	Budget Bureau No. 42-R358.4. Form Approved.
(Feb. 1951)	(SUBMIT IN TRIPLICATE)	Land Office 020970 b
	UNITED STATES	Lease No.
·····	DEPARTMENT OF THE INTERIOR	Unit
	GEOLOGICAL SURVEY	
CLINI	DRY NOTICES AND REPORTS OF	N WEIIS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZIN	G
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.	SUBSEQUENT REPORT OF RE-DRILLING OR REPAI	R
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL		
(INDICATE ABOVE BY CHEC	CK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)	
- 7 / -	November	, 19 <mark>63</mark>
Acclay 23/0	I	33
Vell No. <u>6X</u> is located ft	:. from $\begin{bmatrix} \mathbf{N} \\ \mathbf{S} \end{bmatrix}$ line and $348$ ft. from $\begin{bmatrix} \mathbf{k} \\ \mathbf{W} \end{bmatrix}$ line	of sec
HOREF ZONNER NE/SE 33 188	30B MPM (Range) (Meridian)	
(1/4 Bec. and Sec. No.) (Twp.)		
North Senson & She Eddy	(County or Subdivision) (State or Territo	rv)
tate names of and expected depths to objective sands; ing points,	DETAILS OF WORK show sizes, weights, and lengths of proposed casings; indicate n and all other important proposed work) well to a depth of approximate	lv
we propose to drull this w	show sizes, weights, and lengths of proposed casings; indicate n and all other important proposed work) well to a depth of approximate 12 @ 550' and commant with 50 a 1. and 3250' of 5 1/2" casing	ly a <b>cks</b>
tate names of and expected depths to objective sands; ing points, 3250° and set 8 5/8° casir cement and 50 sacks of much cement with 100 sacks ceme	show sizes, weights, and lengths of proposed casings; indicate n and all other important proposed work) well to a depth of approximate 12 @ 550' and commant with 50 a 1. and 3250' of 5 1/2" casing	ly a <b>cks</b>
tate names of and expected depths to objective sands; ing points, 3250° and set 8 5/8° casir cement and 50 sacks of much cement with 100 sacks ceme	show sizes, weights, and lengths of proposed casings; indicate n and all other important proposed work) well to a depth of approximate 12 @ 550' and commant with 50 a 1. and 3250' of 5 1/2" casing	ly a <b>cks</b>
tate names of and expected depths to objective sands; ing points, 3250° and set 8 5/8° casir cement and 50 sacks of much cement with 100 sacks ceme	show sizes, weights, and lengths of proposed casings; indicate n and all other important proposed work) well to a depth of approximate 12 @ 550' and commant with 50 a 1. and 3250' of 5 1/2" casing	ly a <b>cks</b>
tate names of and expected depths to objective sands; ing points, 3250° and set 8 5/8° casir cement sild 50 sacks of muc cement with 100 sacks ceme RECEIVED RECE 1963 DEC 2 1963	show sizes, weights, and lengths of proposed casings; indicate r and all other important proposed work) rell to a depth of approximate 12 @ 550' and cement with 50 a 1, and 3250' of 5 1/2" casing ent and 100 sacks mud. RECEIVED NOV 2 6 1963	ly a <b>cks</b>
tate names of and expected depths to objective sands; ing points, 3250° and set 8 5/8° casir cement suid 50 sacks of mud cement with 100 sacks ceme RECEIVED RECEIVED	show sizes, weights, and lengths of proposed casings; indicate r and all other important proposed work) rell to a depth of approximate 12 @ 550' and cement with 50 a 1, and 3250' of 5 1/2" casing ent and 100 sacks mud. RECEIVED NOV 2 6 1963	ly a <b>cks</b>
tate names of and expected depths to objective sands; ing points, 3250° and set 8 5/8° casir coment and 50 sacks of muc coment with 100 sacks come RECEIVED RECEIVED DEC 2 1963 DEC 2 1963 Lunderstand that this plan of work must receive app	show sizes, weights, and lengths of proposed casings; indicate r and all other important proposed work) rel1 to a depth of approximate 12 9 550' and cement with 50 s 1, and 3250' of 5 1/2" casing ent and 100 sacks mud. RECEIVED NOV 2 6 1963 J. S. GEOLOGICAL SURVEY ROSWELL NEW MEXICO Survey before operations me	ly a <b>cks</b>
State names of and expected depths to objective sands; ing points, 3250' and set 8 5/8" casir coment & Hd 50 sacks of muc coment with 100 sacks come RECEIVED RECEIVED DEC 2 1963 DEC 2 1963 I. C. C. I. D. C. C. I. D. C. I. D. C. C. I. D. C. C. I. D. C. C. I. D. C.	show sizes, weights, and lengths of proposed casings; indicate r and all other important proposed work) rel1 to a depth of approximate 12 9 550' and cement with 50 s 1, and 3250' of 5 1/2" casing ent and 100 sacks mud. RECEIVED NOV 2 6 1963 J. S. GEOLOGICAL SURVEY ROSWELL NEW MEXICO Survey before operations me	ly a <b>cks</b>
State names of and expected depths to objective sands; ing points, 3250° and set 8 5/8° casir coment and 50 sacks of muc coment with 100 sacks come RECEIVED RECEIVED	show sizes, weights, and lengths of proposed casings; indicate r and all other important proposed work) well to a depth of approximate is 0.550° and coment with 50 s is and 3250° of 5 1/2" casing ent and 100 sacks mud. NOV 2 6 1963 i. S. GEOLOGICAL SURVEY ROSWELL NEW MEXICOSurvey before operations matorial orapany	ly a <b>cks</b>
itate names of and expected depths to objective sands; ing points, 3250' and set 8 5/8" casir coment with 100 sacks of muc coment with 100 sacks come RECEIVED REC2 1963 DEC2 1963 DEC2 1963 C. C. C. I. D. D. C. I. D. D. C. I. D. D. C. I. D. C. I. D. D. D. C. I. D. D. C. I. D. D. D. C. I. D. D. C. I. D. D. C. I. D. D. D. C. I. D. D. D. C. I. D. D. D. C. I. D. D. D. D. C. I. D.	show sizes, weights, and lengths of proposed casings; indicate r and all other important proposed work) rell to a depth of approximate 12 @ 550' and cement with 50 a 1, and 3250' of 5 1/2" casing ent and 100 sacks mud. NOV 2 6 1963 J. S. GEOLOGICAL SURVEY ROSWELL NEW MEXICO Survey before operations material orapanty	ly a <b>cks</b>
tate names of and expected depths to objective sands, ing points, 3250° and set 8 5/8° casir cement sind 50 sacks of muc cement with 100 sacks ceme RECEIVED RECEIVED DEC 2 1963 DEC 2 1963 DEC 2 1963 Company Simms & Reese Oil C Address 200 Booker Building	show sizes, weights, and lengths of proposed casings; indicate r and all other important proposed work) rell to a depth of approximate 12 @ 550' and cement with 50 a 1, and 3250' of 5 1/2" casing ent and 100 sacks mud. NOV 2 6 1963 J. S. GEOLOGICAL SURVEY ROSWELL NEW MEXICO Survey before operations material orapanty	ly a <b>cks</b>

GPO 914974

DISTRIBUT		NEW MEXIC WELL LOCATIC	CO OIL CONSERV		SSION R.	RM C-128 vised 5/1/57
AND OFFICE		SEE INSTRUCTIONS F	OR COMPLETING TH	IS FORM ON THE I	REVERSE SIDE	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~
		S	ECTION A			······································
erator			Lease		Well No	
-		011 Company	MoCLAY -	Pederel	63	
it Letter	Section	Township	Range	County		
	Location of Well:	165	105	Beay		· · · · · · · · · · · · · · · · · · ·
310	feet from the	South line and	te fe	eet from the <b>Base</b>	line	
und Level El		Formation	Pool		Dedicated Acr	eage:
					10	Acres
another. (65 If the answer wise? YES_ If the answer	i-3-29 (e) NMSA to question one i NO	and to produce from any pool 1935 Comp.) s "no," have the interests o If answer is "yes," Type o s "no," list all the owners a	f all the owners been of Consolidation	consolidated by com	munitization agreem	ent or other-
ner			Land Descri	ption	RECEI	VED.
					DEC 2	1963,
. <u></u>		SECTION B	<b>_</b>		CERTIPICATI	
		R- <b>3</b> 0-B	NOV 2 6 1 . S. IGEOLOGICAL BOSWELL, NEW	V B II in S. Pleta 963 Nam	L. Aur	true and com
T 18 5				Date		880 <u>011</u> . 1963
Rofer to Certif: Septemi Noved Ri	Leate No. ber 27, 19	vey by James Bro Sh2 63. t of location.	MB.	show plott surv supe and	we by certify that the orn on the plat in SEC ed from field notes of eys made by me or u rvision, and that the correct to the best of belief.	CTION B was of actual nder my same is true
				<b>M I</b>		

## INSTRUCTIONS FOR COMPLETION OF FORM C-128

- 1. Operator shall furnish and certify to the information called for in Section A.
- 2. Operator shall outline the dedicated acreage for both oil and gas wells on the plat in Section B.
- 3. A registered professional engineer or land surveyor registered in the State of New Mexico or approved by the Commission shall show on the plat the location of the well and certify this information in the space provided.
- 4. All distances shown on the plat must be from the outer boundaries of the Section.
- 5. If additional space is needed for listing owners and their respective interests as required in question 3 of Section A, please use space below.