IN REPLY REFER TO:



UNITED STATES DEPARTMENT OF THE INTERIOR

GEOLOGICAL SURVEY

P. O. Drawar U Artesia, New Mexico

September 21, 1963

-t. 5.7.

Martin Yates, III 309 Garper Building Artesia, New Mexico

Re: New Mexico 0630 Empiring September 30, 1963

Bear Sir:

Your Notice of Intention to Brill well No. 1 LDF (copy attached) in the NEIGHNE, sec. 26, T. 18 S., R. 25 E., H.M.P.M., Eddy County, New Newico to a depth of 1,500 feet to test the San Andres formetion is hereby approved subject to compliance with the provisions of the Oil and Gas Operating Regulations and subject to the feilowing conditions:

- 1. Brilling operations so authorized are subject to the attached sheat for general conditions of approval.
- 2. A daily progress report is to be furnished in duplicate from spud date until completion of the well.
- 3. Drilling rig must not be moved from well without prior approval from the Survey (30 CFR 221.34c).

Very truly yours,

(Orig. Spill) is the A marchine

James A. Knauf District Engineer

P.S. If the lasse is to be considered for extension by diligent drilling operations, the lesse restal must be timely paid.

## RECEIVED

SEP 2.4 1963

O. C. C.





## UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

N. S. J.

ال من الذي المان المناطقة. المان المان المانية في المانية المقابلة المانية المقابلة المانية في المانية المانية المانية المانية المانية الم المانية في المانية المانية المانية المانية في المانية في المانية المانية المانية المانية المانية المانية المانية

1 - 1 - L -

> n segura sure norman componente del presenta de la componente de la componente de la componente de la componente La componente de la compone

 $\mathbf{A} = \left\{ \mathbf{A} \in \mathcal{A} : \mathbf{A} \in \mathcal{A} : \mathbf{A} \in \mathcal{A} \in \mathcal{A} : \mathbf{A} : \mathbf{A}$ 

الم المراجعة المركز المركز

. . . .

ೆ. ಸ್ಟ್ರೆಸ್ಟ್ ಮಾತ್ರಿಯನ್ ಮನವಾಗಿ ತಿಂದಿಗೆ ಕಾರ್ಯವರ್ಷವನ್ನು ಸರ್ವಿಷಣೆ ಸಂಗ್ರೆಸ್ಟ್ ಸ್ಟ್ರಿಸ್ಟ್ ಸ್ಟ್ರಿಸ್ಟ್ ಸ್ಟ್ರಿಸ್ಟ್ ಸ್ಟ್ ಕ್ರಿ ಗ್ರಾಮಕ್ಷ ಸ್ಟ್ರಿಸ್ಟ್ ಸ್ಟ್ರಿಸ್ಟ್ ಸ್ಟ್ರಿಸ್ಟ್ ಸ್ಟ್ರಿಸ್ಟ್ ಸ್ಟ್ರಿಸ್ಟ್ ಸ್ಟ್ರಿಸ್ಟ್ ಸ್ಟ್ರಿಸ್ಟ್ ಸ್ಟ್ರಿಸ್ಟ್ ಸ್ಟ್ರಿಸ್ಟ್

11111

SEP 24 1953

D. C. C.

N. M. O. C	Approval expires 12-31-00. Land Office Santa Fe
	II IN IRIPLICATE)
STATE WATER - UN	ITED STATES
DEPARTME	NT OF THE INTERIOR
GEOL	ITED STATES
JASTALL	
SUNDRY NOTICES	AND REPORTS ON WELLS
NOTICE OF INTENTION TO DRILL	
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF WATER SHUT-OFF
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY
NOTICE OF INTENTION TO ABANDON WELL	
(INDICATE ABOVE BY CHECK MAR	IK NATURE OF REPORT, NOTICE, OR OTHER DATA)
	September 19, 196
Well No. LDY #1 is located 990 ft. from	m. $\begin{bmatrix} N \\ \underline{\mathbf{x}} \end{bmatrix}$ line and $2310$ ft. from $\begin{bmatrix} \underline{\mathbf{x}} \\ \mathbf{W} \end{bmatrix}$ line of sec. 26
NE/4 NW/4 26 18 South. (Twp.)	(Range) (Meridian)
-Wildsat Eddy	New México
(Field) (County	r or Bubdivision) (Btate or Territory
	41 9 8
The elevation of the devial floor charge and h	
The elevation of the derrick floor above sea le	evel is ft. Q & S
	evel is ft. ولا الله الله الله الله الله الله الله
DETA State names of and expected depths to objective sands; show si	
DETA State names of and expected depths to objective sands; show si ing points, and all	other important proposed work)
DETA State names of and expected depths to objective sands; show a Ing points, and all Plan to test the Slaughter Zor	ether important proposed work) ne of the San Andres formation at a
DETA State names of and expected depths to objective sands; show a Ing points, and all Plan to test the Slaughter Zor depth of approximately 1500 fe	ALLS OF WORK
DETA State names of and expected depths to objective sands; show all ing points, and all Plan to test the Slaughter Zor depth of approximately 1500 fe 200 feet of 8-5/8" and cement.	other important proposed work) ne of the San Andres formation at a set; will use cable tools. Will rur Will run approximately 1000 feet
DETA State names of and expected depths to objective sands; show all ing points, and all Plan to test the Slaughter Zor depth of approximately 1500 fe 200 feet of 8-5/8" and cement. of 7", drill to total depth; i	other important proposed work) ne of the San Andres formation at a set; will use cable tools. Will rur Will run approximately 1000 feet in the event production is encounter
DETA State names of and expected depths to objective sands; show all ing points, and all Plan to test the Slaughter Zor depth of approximately 1500 fe 200 feet of 8-5/8" and cement. of 7", drill to total depth; i 7" will be pulled, production	other important proposed work) ne of the San Andres formation at a set; will use cable tools. Will rur Will run approximately 1000 feet in the event production is encounter
DETA State names of and expected depths to objective sands; show all ing points, and all Plan to test the Slaughter Zor depth of approximately 1500 fe 200 feet of 8-5/8" and cement. of 7", drill to total depth; i	other important proposed work) ne of the San Andres formation at a set; will use cable tools. Will rur Will run approximately 1000 feet
DETA State names of and expected depths to objective sands; show all ing points, and all Plan to test the Slaughter Zor depth of approximately 1500 fe 200 feet of 8-5/8" and cement. of 7", drill to total depth; i 7" will be pulled, production	other important proposed work) ne of the San Andres formation at a set; will use cable tools. Will rur Will run approximately 1000 feet in the event production is encounter
DETA State names of and expected depths to objective sands; show all ing points, and all Plan to test the Slaughter Zor depth of approximately 1500 fe 200 feet of 8-5/8" and cement. of 7", drill to total depth; i 7" will be pulled, production	other important proposed work) ne of the San Andres formation at a set; will use cable tools. Will rur Will run approximately 1000 feet in the event production is encounter
DETA State names of and expected depths to objective sands; show all ing points, and all Plan to test the Slaughter Zor depth of approximately 1500 fe 200 feet of 8-5/8" and cement. of 7", drill to total depth; i 7" will be pulled, production	other important proposed work) ne of the San Andres formation at a set; will use cable tools. Will rur Will run approximately 1000 feet in the event production is encounter
DETA State names of and expected depths to objective sands; show all ing points, and all Plan to test the Slaughter Zor depth of approximately 1500 fe 200 feet of 8-5/8" and cement. of 7", drill to total depth; i 7" will be pulled, production	other important proposed work) ne of the San Andres formation at a set; will use cable tools. Will rur Will run approximately 1000 feet in the event production is encounter
DETA State names of and expected depths to objective sands; show all ing points, and all Plan to test the Slaughter Zor depth of approximately 1500 fe 200 feet of 8-5/8" and cement. of 7", drill to total depth; i 7" will be pulled, production	other important proposed work) ne of the San Andres formation at a set; will use cable tools. Will rur Will run approximately 1000 feet in the event production is encounter
DETA State names of and expected depths to objective sands; show all Plan to test the Slaughter Zor depth of approximately 1500 fe 200 feet of 8-5/8" and cement. of 7", drill to total depth; f 7" will be pulled, production to surface.	other important proposed work) ne of the San Andres formation at a set; will use cable tools. Will run Will run approximately 1000 feet in the event production is encounter string run to TD and cement circula
DETA State names of and expected depths to objective sands; show all Plan to test the Slaughter Zor depth of approximately 1500 fe 200 feet of 8-5/8" and cement. of 7", drill to total depth; d 7" will be pulled, production to surface.	other important proposed work) ne of the San Andres formation at a set; will use cable tools. Will rur Will run approximately 1000 feet in the event production is encounter
DETA State names of and expected depths to objective sands; show all Plan to test the Slaughter Zor depth of approximately 1500 fe 200 feet of 8-5/8" and cement. of 7", drill to total depth; f 7" will be pulled, production to surface.	other important proposed work) ne of the San Andres formation at a set; will use cable tools. Will run Will run approximately 1000 feet in the event production is encounter string run to TD and cement circula
DETA State names of and expected depths to objective sands; show all Plan to test the Slaughter Zor depth of approximately 1500 fe 200 feet of 8-5/8" and cement. of 7", drill to total depth; d 7" will be pulled, production to surface.	other important proposed work) ne of the San Andres formation at a set; will use cable tools. Will run Will run approximately 1000 feet in the event production is encounter string run to TD and cement circula
DETA State names of and expected depths to objective sands; show all Plan to test the Slaughter Zor depth of approximately 1500 fe 200 feet of 8-5/8" and cement. of 7", drill to total depth; i 7" will be pulled, production to surface. iunderstand that this plan of work must receive approval is CompanyMARTIN YATES, III. Address	ether important proposed work) the of the San Andres formation at a set; will use cable tools. Will run Will run approximately 1000 feet In the event production is encounter string run to TD and cement circula a writing by the Geological Survey before operative to the commenced.
DETA State names of and expected depths to objective sands; show all Plan to test the Slaughter Zor depth of approximately 1500 fe 200 feet of 8-5/8" and cement. of 7", drill to total depth; i 7" will be pulled, production to surface. iunderstand that this plan of work must receive approval is CompanyMARTIN YATES, III.	ether important proposed work) the of the San Andres formation at a set; will use cable tools. Will run Will run approximately 1000 feet In the event production is encounter string run to TD and cement circula a writing by the Geological Survey before operative way for commenced. By MacM. Mc.
DETA State names of and expected depths to objective sands; show all Plan to test the Slaughter Zor depth of approximately 1500 fe 200 feet of 8-5/8" and cement. of 7", drill to total depth; i 7" will be pulled, production to surface. i understand that this plan of work must receive approval is CompanyMARTIN YATES, III. Address	etter important proposed work) ne of the San Andres formation at a pet; will use cable tools. Will run Will run approximately 1000 feet in the event production is encounter string run to TD and cement circula a writing by the Geological Survey before operativity in commenced. By By McCMM
DETA State names of and expected depths to objective sands; show all Plan to test the Slaughter Zor depth of approximately 1500 fe 200 feet of 8-5/8" and cement. of 7", drill to total depth; i 7" will be pulled, production to surface. i understand that this plan of work must receive approval is CompanyMARTIN YATES, III. Address	ether important proposed work) the of the San Andres formation at a set; will use cable tools. Will run Will run approximately 1000 feet In the event production is encounter string run to TD and cement circula a writing by the Geological Survey before operative way for commenced. By MacM. Mc.
DETA State names of and expected depths to objective sands; show all Plan to test the Slaughter Zor depth of approximately 1500 fe 200 feet of 8-5/8" and cement. of 7", drill to total depth; i 7" will be pulled, production to surface. i understand that this plan of work must receive approval is CompanyMARTIN YATES, III. Address	etter important proposed work) ne of the San Andres formation at a pet; will use cable tools. Will run Will run approximately 1000 feet in the event production is encounter string run to TD and cement circula a writing by the Geological Survey before operativity in commenced. By By McCMM

NUMBER OF COPIES RECEIVE DISTRIBUTION		NEW M		ONSERV			FORM C-128
PILE U.S.G.B.							
LAND OFFICE		WELL LOCA	ATION AND	ACREA	GE DEDI	CATION P	'LAT
TRANSPORTER GAS	1 1	SEE INSTRUCTI	ONS FOR COMPL	ETING THI	S FORM ON	THE REVERS	ESIDE
PRORATION OFFICE							
OPERATOR							
~			SECTION	A			
Operator			Lease				Well No.
Un Martin Tet					(um)		
Uniterenter	Section	Township	Range		County		
Actual Footage Lo	Catio 29 Walls	<u> </u>	<u>B-2</u>	5-8	- Miler		
nebear rootage Lo	feet from the	line	and one	faar	e fear al a		1in -
Ground Level Elev			Pool	Iee	t from the		line
			41.	Da	1		dicated Acreage:
	Har	undre	1 47rd. 7	tras	co A	a	10 Acres
another. (65- 2. If the answer to wise? YES	3-29 (e) NMSA 19 o question one is NO I		ests of all the own Type of Consolida	aers been co tion	onsolidated b	y communitiza	lf or for himself and ution agreement or other-
Owner	·		La	nd Descript	ion		
·							
						<u></u>	
		SECTION B					RTIFICATION
r	·····						RTIFICATION
23107						in SECTION plete to the l belief. Name Position Lenc Company	tify that the information A above is true and com- best of my knowledge and A M Com- Department Lin Yates III
				~		Date Sept	tember 19, 1963
18 8		26		ANTESCOLORIA 1983	NEW MENCE	I hereby cert. shown on the plotted from a surveys made supervision, and correct to and belief. Date Surveye	ify that the well location plat in SECTION B was field notes of actual e by me or under my and that the same is true to the best of my knowledge
						Registered P and/or Land	rofessional Engineer
0 330 660 9	90 1320 1650 19	80 2310 2640	2000 1500	1000 5		Certificate No	°· 542
					- 7/		

## INSTRUCTIONS FOR COMPLETION OF FORM C-128

- 1. Operator shall furnish and certify to the information called for in Section A.
- 2. Operator shall outline the dedicated acreage for *both* oil and gas wells on the plat in Section B.
- 3. A registered professional engineer or land surveyor registered in the State of New Mexico or approved by the Commission shall show on the plat the location of the well and certify this information in the space provided.
- 4. All distances shown on the plat must be from the outer boundaries of the Section.
- 5. If additional space is needed for listing owners and their respective interests as required in question 3 of Section A, please use space below.