

NEW MEXICO OIL CONSERVATION COMMISSION

HOBBS OFFICE O. C. C.  
Santa Fe, New Mexico

MAY 6 3 18 PM '64

WELL RECORD

Mail to District Office, Oil Conservation Commission, to which Form C-101 was sent not later than twenty days after completion of well. Follow instructions in Rules and Regulations of the Commission. Submit in QUINTUPLICATE. If State Land submit 6 Copies

AREA 640 ACRES  
LOCATE WELL CORRECTLY

Franklin, Aston & Fair, Inc.

Harris *State*  
(Lease)

Well No. #1, in SE 1/4 of SE 1/4 of Sec. 36, T. 18 S, R. 23 E, NMPM.

Wildcat Pool, County.

Well is 660 feet from South line and 660 feet from East line

of Section 36. If State Land the Oil and Gas Lease No. is E-7875

Drilling Commenced 3-24-64, 19. Drilling was Completed 4-8-64, 19.

Name of Drilling Contractor Cactus Drilling Corporation

Address Midland, Texas

Elevation above sea level at Top of Tubing Head. The information given is to be kept confidential until 19.

OIL SANDS OR ZONES

No. 1, from 6294 to 6308 Cisco No. 4, from Gaged 310 MCFGPD to

No. 2, from to No. 3, from to

No. 3, from to No. 6, from to

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from to feet.

No. 2, from to feet.

No. 3, from to feet.

No. 4, from to feet.

RECEIVED  
MAY 1 1964  
O. C. C.  
ARTESIA OFFICE

CASING RECORD

SIZE	WEIGHT PER FOOT	NEW OR USED	AMOUNT	KIND OF SHOE	CUT AND PULLED FROM	PERFORATIONS	PURPOSE
13 3/8		J55	195	Haliburton	None		
8 5/8	24#	J55	1975	Haliburton	None		

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED
13 3/8	17"	195	150	Circulate		
8 5/8	12"	1975	625	Circulate to 425 cemented outside csg from 425 to surface		

RECORD OF PRODUCTION AND STIMULATION

(Record the Process used, No. of Qts. or Gals. used, interval treated or shot.)

None

Result of Production Stimulation

Depth Cleaned Out

RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto

TOOLS USED

Rotary tools were used from 195 feet to 6807 feet, and from feet to feet.  
Cable tools were used from Surface feet to 195 feet, and from feet to feet.

PRODUCTION

Put to Producing Dry Hole, 19

OIL WELL: The production during the first 24 hours was barrels of liquid of which % was oil; % was emulsion; % water; and % was sediment. A.P.I. Gravity.

GAS WELL: The production during the first 24 hours was M.C.F. plus barrels of liquid Hydrocarbon. Shut in Pressure lbs.

Length of Time Shut in

PLEASE INDICATE BELOW FORMATION TOPS (IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE):


Southeastern New Mexico

Northwestern New Mexico

T. Anhy	T. Devonian	T. Ojo Alamo
T. Salt	T. Silurian	T. Kirtland-Fruitland
B. Salt	T. Montoya	T. Farmington
T. Yates	T. Simpson	T. Pictured Cliffs
T. 7 Rivers	T. McKee	T. Menefee
T. Queen	T. Ellenburger	T. Point Lookout
T. Grayburg	T. Gr. Wash	T. Mancos
T. San Andres	T. Granite	T. Dakota
T. Glorieta 1520	T.	T. Morrison
T. Drinkard	T.	T. Penn
T. Tubbs	T.	T.
T. Abo 7600	T.	T.
T. Penn 6050	T.	T.
T. Miss	T.	T.

FORMATION RECORD

From	To	Thickness in Feet	Formation	From	To	Thickness in Feet	Formation
0	1520	1520	San Andres				
1520	1620	100	Glorieta				
1620	3600	1980	Yeso				
3600	5000	1400	Abo				
5000	6050	1050	Wolfcamp				
6050	6807	757	Pennsylvanian (Cisco)				



ATTACH SEPARATE SHEET IF ADDITIONAL SPACE IS NEEDED

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

Company or Operator Franklin, Aston & Fair, Inc. Address P.O. Box 1090, Roswell, New Mexico  
Name Grant M Smith Position or Title Geologist  
Date 4 - 30 - 64