
Form 9-331 a (Feb. 1951)



(SUBMIT IN TRIPLICATE)

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

	Bureau No. 42-R358.4.	mel)
and Offic	Las Cruees	
ease No.	LC-028978 b	37
Jnit	C	J

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF I				17			
	NTENTION TO DRILL		X	SUBSEQUENT REPO	ORT OF WATER SHUT-	OFF	
NOTICE OF INTENTION TO CHANGE PLANS.			-	SUBSEQUENT REPO	ORT OF SHOOTING OR	ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF					ORT OF ALTERING CAS		VEY
NOTICE OF I	NTENTION TO RE-DRI	ILL OR REPAIR WELL		SUBSEQUENT REPO	ORT OF RE-DRILLING	OR REPAIR	
NOTICE OF I	NTENTION TO SHOOT	OR ACIDIZE		SUBSEQUENT REPO	ORT OF ABANDONMEN	4 E U	
NOTICE OF I	NTENTION TO PULL O	OR ALTER CASING		SUPPLEMENTARY	WELL HISTORY	K	31907
NOTICE OF I	NTENTION TO ABANDO	ON WELL				~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	
				<u> </u>		r'	ع زنا م
	(IND	ICATE ABOVE BY CHECK !	MARK NAT	URE OF REPORT, NO	TICE, OR OTHER DATA)	0	CIA' OFT
						ARTE	, .
	_		Me	rch 21,		·	, 19 <u>54</u>
MeC				_		<u>.</u>	
Vell No	7 is low	cated 330 ft. f	rom []	$N_{\text{line and }}$ 16	50 ft from 1	line of see	. 33
E TO		tacca	10111	S fine and	it. iioiii \V	V Inne or sec	·
od mil	33	188	30	e nmp			
(⅓ Se	c. and Sec. No.)	(Twp.)	(Ran	ge)	(Meridian)		
orth S	enson Und	, Bddy			New Me	xico	
	(Field)	(Cot	inty or Sub	division)	(State	or Territory)	
tate names o • prop asing	ose to ári	s to objective sands; sho ing points, and	w sizes, we lall other	a depth a	work)	d set 8	jobs, cement- 5/8** 50
e propasing	ose to dri at approxi	s to objective sands; sho ing points; and ill this well mately 550 ductive, th	w sizes, we all other	eights, and lengths important proposed a depth o	work)	d set 8	5/8 " 50
e propasing asing acs mu	ose to dri at approxi	s to objective sands; sho ing points, and ll this well mately 550	w sizes, we all other	eights, and lengths important proposed a depth o	l work) If 3300' and I 50 sace c	d set 8	5/8 " 50
e prop asing acs mu .00 sac	ose to dri at approxi	s to objective sands; sho ing points; and ill this well mately 550 ductive, th	w sizes, we all other	eights, and lengths important proposed a depth o	l work) If 3300' and I 50 sace c	d set 8	5/8 " 50
e propasing asing acc	ose to dri at approxi	s to objective sands; sho ing points; and ill this well mately 550 ductive, th	w sizes, we all other	eights, and lengths important proposed a depth o	l work) If 3300' and I 50 sace c	d set 8	5/8 " 50
o prop gorq anisa sos cos mu	ose to dri at approxi	s to objective sands; sho ing points, and ill this well mately 550 ductive, th	w sizes, we all other	eights, and lengths important proposed a depth o	l work) If 3300' and I 50 sace c	d set 8	5/8 " 50
e prop asing ace mu ace o	ose to dri at approxi	s to objective sands; sho ing points, and ill this well mately 550 ductive, th	w sizes, we all other	eights, and lengths important proposed a depth o	l work) If 3300' and I 50 sace c	d set 8	5/8 " 50
e prop asing acs mu	ose to dri at approxi	s to objective sands; sho ing points, and ill this well mately 550 ductive, th	w sizes, we all other	eights, and lengths important proposed a depth o	l work) If 3300' and I 50 sace c	d set 8	5/8 " 50
e prop asing acs mu	ose to dri at approxi	s to objective sands; sho ing points, and ill this well mately 550 ductive, th	w sizes, we all other	eights, and lengths important proposed a depth o	l work) If 3300' and I 50 sace c	d set 8	5/8 " 50
tate names o e prop asing ace sau	ose to dri at approxi	s to objective sands; sho ing points, and ill this well mately 550 ductive, th	w sizes, we all other	eights, and lengths important proposed a depth o	l work) If 3300' and I 50 sace c	d set 8	5/8 " 50
qoqq elas gaing sos mu sos QO,	ose to dri at apprexi d. If pro s cement &	s to objective sands; sho ing points, and ill this well mately 550' ductive, the 100 sacs m	w sizes, we all other 1 to a second size of	sights, and lengths important proposed a depth of ment with /2" casin	T 3300' and 50 sade of will be	d set 8 ement & comented	5/8* 50 with
qoqq elas gaing sos mu sos QO,	ose to dri at apprexi d. If pro s cement &	s to objective sands; sho ing points, and ill this well mately 550 ductive, th	w sizes, we all other 1 to a second size of	sights, and lengths important proposed a depth of ment with /2" casin	T 3300' and 50 sade of will be	d set 8 ement & comented	5/8* 50 with
e propasing see see	ose to dri at apprexi d. If pro s cement &	s to objective sands; sho ing points, and ill this well mately 550' ductive, the 100 sacs m	w sizes, we all other left to be seen to be	eights, and lengths important proposed a depth of ment with 2 casin	T 3300' and 50 sade of will be	d set 8 ement & comented	5/8* 50 with
qorq el gniss um sos ose OO,	at approxid. If prosection of the content of the co	s to objective sands; sho ing points, and all this well mately 550 ductive, the 100 sacs were	w sizes, we all other left to be seen to be	eights, and lengths important proposed a depth of ment with 2 casin	T 3300' and 50 sade of will be	d set 8 ement & comented	5/8* 50 with
l understan	ose to dri at approxi d. If pro s cement &	s to objective sands; sho ing points, and this well mately 550 ductive, the 100 sads more must receive approve	w sizes, we all other left to be seen to be	eights, and lengths important proposed a depth of ment with 2 casin	T 3300' and 50 sade of will be	d set 8 ement & comented	5/8* 50 with
e propasing see see	ose to dri at approxi d. If pro s cement &	s to objective sands; sho ing points, and all this well mately 550 ductive, the 100 sacs were	w sizes, we all other left to be seen to be	eights, and lengths important proposed a depth of ment with 2 casin	T 3300' and 50 sade of will be	d set 8 ement & comented	5/8* 50 with
l understan	at approxid. If prosecut & Simus & R	to objective sands; sho ing points, and ill this well mately 550' ductive, the 100 sacs more must receive approved the sacs of	w sizes, we all other left to be seen to be	eights, and lengths important proposed a depth of ment with 2 casin	T 3300' and 50 sade of will be	d set 8 ement & comented	5/8* 50 with
e propaging act mu oo sac	at approxid. If prosecut & Simus & R	s to objective sands; sho ing points, and this well mately 550 ductive, the 100 sads more must receive approve	w sizes, we all other left to be seen to be	eights, and lengths important proposed a depth of ment with 2 casin	T 3300' and 50 sade of will be	d set 8 ement & comented	5/8* 50 with
e propaging act mu oo sac	at approxid. If prosecut & Simus & R	to objective sands; sho ing points, and ill this well mately 550' ductive, the 100 sacs more must receive approved the sacs of	w sizes, we all other left to be seen to be	eights, and lengths important proposed a depth of ment with 2 casin	T 3300' and 50 sade of will be	d set 8 ement & comented	5/8* 50 with

NUMBER OF COPIES RECEIVED					
011	TRIBUTIO	N			
SANTA FF					
FILE					
U.S.G.S.					
LAND OFFICE					
	OIL				
TRANSPORTER	GAS				
PROBATION OFFI	C &				
OPERATOR					

NEW MEXICO OIL CONSERVATION COMMISSION

FORM C-128
Revised 5/1/57

NO OFFICE		WELL LUCA	AIIUN ANI	JACKEAG	E DEDICA	ATION PLAT	a Mel
ANSPORTER GAS		SEE INSTRUCTI	ONS FOR COM	PLETING THIS	FORM ON TH	IE REVERSE SIDE	
ERATOR							5'
			SECTIO	N A			
perator		······································	Lease		·	Well No	•
Simms & R	eese		14cC1	ay Fede	eral	7	
it Letter	Section	Township	Rang	e	County		
C	33	T-18-S	R-	30- E	Eddy		
	ocation of Well:			_			
330	feet from the	2104 724	and 1650	feet	from the W	est line	
ound Level Ele		* , , , , , , , , , , , , , , , , , , ,	Pool		<i>7</i> 1 1	Dedicated Acre	
3440	Queen	- Graybu r g	Nort	h Benson	und.	, 40	Acres
who has the rig another. (65- If the answer t wise? YES	ght to drill into a -3-29 (e) NMSA : to question one is NO	and to produce from any 1935 Comp.)	pool and to apests of all the crype of Consoli	propriate the powners been co	nsolidated by	IO ("Owner" me er for himself or for hims communitization agreeme	self and
wner				Land Descript	ion		
	© Reese €	Oil Company		NET NAT		8 - 30	
				7			
					ف		
		SECTION B			145		A.
	33.1					CERTIFICATI	ON
1650		<u> </u>		AP	ARTERIA.	Name Partner Company Simms & R	Ancient
18 S		38	(2.		s p s s a a	hereby certify that the whown on the plat in SEC lotted from field notes ourveys made by me or unupervision, and that the nd correct to the best of nd belief.	CTION B was of actual order my same is true
		1980 2310 2640	2000 1500	1000 5	R	March 13, 1964 Registered Professional and/or Land Surveyor Certificate No.	7

INSTRUCTIONS FOR COMPLETION OF FORM C-128

- 1. Operator shall furnish and certify to the information called for in Section A.
- 2. Operator shall outline the dedicated acreage for both oil and gas wells on the plat in Section B.
- 3. A registered professional engineer or land surveyor registered in the State of New Mexico or approved by the Commission shall show on the plat the location of the well and certify this information in the space provided.
- 4. All distances shown on the plat must be from the outer boundaries of the Section.
- 5. If additional space is needed for listing owners and their respective interests as required in question 3 of Section A, please use space below.