

(SUBMIT IN TRIPLICATE)

## UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

Budget Bureau No.	42-R358.4
Form Approved.	

Land	O					٤	3	ä	3	1	1	j	t	. 4	а	l	]	E	١	e	ì	
Land	Umce	-	-	•	-	-	-	Ξ	•	-		-		-	-	-	 -	-	-	-	-	

Lease No. LC 028990B

Unit \_\_\_\_\_A

s F

SUNDRY NOTICES A	ND	REPORTS	ON	WELLS
------------------	----	---------	----	-------

NOTICE OF INTENTION TO CHANGE PLANS  NOTICE OF INTENTION TO TEST WATER SHUT-OFF  NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING
TO THE WATER CHILL OFF	CURREQUENT REPORT OF ALTERING CASING
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	- SUBSEQUENT REPORT OF ALTERNIO
	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.
TO SUCCE OF ACIDITE	SUBSEQUENT REPORT OF ABANDONMENI
NOTICE OF INTENTION TO PULL OR ALTER CASING.	SUPPLEMENTARY WELL HISTORY
NOTICE OF INTENTION TO ABANDON WELL	
NOTICE OF INTENTION OF THE	
(INDICATE ABOVE BY CHECK MARK NA	ATURE OF REPORT, NOTICE, OR OTHER DATA)
	November 15 , 19 63
YATES PETROLEUM CORPORATION	<b>3.0 ( Galleria 1</b> 7
Creek-	(N) $(E)$
Well No. Mr. #1 is located 330 ft. from	[N] line and 330 ft. from $\frac{E}{E}$ line of sec. 25
SR HR Sec. 25 (Twp.) (R	JOE BOW
(14 Sec. and Sec. No.) (Twp.) (R	sange) (Meridian)
Shugart 1. 1 (County or	County Hexico  Subdivision (State or Territory)
(Field) (County or t	Subdivision)
	1:. ft 3617 GL
The elevation of the derrick floor above sea leve	21 18 1t.
	S OF WORK
(State names of and expected depths to objective sands; show sizes ing points, and all oth	, weights, and lengths of proposed casings; indicate mudding jobs, cement- ter important proposed work)
name to Antil m 10 inch	hole to 770 feet and set 8 5/8 inch
	a make of coment. An 8 inch hole
	(I SACES OF COMPANY)
Castlid Its col. or sens	O sacks of cement. An 8 inch hole
will be drilled from this po	int to a total depth of 3800 feet
will be drilled from this po	int to a total depth of 3800 feet
will be drilled from this po- into the Grayburg Sand.	int to a total depth of 3800 feet
will be drilled from this po- into the Grayburg Sand.	int to a total depth of 3800 feet
will be drilled from this po- into the Grayburg Sand.	int to a total depth of 3800 feet  RECEIVED
will be drilled from this po- into the Grayburg Sand.	Int to a total depth of 3800 feet  RECEIVED
will be drilled from this po- into the Grayburg Sand.	Int to a total depth of 3800 feet  RECEIVED  NOV 2 0 1963
will be drilled from this po- into the Grayburg Sand.	Int to a total depth of 3800 feet  RECEIVED  NOV 2 0 1963
will be drilled from this point into the Grayburg Sand.  5/2-346	RECEIVED NOV 2 0 1963
into the Grayburg Sand.  5/2-346	RECEIVED NOV 2 0 1963
will be drilled from this point into the Grayburg Sand.  5/2-346	RECEIVED NOV 2 0 1963
I understand that this plan of work must receive approval in the drilled from this point of work must receive approval in the standard control of the	RECEIVED  NOV 2 0 1963  D. C. C.  ARTESIA, DFFICE  writing by the Geological Survey before operations may be commenced.
l understand that this plan of work must receive approval in the standard s	RECEIVED  NOV 2 0 1963  D. C. C.  ARTESIA, DFFICE  writing by the Geological Survey before operations may be commenced.
I understand that this plan of work must receive approval in the Company YATES PETROLEUM CORPO	RECEIVED  NOV 2 0 1963  D. C. C.  ARTESIA, DFFICE  writing by the Geological Survey before operations may be commenced.
I understand that this plan of work must receive approval in the Company XATES PETROLEUM CORPO	NOV 2 0 1963  C. C.  ARTESIA, DFFICE  writing by the Geological Survey before operations may be commenced.
into the Grayburg Sand.  54-346  I understand that this plan of work must receive approval in the Company  Address 309 Carper Building	NOV 2 0 1963  C. C.  ARTESIA, DFFICE  writing by the Geological Survey before operations may be commenced.
into the Grayburg Sand.  54-346  I understand that this plan of work must receive approval in the Company  Address 309 Carper Building	RECEIVED  NOV 2 0 1963  D. C. C.  ARTESIA, DFFICE  writing by the Geological Survey before operations may be commenced.
I understand that this plan of work must receive approval in the Company YATES PETROLEUM CORPO	NOV 2 0 1963  C. C.  ARTESIA, DFFICE  writing by the Geological Survey before operations may be commenced.

NUMBER OF COPIL	ES SECEIV	ED	
911	TRIBUTIO	IN .	
BANTA FF			
FILE			
U. S. G. S.			
LAND OFFICE			
	OIL		
TRANSPORTER	GAS		
PROBATION OFF	C K		T

## NEW MEXICO OIL CONSERVATION COMMISSION WELL LOCATION AND ACREAGE DEDICATION PLAT

FORM C-128 Revised 5/1/57

RANSPORTER GAS		SEE INSTRUCTIONS	FOR COM	PLETING THI	S FORM ON	THE REVE	RSE SIDE	
PERATOR								
			SECTIO	) N A			<del></del>	
perator			Lease				Well N	0.
	PETROLEU	M CORPORATION		Creek			AL #	1
Init Letter Sect		Township	Ran		County			
** _ <b>!!</b>	25	20 3		31 4		V. 33		
ctual Footage Location								
fee ()	t from the	N line and	ί.	fee	t from the		line	
round Level Elev.	Producing Fo	ormation	Pool				Dedicated Ac	reage:
	i i e	¥*		il to the second	Mil	•	40	Acres
who has the right to another. (65-3-29 . If the answer to que wise? YES	odrill into and (e) NMSA 193 stion one is ''	the dedicated acreage out to produce from any pool 35 Comp.) 'no,'' have the interests a saswer is "yes,'' Type 'no,'' list all the owners	l and to a of all the of Conso	owners been co	production e onsolidated crests below	ither for him	nself or for him	self and
		SECTION D				7		
سنداجي المدادي المامي		SECTION B					CERTIFICAT	ION
			- <del></del> -		330'	in SECTI plete to t belief.  Name  Rich Position  Geol Company  Yate Date	certify that the ON A above is he best of my hard C. In and C. In and C. In a part of the period of	Norman Leum Corp
						shown on plotted fr surveys n supervision and correand belie	f.	CTION B was of actual under my
0 330 660 990	1320 1650 19	90 2310 2640 200	0 150	0 1000	500 0	Registere	ed Professional and Surveyor	Engineer

## INSTRUCTIONS FOR COMPLETION OF FORM C-128

- 1. Operator shall furnish and certify to the information called for in Section A.
- 2. Operator shall outline the dedicated acreage for both oil and gas wells on the plat in Section B.
- 3. A registered professional engineer or land surveyor registered in the State of New Mexico or approved by the Commission shall show on the plat the location of the well and certify this information in the space provided.
- 4. All distances shown on the plat must be from the outer boundaries of the Section.
- 5. If additional space is needed for listing owners and their respective interests as required in question 3 of Section A, please use space below.