

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENTN.M. Oil Cons. Division  
811 S. 1st Street  
Artesia, NM 88210-2834FORM APPROVED  
OMB No. 1004-0135  
Expires November 30, 2000

## SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to re-enter an  
abandoned well. Use Form 3160-3 (APD) for such proposals.

SUBMIT IN TRIPLICATE - Other instructions on reverse side

## 1. Type of Well

☒ Oil Well ☐ Gas Well ☐ Other

## 2. Name of Operator

Yates Petroleum Corporation

## 3a. Address

105 S. 4th St. - Artesia, NM 88210

## 3b. Phone No. (include area code)

505-748-1471

## 4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

1650' FNL &amp; 990' FEL of Section 9-T18S-R29E (Unit H, SENE)

## 5. Lease Serial No.

NM-02426

## 6. If Indian, Allottee or Tribe Name

## 7. If Unit or CA/Agreement, Name and/or No.

## 8. Well Name and No.

WLHU G4S Unit Tract 19B-5

## 9. API Well No.

30-015-10887

## 10. Field and Pool, or Exploratory Area

Loco Hills-Q-GB-SA

## 11. County or Parish, State

Eddy Co., NM

## 12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

## TYPE OF SUBMISSION

## TYPE OF ACTION

☐ Notice of Intent☒ Subsequent Report☐ Final Abandonment Notice☐ Acidize☐ Alter Casing☐ Casing Repair☐ Change Plans☐ Convert to Injection☐ Deepen☐ Fracture Treat☐ New Construction☒ Plug and Abandon☐ Plug Back☐ Production (Start/Resume)☐ Reclamation☐ Recomplete☐ Temporarily Abandon☐ Water Disposal☐ Water Shut-Off☐ Well Integrity☐ Other

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

Propose to plug and abandon as follows:

1. TIH with wireline set CIBP and set CIBP at 2444'. TOOH. TIH with tubing and tag CIBP. Load hole with plugging mud. Spot a 40 sack Class C cement plug from 2444-1865'. TOOH.
2. Perforate 4-1/2" casing with 4 holes at 1055' and 4 holes at 368'.
3. TIH with wireline set cement retainer and set retainer at 955'. TOOH. TIH with tubing and sting into retainer. Establish an injection rate. Squeeze with 50 sacks Class C cement. Leave 35' of cement on top of retainer. TOOH with tubing.
4. TIH with wireline set cement retainer and set retainer at 268'. TOOH. TIH with tubing and sting into retainer. Established circulation. Squeeze with 60 sacks of Class C cement with 2% CaCl<sub>2</sub> from near the surface to 368'. Leave 35' of cement on top of retainer. TOOH with tubing. NOTE: If circulation was not established, perforate 4-1/2" casing with 4 holes at 225'. Tie onto 4-1/2" casing and establish circulation and attempt to circulate cement to the surface with an additional 60 sacks of Class C cement with 2% CaCl<sub>2</sub>.

CONTINUED ON NEXT PAGE:

## 14. I hereby certify that the foregoing is true and correct

Name (Printed/Typed)

Rusty Klein

Title Operations Technician

Signature

Date July 23, 2001

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

## Approved by

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Title

Office

APPROVED

AUG 17 2001

GARY GOURLEY  
PETROLEUM ENGINEER


RECEIVED  
2001 JUL 25 AM 9:38  
BUREAU OF LAND MGMT  
ROSWELL OFFICE

YATES PETROLEUM CORPORATION  
WLHU G4S Unit Tract 19B-5  
Section 9-T18S-R29E  
Eddy County, New Mexico

SUNDRY NOTICE CONTINUED:


5. Spot a 15 sack Class C cement plug at surface.

NOTIFY BLM-CARLSBAD (505-234-5909) AND OCD-ARTESIA (505-748-1283) 24 HOURS PRIOR TO  
COMMENCING PLUGGING OPERATIONS

  
\_\_\_\_\_  
Rusty Klein  
Operations Technician  
July 23, 2001

WELLNAME: Tract 19B Well No. 5 FIELD: WLHU  
 LOCATION: Unit Letter H, 1650' ENL 990' EL, Sec 9, T18S, R29E Eddy Co. N.M.  
 GL: 3501' ZERO: \_\_\_\_\_ AGL: \_\_\_\_\_ KB: 3509  
 SPUD DATE: 11-7-66 COMPLETION DATE: 11-15-66  
 COMMENTS: \_\_\_\_\_

CASING PROGRAM			
SIZE/WT/GR/CONN			DEPTH SET
8 5/8"	20#	318'	
4 1/2"	9.5#	2553'	2553




Tops  
 Top of Salt 298'  
 Base of Salt 905'  
 Yates 968'  
 Queen 2005'

- SKETCH NOT TO SCALE -

DATE: \_\_\_\_\_

WELLNAME: Treat 19B Well No. 5 FIELD: WLHU  
 LOCATION: Unit Letter H, 1650' FNL 990' FEL, Sec 9, T18S, R29E Eddy Co, NM  
 GL: 3501' ZERO: \_\_\_\_\_ AGL: \_\_\_\_\_ KB: 3509  
 SPUD DATE: 11-7-66 COMPLETION DATE: 11-15-66  
 COMMENTS: \_\_\_\_\_

CASING PROGRAM			
SIZE/WT/GR/CONN			DEPTH SET
8 5/8"	20#		318'
4 1/2"	9.5#		2553'



Tops  
 Top of Salt 298'  
 Base of Salt 905'  
 Yates 968'  
 Queen 2005'