

Submit 3 Copies To Appropriate District Office  
District I  
1625 N. French Dr., Hobbs, NM 88240  
District II  
811 South First, Artesia, NM 88210  
District III  
1000 Rio Brazos Rd., Aztec, NM 87410  
District IV  
2040 South Pacheco, Santa Fe, NM 87505

State of New Mexico  
Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION  
2040 South Pacheco  
Santa Fe, NM 87505

Form C-103  
Revised March 25, 1999

WELL API NO.  
30-015-20323

5. Indicate Type of Lease  
STATE ☐ FEE ☒

6. State Oil & Gas Lease No.

7. Lease Name or Unit Agreement Name:  
McCaw Gas Com

8. Well No.  
1

9. Pool name or Wildcat  
Atoka Morrow, West

SUNDRY NOTICES AND REPORTS ON WELLS  
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well:  
Oil Well ☐ Gas Well ☒ Other

2. Name of Operator  
Manzano Oil Corporation

3. Address of Operator  
P.O. Box 2107, Roswell, NM 88202-2107

4. Well Location  
Unit Letter 1F : 1650 feet from the North line and 1650 feet from the West line  
Section 19 Township 18S Range 26E NMPM County Eddy

10. Elevation (Show whether DR, RKB, RT, GR, etc.)  
3435' GL

11. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input checked="" type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	MULTIPLE COMPLETION <input type="checkbox"/>	CASING TEST AND CEMENT JOB <input type="checkbox"/>	
OTHER: <input type="checkbox"/>		OTHER: <input type="checkbox"/>	

12. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

13-3/8" set @ 530'KB. Cemented w/500 sks cement. Circulated to surface.  
8-5/8" set @ 1200'KB. Cemented w/500 sks cement. Circulated to 190'.  
4-1/2" set @ 8967'KB. Cemented w/300 sks cement. Top of cement 7860'  
TD 9000'.

Morrow perfs 8800-24'; 8888-98'; 8920-24' & 8950-56'.

Proposed cement plugs for P&A:

- 100' cement plug from 8750' back to 8650'. TAG
- 100' cement plug top of Wolfcamp 6800' back to 6700'. \* Perforate 4 1/2" csg @ 6800'. Squeeze 100' cement plug inside & outside 4 1/2" csg.
- 100' cement plug top of Glorieta 1900' back to 1800'. \* Perforate 4 1/2" csg @ 1900'. Squeeze 100' cement plug inside & outside 4 1/2" csg.
- 100' cement plug @ 8-5/8" shoe. 50' in and 50' out. \* Perforate 4 1/2" csg @ 4385'. Squeeze 100' cement plug inside & outside 4 1/2" csg.
- 100' cement plug @ 13-3/8" shoe. 50' in and 50' out. \* Perforate 4 1/2" csg @ 2245'. Squeeze 100' cement plug inside & outside 4 1/2" csg.
- 10 sks surface plug with dry hole marker.

\* Notify NMOSA to witness Plugging Operations.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE [Signature] VP Engineering DATE 7/18/00

Type or print name \_\_\_\_\_ Telephone No. \_\_\_\_\_  
(This space for State use)

APPROVED BY [Signature] TITLE Field Rep. II DATE 8/11/2000

Conditions of approval, if any:

- \* Perforate 4 1/2" csg @ 1259'. Squeeze 100' cement plug inside & outside 4 1/2" csg. TAG
- \* Perforate 4 1/2" csg @ 571'. Squeeze 100' cement plug inside & outside 4 1/2" csg.