

3D-015-20533

12-11-71

BHC Acoustology
0-8967

Focused Log
1283-8963

MC TOPS PER LLS

PENN - 7087

STRAWN - 8030

ATOKA - 8545

MOR. LB - 8745

MOR CI - 8785

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.G.S.	
LAND OFFICE	
OPERATOR	

RECEIVED NEW MEXICO OIL CONSERVATION COMMISSION

DEC 17 1971

O. C. C.
ARTESIA, OFFICE

Form O-103
Supersedes Old
C-102 and C-104
Effective 1-1-55

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR A WELL WHICH IS BEING PLUGGED OR IS TO BE PLUGGED TO A DIFFERENT RESERVOIR. USE FORM O-102 FOR SUCH PROPOSALS.)		5a. Indicate Type of Lease State ☐ ☒
1. Name of Operator Texas International Petroleum Corporation		5. State Oil & Gas Lease No.
2. Address of Operator P. O. Box 4520-Centenary Station, Shreveport, Louisiana 71104		6. Unit Agreement Name
3. Location of Well UNIT LETTER <u>P</u> <u>990</u> FEET FROM THE <u>South</u> LINE AND <u>990</u> FEET FROM THE <u>East</u> LINE, SECTION <u>17</u> TOWNSHIP <u>18S</u> RANGE <u>26E</u> N.M.P.M.		7. Name of Lease Name Vandiver
4. Elevation (Show whether DF, RT, GR, etc.) Gr. 3383.5'		8. Well No. 1
5. County Eddy		9. Field and Pool, or Acreage Atoka (Penn) Pool 1/4-1/4

16. Check Appropriate Box To Indicate Nature of Notice, Report or Other Data NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK ☐ TEMPORARILY ABANDON ☐ PULL OR ALTER CASING ☐ OTHER ☐	PLUG AND ABANDON ☐ CHANGE PLANS ☐ OTHER ☐	REMEDIAL WORK ☐ COMMENCE DRILLING OPNS. ☐ CASING TEST AND CEMENT JOBS ☐ OTHER ☐	ALTERING CASING ☐ PLUG AND ABANDONMENT ☒

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

Commenced plugging on 12-3-71. Finished plugging on 12-4-71.
 Left 11-3/4" casing set at 484' in hole.
 Left 8-5/8" casing set at 1288' in hole.

Spotted six 35 sack plugs using 210 sks. of Class C Cement with 19# D-13R Retarder as follows:

8800-8900' - Morrow Sand
 7000-7100' - Cisco Canyon
 5775-5875' - Lower Wolf Camp
 4350-4450' - Abo
 2175-2275' - Glorietta
 1350-1250' - Tie-in 8-5/8" casing.

Placed a 10 sack plug in top of surface casing.

Dowell Report attached.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED T. D. Patterson TITLE Production Supt. DATE 12-14-71

APPROVED BY A. A. Mearns TITLE OIL AND GAS INSPECTOR DATE MAR 21 1972

CONDITIONS OF APPROVAL, IF ANY: