

NO. OF COPIES RECEIVED	5
DISTRIBUTION	
SANTA FE	1
FILE	1
U.S.G.S.	
LAND OFFICE	
OPERATOR	3

RECEIVED
NEW MEXICO OIL CONSERVATION COMMISSION
MAR 29 1972
O. C. C.
ARTESIA, OFFICE

Form C-103
Supersedes Old
C-102 and C-103
Effective 1-1-65

5a. Indicate Type of Lease
State <input type="checkbox"/> Fee <input checked="" type="checkbox"/>
5. State Oil & Gas Lease No.

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)

1. OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER- 2. Name of Operator David Fasken 3. Address of Operator 608 First National Bank Bldg., Midland, Texas 79701 4. Location of Well UNIT LETTER H 1980 FEET FROM THE North LINE AND 660 FEET FROM THE East LINE, SECTION 25 TOWNSHIP 18-S RANGE 25-E N.M.P.M. 15. Elevation (Show whether DF, RT, GR, etc.) 3459' Gr.	7. Unit Agreement Name 8. Farm or Lease Name Yates-Hornbaker 9. Well No. 1 10. Field and Pool, or Wildcat W. Atoka Morrow Gas 12. County Eddy
--	---

Check Appropriate Box To Indicate Nature of Notice, Report or Other Data
NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF:

PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input checked="" type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>	CASING TEST AND CEMENT JOBS <input type="checkbox"/>	

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

- Spudded 10 a.m., 3-15-72.
- Drilled 17 1/2" hole to 477' with spud mud, lost circulation at 475'.
- Set 13-3/8", H-40, 48#/ft., ST&C, API casing at 477' (13 jts.).
- Cemented w/400 sxs. Howco-Lite with 1/2# flocele/sx., 5# gilsonite/sx. & 2% CaCl (slurry wt. 12.8#/gal.), and 100 sxs. Incor w/2% CaCl (slurry wt. 14.8#/gal.), no mud or cement returns, plug down at 11 p.m., 3-15-72.
- Ran temperature survey and located top of cement in 17-1/2" x 13-3/8" annulus at 145' from surface (copy of temperature survey attached).
- Filled 17-1/2" x 13-3/8" annulus to surface with 3 cu. yds. ready-mix.
- W.O.C. 13 hours, tested casing and B.O.P.'s to 800 psig - held OK.
- Drilled 12 1/4" hole to 1208' with fresh water, lost "returns" at 479', recovered 1/3 "returns" at 970' increasing to 50% return by 1208'.
- Set 8-5/8", J-55, 24#/ft., ST&C, API casing at 1207' (38 jts.).
- Cemented 8-5/8" casing w/400 sxs. Howco-Lite with 1/2# flocele/sx. and 2% CaCl (slurry wt. 12.9#/gal.) and 200 sxs. Incor w/2% CaCl (slurry wt. 14.9#/gal.), plug down at 7:40 a.m., 3-18-72, 50% mud returns during cementing operation, no cement back to surface, cementing operation witnessed by Mr. Mermis, N.M.O.C.C.

Continued on attached sheet.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED *Robert H. Angevine* R. H. Angevine TITLE Agent DATE 3-28-72

APPROVED BY *W. H. Bassett* TITLE For Record Only DATE MAR 30 1972

CONDITIONS OF APPROVAL, IF ANY: minimum WOC time 18 hrs.

DAVID FASKEN

Yates-Hornbaker No. 1

(Attachment for Form C-103)

17. Describe Proposed or Completed Operations (continued).

11. W.O.C. 4 hours, ran temperature survey, located cement at 370' below K.B. or 107' up in the 13-3/8" surface casing - witnessed by Mr. Mermis, N.M.O.C.C. Copy of temperature survey is attached.
12. Set slips, cut off 8-5/8", installed spool and nipped up B.O.P.'s.
13. W.O.C. total of 16½ hrs.
14. Tested 8-5/8" casing and B.O.P.'s to 1500 psig - held OK.

(FOI-0) rev. not intended to be

.(beunitnec) anolitarvff lereqlmof no beegurof ecollan 11

1. The above information was obtained from the records of the Bureau of the Census, Department of Commerce, and is being furnished to you for your information.

HENRY ENGINEERING