

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEYSUBMIT IN TR.  
(Other instructi.  
verse side)CATE\*  
on re-Form approved.  
Budget Bureau No. 42-R1424.

## SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.  
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>		5. LEASE DESIGNATION AND SERIAL NO. LC 064226	
2. NAME OF OPERATOR FRANKLIN, ASTON & FAIR, INC.		6. IF INDIAN, ALLOTTEE OR TRIBE NAME	
3. ADDRESS OF OPERATOR P. O. Box 1090, Roswell, New Mexico 88201		7. UNIT AGREEMENT NAME	
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.) At surface 990' FSL & 990' FEL Sec. 27, T. 18 S., R. 30 E		8. FARM OR LEASE NAME Federal N	
14. PERMIT NO.		9. WELL NO. 2	
15. ELEVATIONS (Show whether DF, RT, OR, etc.)		10. FIELD AND POOL, OR WILDCAT Undesignated	
		11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA Sec. 27, T. 18 S., R. 30 E.	
		12. COUNTY OR PARISH Eddy	
		13. STATE New Mexico	

## 16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

## NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF ☒FRACTURE TREAT ☐SHOOT OR ACIDIZE ☐REPAIR WELL ☐(Other) ☐PULL OR ALTER CASING ☐MULTIPLE COMPLETE ☐ABANDON\* ☐CHANGE PLANS ☐

## SUBSEQUENT REPORT OF:

WATER SHUT-OFF ☐FRACTURE TREATMENT ☐SHOOTING OR ACIDIZING ☐(Other) ☐REPAIRING WELL ☐ALTERING CASING ☐ABANDONMENT\* ☐

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting and proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

Well spudded 7-10-72 at 9:30 A.M. 8-5/8 inch 20# casing was set at 705 feet KB using 250 sax HAWCO and 100 sax Class H cement 2% CaCl, plug down at 7:00 P.M. The cement circulated to surface. After waiting 18 hours, pressured up on casing to 800 psi and held for 30 minutes. Cement job okay, work done by Halliburton.

RECEIVED

JUL 17 1972

O. C. C.  
ARTESIA, OFFICE

RECEIVED

JUL 14 1972

U. S. GEOLOGICAL SURVEY  
ARTESIA, NEW MEXICO

18. I hereby certify that the foregoing is true and correct

SIGNED

*Grant M. Smith*

TITLE Geologist

DATE July 13, 1972

(This space for Federal or State office use)

APPROVED BY

CONDITIONS OF APPROVAL, IF ANY:

JUL 14 1972

R. L. BEEKMAN

ACTING DISTRICT ENGINEER

TITLE

DATE

\*See Instructions on Reverse Side