

NO. OF COPIES RECEIVED	3
DISTRIBUTION	
SANTA FE	1
FILE	1
U.S.G.S.	
LAND OFFICE	
OPERATOR	1

NEW MEXICO OIL CONSERVATION COMMISSION

Form C-103
Supersedes Old
C-102 and C-103
Effective 1-1-65

AUG 10 1973

5a. Indicate Type of Lease	
State <input type="checkbox"/>	Fee <input checked="" type="checkbox"/>
5. State Oil & Gas Lease No.	
7. Unit Agreement Name	
8. Farm or Lease Name Armstrong "CT" Com	
9. Well No. 1	
10. Field and Pool, or Wildcat Wildcat	
12. County Eddy	

SUNDY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. OIL WELL ☐ GAS WELL ☒ OTHER-
2. Name of Operator
Yates Petroleum Corporation
3. Address of Operator
207 South 4th Street - Artesia, NM 88210
4. Location of Well
UNIT LETTER L 1980 FEET FROM THE South LINE AND 660 FEET FROM West THE LINE, SECTION 5 TOWNSHIP 18S RANGE 26E NMPM.
15. Elevation (Show whether DF, RT, GR, etc.)
3397' GR

16. Check Appropriate Box To Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>	CASING TEST AND CEMENT JOB <input type="checkbox"/>	OTHER Run 4 1/2" csg. Perf & Acidize <input checked="" type="checkbox"/>

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

7-6-73 - TD 8865' - Ran 275 jts of 4 1/2" 11.6 & 10.5 # K-55 W/float shoe at 8856' and float collar at 8825', cemented w/275 sx Class H cement, 3/4% CFR-2, 2% HCL, displaced w/2% KCl. PD 2:00 AM 7-7-73. WOC 14 hrs. Ran Temp Survey, top of cement behind casing at 7820', inside casing at 8810'. WOC 24 hrs, tested to 1500#. Tested OK.

7-10-73 - Perforated w/Vann Tool casing gun 8455-60 w/10 shots. Acidized w/1000 gallons 15% MS acid w/1#/gal Nitrogen, flushed w/20 bbls of KCl Wtr.

7-23-73 - Killed well, pulled tubing and packer. Re-perforated w/Vann Tubing Conveyed Gun as follows: 8381-8387 - 5 shots; 8499-8503- 5 shots; 8566-8567 - 2 shots; 8616-8619 - 4 shots. Pulled gun. Reran tubing and packer, set packer at 8269'.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED Eddie M. Mahood TITLE Engineer DATE 8-10-73

APPROVED BY W. A. Grassett TITLE OIL AND GAS INSPECTOR DATE AUG 13 1973

CONDITIONS OF APPROVAL, IF ANY: