

NO. OF COPIES RECEIVED	6
DISTRIBUTION	
SANTA FE	
FILE	
U.S.G.S.	2
LAND OFFICE	
OPERATOR	

NEW MEXICO OIL COMMISSION
WELL COMPLETION OR RECOMPLETION REPORT AND LOG

SEP 17 1974

Form C-105
Revised 1-1-65

5a. Indicate Type of Lease	
State ☐	Fee ☒
5. State Oil & Gas Lease No.	

1a. TYPE OF WELL		b. TYPE OF COMPLETION		7. Unit Agreement Name	
OIL WELL ☒ GAS WELL ☐ DRY ☐ OTHER ☐		NEW WELL ☒ WORK OVER ☐ DEEPEN ☐ PLUG BACK ☒ DIFF. RESVR. ☐ OTHER ☐		8. Farm or Lease Name	
2. Name of Operator		3. Address of Operator		9. Well No.	
Yates Petroleum Corporation		207 South 4th Street - Artesia, NM 88210		1	
4. Location of Well		10. Field and Pool, or Wildcat		11. County	
UNIT LETTER <u>E</u> LOCATED <u>1980</u> FEET FROM THE <u>North</u> LINE AND <u>660</u> FEET FROM		12. County		Eddy	
THE <u>West</u> LINE OF SEC. <u>35</u> TWP. <u>18S</u> RGE. <u>25E</u> NMPM		15. Date Spudded		16. Date T.D. Reached	
		10-26-74		11-29-73	
		17. Date Compl. (Ready to Prod.)		18. Elevations (DF, RKB, RT, GR, etc.)	
		9-11-74		3509' KB	
20. Total Depth		21. Plug Back T.D.		22. If Multiple Compl., How Many	
9220'		2886'		23. Intervals Drilled By	
				Rotary Tools	
				Cable Tools	
24. Producing Interval(s), of this completion - Top, Bottom, Name		25. Was Directional Survey Made		26. Type Electric and Other Logs Run	
2188-2363' Yeso		No		GR-N, BHC-Acoustic, Guard, Forxo	
27. Was Well Cored		28. CASING RECORD (Report all strings set in well)		29. LINER RECORD	
No					
		Casing Size		Weight lb./ft.	
		12-3/4"		32#	
		8-5/8"		32#	
		4 1/2"		11.6 & 10.5#	
		Depth Set		Hole Size	
		293'		17 1/2"	
		1115'		12 1/2" & 11"	
		9140'		7-7/8"	
		Cementing Record		Amount Pulled	
		340 sx Class C		None	
		400 sx Lite +150sx Class C		None	
		400 sx Class H		None	
		Primary 275sx at 5950'		600 sx @ 3000'	
30. TUBING RECORD		31. Perforation Record (Interval, size and number)		32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.	
SIZE		TOP		DEPTH INTERVAL	
2-3/8"		2042"		2188-2363'	
DEPTH SET		SACKS CEMENT		AMOUNT AND KIND MATERIAL USED	
2156'				1000g BDA & 80000# 20-	
PACKER SET		Prod'n. For Test Period		40 sd, 80000 gal treated wtr.	
None		52			
		Oil - Bbl.			
		52			
		Gas - MCF			
		32			
		Water - Bbl.			
		32 BLW			
		Oil Gravity - API (Corr.)			
		38.3			
33. PRODUCTION		34. Disposition of Gas (Sold, used for fuel, vented, etc.)		35. List of Attachments	
Date First Production		Production Method (Flowing, gas lift, pumping - Size and type pump)		Test Witnessed By	
9-11-74		Pumping		Bill Tribley	
Date of Test		Hours Tested		36. I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief.	
9-14-74		24			
Flow Tubing Press.		Casing Pressure		SIGNED <u>Eddie L. [Signature]</u>	
				TITLE <u>Engineer</u>	
				DATE <u>9-17-74</u>	

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Commission not later than 20 days after the completion of any newly-drilled or deepened well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, Items 30 through 34 shall be reported for each zone. The form is to be filed in quintuplicate except on state land, where six copies are required. See Rule 1105.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico

Northwestern New Mexico

T. Anhy	T. Canyon	T. Ojo Alamo	T. Penn. "B"
T. Salt	T. Strawn	T. Kirtland-Fruitland	T. Penn. "C"
E. Salt	T. Atoka 8554	T. Pictured Cliffs	T. Penn. "D"
T. Yates	T. Miss 9097	T. Cliff House	T. Leadville
T. 7 Rivers	T. Devonian	T. Menefee	T. Madison
T. Queen	T. Silurian	T. Point Lookout	T. Elbert
T. Grayburg	T. Montoya	T. Mancos	T. McCracken
T. San Andres	T. Simpson	T. Gallup	T. Ignacio Qtzte
T. Glorieta 2080	T. McKee	Base Greenhorn	T. Granite
T. Paddock	T. Ellerburger	T. Dakota	T.
T. Blinebry	T. Gr. Wash	T. Morrison	T.
T. Tubb	T. Granite	T. Todilto	T.
T. Drinkard	T. Delaware Sand	T. Entrada	T.
T. Abo 4270	T. Bone Springs	T. Wingate	T.
T. Wolfcamp	T. Barnett 9054	T. Chinle	T.
T. Penn. 7562	T. Morrow 8838	T. Permian	T.
T. Cisco (Bough C)	T.	T. Penn. "A"	T.

FORMATION RECORD (Attach additional sheets if necessary)

From	To	Thickness in Feet	Formation
0	700	700	Sand, Anhydrite & Shale
700	2080	1380	Dolomite
2080	4275	2195	Anhydrite, Limestone & Shale
4275	6750	2475	Limestone & Interbedded Shale
6750	7562	812	Shale/Interbedded Limestone
7562	8555	933	Limestone/Interbedded Shale
8555	8695	140	Shale/Interbedded Limestone
8695	8838	143	Limestone
8838	9097	259	Sand & Shale
9097	9220	123	Shaley Limestone
<u>THERE WERE NO DRILL STEM TESTS TAKEN:</u>			
Attempted DST, unable to test on account of well started to flow.			

DEVIATION SURVEY

Yates Petroleum Corporation

Gushwa "DR" No. 1

1980' FNL & 660' FWL of Section 35-18S-25E

Eddy County, New Mexico

This well was drilled by Hondo Drilling Company for Belco Petroleum Corporation and the following information was made available to Yates Petroleum Corporation


Depth Feet

716'
1284'
1784'
2286'
2810'
3410'
4005'
4502'
5680'
7200'
7696'
8170'

Deviation

1 deg.
1¼ deg.
1¼ deg.
1¼ deg.
1 3/4 deg.
2 deg.
2 deg.
1¼ deg.
2 deg.
1 deg.
3/4 deg.
3/4 deg.

Sworn to this 17th day of September, 1974.



Eddie M. Mahfood
Engineer for
Yates Petroleum Corporation


STATE OF NEW MEXICO)

: ss

COUNTY OF EDDY)

The foregoing instrument was acknowledged before me this 17th day of September, 1974 by Eddie M. Mahfood agent for Yates Petroleum Corporation.

My Commission expires





Notary Public in and for
Eddy County, New Mexico