

NO. OF COPIES RECEIVED	2
DISTRIBUTION	
SANTA FE	
FILE	✓
U.S.G.S.	
LAND OFFICE	
OPERATOR	2

RECEIVED
NEW MEXICO OIL CONSERVATION COMMISSION

MAR 13 1975

O. C. C.
ARTESIA, OFFICE

Form C-103
Supersedes Old
C-102 and C-103
Effective 1-1-65

5a. Indicate Type of Lease State <input checked="" type="checkbox"/> Fee <input type="checkbox"/>
5. State Oil & Gas Lease No. B-11083

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR.
USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)

1. OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER- Water Injection Well	7. Unit Agreement Name Artesia State Unit
2. Name of Operator Anadarko Production Company	8. Farm or Lease Name Tract No. 7
3. Address of Operator P. O. Box 67, Loco Hills, New Mexico 88255	9. Well No. 1
4. Location of Well UNIT LETTER B , 10 FEET FROM THE North LINE AND 2580 FEET FROM THE East LINE, SECTION 23 TOWNSHIP 18S RANGE 27E NMPM.	10. Field and Pool, or Wildcat Artesia
15. Elevation (Show whether DF, RT, GR, etc.) 3480.9 GR	12. County Eddy

16.

Check Appropriate Box To Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input checked="" type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>	CASING TEST AND CEMENT JOB <input type="checkbox"/>	

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

Spudded 12 1/2" hole March 6, 1975. Drilled to 297' KB, set 8 5/8" 24# casing @ 290' KB and cemented with 160 sacks Class H with 2% CaCl. Cement weighed 15.6# per gal. Cement did not circulate; dumped 8 cu. yd. redimix behind surface casing, filling cement in open hole back to bottom of cellar. Let casing set 18 hours and tested to 500 psi. Tested O. K.

Drilled to TD, 2,000' GL, ran Gamma ray with Compensated Velocity log with caliper and Induction-Electric log. Set and cemented 1994' of 4 1/2" 10.5# casing with 270 sacks Class H cement with 1# Floccle per sack and 390 sacks Class H with 2/10 of 1% CFR-2, 5# Salt, 10# sand per sack. Cement weighed 16# per gal. Circulated 35 sacks to pit.

Will complete at a later date and file form C-105.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

Original Signed by
SIGNED Jerry E. Buckles TITLE Area Supervisor DATE March 11, 1975

APPROVED BY W. A. Gressett TITLE SUPERVISOR, DISTRICT II DATE MAR 13 1975

CONDITIONS OF APPROVAL, IF ANY: