()	-			~	5. <b>,</b> č
NO. OF COPIES RECEIVED	4/	]			Form C-103
DISTRIBUTION	1				Supersedes Old
SANTA FE	1.		NEW MEXICO OIL CONSERVATION COM	AMISSION	C-102 and C-103 Effective 1-1-65
FILE	1	~			
U.S.G.S.			REC	EIVED	5a. Indicate Type of Lease
LAND OFFICE					State 🗶 🛛 Fee, 🔄
OPERATOR	2.		0.03	0 0 4075	5, State Oil & Gas Lease No.
			UCI	29 1975	<u> </u>
(DO NOT USE THIS F	SU		Y NOTICES AND REPORTS ON WELLS POSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFEREN ON FOR PERMIT - " (FORM C-101) FOR SUCH PROPOSALS.)	T RESERVOIR.	
1.		_	ARTE	SIA, OFFICE	7. Unit Agreement Name
OIL GAS	. L	]	OTHER-X - Water Injection Wel	1	Artesia State Unit
2. Name of Operator					8. Farm or Lease Name
Anad	arl	to I	roduction Company		Tract No. 7
3. Address of Operator					9. Well No.
P. 0	). E	ox	67. Loco Hills, New Mexico	88255	1 1
4. Location of Well			· · · · · · · · · · · · · · · · · · ·		10. Field and Pool, or Wildcat
UNIT LETTER		. 1	O FEET FROM THE NORTH LINE AND	2580 FEET FROM	Artesia
	LINE,		DN 23 TOWNSHIP 18 8 RANGE		
<u>uuuuuuuu</u>	$\overline{n}$	$\overline{\Pi}$	15. Elevation (Show whether DF, RT, GR, etc.	)	12. County
ΛΙΙΙΙΙΙΙΙΙΙΙΙ	///.	111,	3480 9 GR		Eddy
16. NOTI			Appropriate Box To Indicate Nature of Noti- ITENTION TO:	•	
PERFORM REMEDIAL WORK			PLUG AND ABANDON REMEDIAL WORK	[]	ALTERING CASING
TEMPORARILY ABANDON	5		COMMENCE DRILL	ING OPNS.	PLUG AND ABANDONMENT
PULL OR ALTER CASING	4		CHANGE PLANS CASING TEST AND	CEMENT JOB	
				· · · · · · · · · · · · · · · · · · ·	Water Inj. Well X
OTHER					

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

- 1. Perforated and Acidized Grayburg Zones from 1633' to 1813'.
- 2. Ran 44" injection packer on 2 3/8" internally plastic coated tubing.
- 3. Loaded casing annulus with corrosion and bacteria inhibited fresh water.
- 4. Set packer @ 1567' K.B. This setting was selected in order to provide minimal but sufficient interval between the packer and top perforation to allow a base line to be established during Temperature Logging.
- Installed a 2" X ‡" swedge & a ‡" needle valve on casing. Valve is to be left open to serve as a monitor for downhole leaks.
- 6. Placed well on Water Injection 8-29-75 in accordance with N.M.O.C.C. Order #R-4907. fs / \$33- /8/3

18. I hereby	certify that the information above is true and comp Original Signed by Jerry E. Buckles	TITLE Area Supervisor	DATE Oct. 17, 1975
APPROVED BY	W.a. Gresset	TITLE SUPERVISOR, DISTRICT I	OCT 29 1975

CONDITIONS OF APPROVAL, IF ANY: