


DEVON ENERGY CORPORATION - WELLBORE SCHEMATIC

WELL NAME: Sterling #1			FIELD: Red Lake			
LOCATION: 1650' FNL & 1980' FWL, Sec. 7-18S-27E			COUNTY: Eddy			STATE: NM
ELEVATION: GL = 3288'			SPUD DATE: 5/20/75		COMP DATE: 7/2/75	
API#: 30-015-21528		PREPARED BY: T. Rutelonis			DATE: 2/2/00	
	DEPTH	SIZE	WEIGHT	GRADE	THREAD	HOLE SIZE
CASING:	0' - 890'	13-3/8"	48#	H-40		17-1/2"
CASING:	0' - 1900'	8-5/8"	24#	K-55	ST&C	11"
CASING:	0' - 9350'	5-1/2"	15.5#-17#			7-7/8"
TUBING:						
TUBING:						



☐ CURRENT

☒ PROPOSED

OPERATOR: DEVON ENERGY CORPORATION

13-3/8" casing @ 890' w/ 630 sx. TOC @ surface.

8-5/8" casing @ 1900' w/ 730 sx. TOC @ surface.

Perfs 1950'-52' (squeezed), casing cemented 1950'-2600'

YESO PERFS: +2520'-2620'

Perfs 2675'-77' & 2600' (squeezed)

Cement retainer @ 5112'

Perfs @ 5160-61', pumped 950 sx cmt, TOC @ 2700'

Cement retainer @ 8720'

Perfs @ 8770'-8773' & 8775'-8777' (squeezed)

Cement retainer @ 8824'

Perfs @ 9032'-9174' (squeezed)

5-1/2" casing @ 9350' w/ 850 sx. TOC @ 5400'

TD 9350', PBTD 9289'