

Submit 3 Copies  
to Appropriate  
District Office

State of New Mexico  
Energy, Minerals and Natural Resources Department

|             |  |
|-------------|--|
| Santa Fe    |  |
| ile         |  |
| BLM         |  |
| Land Office |  |
| B of M      |  |
| Operator    |  |

Form C-103  
Revised 1-1-89

DISTRICT I  
P.O. Box 1980, Hobbs, NM 88240

DISTRICT II  
P.O. Drawer DD, Artesia, NM 88210

DISTRICT III  
1000 Rio Brazos Rd., Aztec, NM 87410

OIL CONSERVATION DIVISION

P.O. Box 2088  
Santa Fe, New Mexico 87504-2088  
MAY 25 89

O. C. D.  
ARTESIA, OFFICE

WELL API NO.

30-015-21532

5. Indicate Type of Lease

STATE ☐

FEE ☒

6. State Oil & Gas Lease No.

7. Lease Name or Unit Agreement Name

Spencer ADE Com

8. Well No.

1

9. Pool name or Wildcat

Undesignated Atoka

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A  
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT"  
(FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well:

OIL  
WELL ☐

GAS  
WELL ☒

OTHER RECOMPLETION

2. Name of Operator

YATES PETROLEUM CORPORATION

3. Address of Operator

105 South 4th St., Artesia, NM 88210

4. Well Location

Unit Letter K : 1650 Feet From The South Line and 1980 Feet From The West Line

Section 1 Township 18S Range 26E NMPM Eddy County

10. Elevation (Show whether DF, RKB, RT, GR, etc.)

3286' GR

11. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐

PLUG AND ABANDON ☐

TEMPORARILY ABANDON ☐

CHANGE PLANS ☐

PULL OR ALTER CASING ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐

COMMENCE DRILLING OPNS. ☐ PLUG AND ABANDONMENT ☐

CASING TEST AND CEMENT JOB ☐

OTHER: Plugback & Recomplete ☒

12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

5-19-89. WIH and set CIBP at 8890' and capped w/35' cement. Perforated Atoka 8718-8721' (6 holes-2 SPF) and 8691-8695' (8 holes-2 SPF), total 14 - .41" holes.

Acidized perforations 8718-8721' w/1250 gals 7½% MS acid. Acidized perforations 8718-8721' and 8691-8695' w/1750 gals 7½% MS acid and 28 ball sealers.

5-23-89. On 7-hour test well flowed 140 psi on 1/2" choke = 959 mcf/gpd.

Post ID-2  
9-8-89  
P&A Atoka Perm

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE

*Juanita Goodlett*

TITLE

Production Supervisor

DATE

5-24-89

TYPE OR PRINT NAME

Juanita Goodlett

TELEPHONE NO. 505/748-1471

(This space for State Use)

ORIGINAL SIGNED BY

MIKE WILLIAMS

SUPERVISOR, DISTRICT II

APPROVED BY

TITLE

DATE

AUG 31 1989

CONDITIONS OF APPROVAL, IF ANY: