

N.M. O. C. C. COPY
UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY
SUBMIT IN TRI
(Other Instruction
verse side)Form approved.
Budget Bureau No. 42 R1424.

5. LEASE DESIGNATION AND SERIAL NO.

LC - 067136

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER	7. UNIT AGREEMENT NAME
2. NAME OF OPERATOR Yates Petroleum Corporation	8. FARM OR LEASE NAME Scout Fed. "EH" Com.
3. ADDRESS OF OPERATOR 207 South 4th Street - Artesia, NM 88210	9. WELL NO. 2
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.) At surface 1980' FSL & 660' FEL of Sec. 27-18S-25E	10. FIELD AND POOL, OR WILDCAT Wildcat
11. SEC. T. R. M. OR BLK. AND SURVEY OR AREA Sec. 27-18S-25E Unit I NMMP	12. COUNTY OR PARISH Eddy
13. STATE NM	
14. PERMIT NO.	15. ELEVATIONS (Show whether DF, RT, GR, etc.) 3551' GR

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
TEST WATER SHUT-OFF <input type="checkbox"/>	PULL OR ALTER CASING <input type="checkbox"/>	WATER SHUT-OFF <input type="checkbox"/>	REPAIRING WELL <input type="checkbox"/>
FRACTURE TREAT <input type="checkbox"/>	MULTIPLE COMPLETE <input type="checkbox"/>	FRACTURE TREATMENT <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
SHOOT OR ACIDIZE <input type="checkbox"/>	ABANDON* <input type="checkbox"/>	SHOOTING OR ACIDIZING <input type="checkbox"/>	ABANDONMENT* <input checked="" type="checkbox"/>
REPAIR WELL <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	(Other) Set 5 1/2" casing	
(Other)		(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)	

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

TD 9090'; PBTD 8868'. - Ran 48 joints 4 1/2" 11.6#, K-55 LT&C (1995'), 120 joints 4 1/2" 10.5#, K-55 ST&C (5004'), 45 joints 4 1/2" 11.6#, K-55 LT&C (1855') (8854' Total) set w/guide shoe at 8868' KB. Float Collar at 8821' KB, 6 centralizers, cemented w/500 gallons mud flush, 110 sacks Class "H" cement w/0.75% CFR-2 and 5# salt. 140 sacks Hal-litecement w/0.5% CFR-2 & 5# salt and 100 sacks "H" cement w/0.5% CFR-2 and 5# salt, displaced w/ 40 bbls 2% KCL and 99bbls fresh water. PD 10:15 AM 8-9-75. Tested casing to 1500#. OK.

RECEIVED

AUG 28 1975

O. C. C.
ARTESIA, OFFICERECEIVED
AUG 26 1975
U. S. GEOLOGICAL SURVEY
ARTESIA, NEW MEXICO

18. I hereby certify that the foregoing is true and correct.

SIGNED

Eddy L. Bickman

TITLE

Engineer

DATE

8-26-75

(This space for Federal or State office use)

APPROVED BY
CONDITIONS OF APPROVAL, IF ANY:

TITLE

DATE

AUG 28 1975
E. L. BICKMAN
ACTING DISTRICT ENGINEER

*See Instructions on Reverse Side