

30-015-21686

Opid - 14245

prop - 6607

pool - 70800

12-17-75

Gamma Ray
Neutron Log

780-18660

Cement Bond Log

0-17601

Temp. Survey

5-1762

1-~~23~~-76

Densilog Neutron

1000-1277

Dual Laterolog

1859-9288

Submit 3 Copies
to Appropriate
District Office

State of New Mexico
Energy, Minerals and Natural Resources Department

Form C-103
Revised 1-1-89

est

DISTRICT I
P.O. Box 1980, Hobbs, NM 88240

DISTRICT II
P.O. Drawer DD, Artesia, NM 88210

DISTRICT III
1000 Rio Brazos Rd., Aztec, NM 87410

OIL CONSERVATION DIVISION
P.O. Box 2088
Santa Fe, New Mexico 87504-2088

WELL API NO.	30-015-21686
5. Indicate Type of Lease	STATE ☐ FEE ☒
6. State Oil & Gas Lease No.	

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)	
1. Type of Well: OIL WELL ☐ GAS WELL ☒ OTHER ☐	7. Lease Name or Unit Agreement Name Jerry Nelson Com
2. Name of Operator Matador Operating Company	8. Well No. 1
3. Address of Operator 415 W. Wall, Suite 1101, Midland, TX 79701	9. Pool name or Wildcat Atoka Penn
4. Well Location Unit Letter C : 990 Feet From The North Line and 1650 Feet From The West Line Section 14 Township 18-S Range 26-E NMPM Eddy County	10. Elevation (Show whether DF, RKB, RT, GR, etc.)

RECEIVED

JUL 12 1996

OIL CON. DIV.
DIST. 2

11. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data	
NOTICE OF INTENTION TO:	SUBSEQUENT REPORT OF:
PERFORM REMEDIAL WORK ☐	REMEDIAL WORK ☐
TEMPORARILY ABANDON ☐	ALTERING CASING ☐
PULL OR ALTER CASING ☐	COMMENCE DRILLING OPNS. ☐
OTHER: ☐	PLUG AND ABANDONMENT ☒
	CASING TEST AND CEMENT JOB ☐
	OTHER: ☐

12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.
- 1) Set 4½ CIBP @ 8950' Spot 14 sx cement on top Began work 6/13/96
 - 2) Load hole with mud
 - 3) Spot 25 sx cement, plug @ 7139'
 - 4) Cut 4½ csg @ 6307' P.O.O.H.
 - 5) Spot 25 sx cement, plug @ 5½ stub 6363' W.O.C. Tag cement top @ 6207' Spot 10 sx cmt @ 6363'
 - 6) Spot 25 sx cement, Plug @ 5888'
 - 7) Spot 25 sx cement, Plug @ 4495'
 - 8) Spot 25 sx cement, Plug @ 2311'
 - 9) Spot 30 sx cement, Plug @ 8-5/8" shoe 1906' W.O.C. Tag cement top @ 1776'
 - 10) Spot 30 sx cement, Plug @ 1171'
 - 11) SPot 10 sx cement @ surface, Set PA marker Completed work 6/12/96

Port FD-2
8-9-96
PVA

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Elrica Kleck TITLE District Secretary DATE 6/26/96

TYPE OR PRINT NAME Elrica Kleck TELEPHONE NO. 915-683-5321

(This space for State Use)

APPROVED BY [Signature] TITLE Bill Rep DATE 10/28/96

CONDITIONS OF APPROVAL, IF ANY: