## N. M. O. C. C. COPY

(May 1963)	DEPARTMENT OF THE INTERIOR (Other instructions on re-					Budget Bureau No. 42 R1424.  5. Lease designation and serial No.  LC-060888			
SUNDRY NOTICES AND REPORTS ON WELLS  (Do not use this form for proposals to drill or to deepen or plug back to a different reservoir,  Use "APPLICATION FOR PERMIT-" for such proposals.)						DIAN, ALLOTTEE	OR TRIBE NAME		
1.			RE	CEIAFD	7. UNIT	AGREEMENT NAM	ME		
OIL GAS WELL OTHER Dry Hole  2. NAME OF OPERATOR   V JUN 1 0 1977						Empire South Deep Unit			
Amoco Prod 3. address of over	duction Comp	9. WELL	Empire South Deep Unit						
P.O. Drawer A, Levelland, Texas 79336  Location of Well (Report location clearly and in accordance with any State requirements.  See also space 17 below.)  At surface						9 10. FIELD AND POOL, OR WILDCAT			
						South Empire Morrow 11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA			
660' FNL a	and 990' FWL	Section 5 (Ur	nit D, NW/4	NW/4)	C 1	O OO NIMDM			
14. PERMIT NO.	PERMIT NO. 15. ELEVATIONS (Show whether DF, RT, GR, etc.)				12. cor	8-29 NMPM	13. STATE		
		3572.7 GL			Edd	γ	New Mexic		
16.	Check A	ppropriate Box To I	ndicate Nature	of Notice, Report,					
	NOTICE OF INTE	NTION TO:		SUE	SEQUENT REPOR	EQUENT REPORT OF:			
TEST WATER SH FRACTURE TREAT SHOOT OR ACIDIZ REPAIR WELL (Other)		PULL OR ALTER CASING MULTIPLE COMPLETE ABANDON* CHANGE PLANS	X	WATER SHUT-OFF FRACTURE TREATMENT SHOOTING OR ACIDIZING (Other) (NOTE: Report re Completion or Rec	sults of multip	REPAIRING W ALTERING CAS ABANDONMENT le completion of and Log for	n Well		
Propose to	PxA well b	y spotting 75	sx 200 ft.	Is, and give pertinent dold measured and true volume.  Class H cement	ates, including ortical depths f	estimated date for all markers	of starting any and zones perti-		
2put 22 37	LUU IL. UI	аза п сешент п	ина 8.7301-	· M . MM!!!! \NOT	55 CY 15/1	tt llac	c H comont		

plug 7,610'-7,760'. Spot 55sx 150 ft. Class H cement plug 8,730'-8,880'. Spot 55sx 150 ft. Class H cement plug 7,610'-7,760'. Spot 55sx 150 ft. Class H cement plug 6,730'-6,880'. Spot 40 sx 100ft. Class H cement plug 4800'-4900'. Spot 40 sx 100ft. Class H cement plug at 2850'-2950' in and out of 9-5/8" stub. Spot 10 sx 20 ft Class H cement plug in top of casing and erect dry hole marker.

RECT

			DEC 13 1976 U.S. GEOLOGICAL SURVEY ARTESIA, NEW MEXICO
8. I hereby certify that the forego	oing is true and correct		
SIGNED	R. W. Cox	TITLE _Administrative_Assistant	DATE 12-10-76
11X/4 - 11\(\frac{12\text{3}}{2}\text{4}\text{5}\text{1}	IF ANY:	TITLE	DATE
1 Sugar / -/ K		e Instructions on Reverse Side	
20 - Partners A. L.	STRICT ENGINEER		