		J ED STATES 1ENT OF THE IN EOLOGICAL SURVI		ictio, in re-	Form approved. Budget Bureau No. 42- LEASE DESIGNATION AND SERIA LC-060888	
(Do not use	UNDRY NOT	CES AND REPOR	······································	E'D'	IF INDIAN, ALLOTTEE OR TRIBE	NAM
1. OIL GAS WELL WE	LL OTHER	Dry Hole	DEC 1 3 197	6	UNIT AGREEMENT NAME Empire South Deep FARM OR LEASE NAME Empi	
	luction Compa	ny	O.C.C.	9.	ep Unit Gas Com.	
P. O. Drav 4. LOCATION OF WEI See also space 13 At surface	L (Report location cl	lland, Texas 79 early and in accordance w	9336 ith any State requirements.	10.	9 FIELD AND POOL, OB WILDCAT South Empire - Mc	
660' FNL a	and 990' FWL	Section 5 (Unit	D, NW/4 NW/4)	11.	SEC., T., R., M., OE BLK. AND SUEVEY OF AREA 5-18-29 NMPM	
14. PERMIT NO.		15. ELEVATIONS (Show wh	nether DF, RT, GR. etc.)	12.	Eddy NM	TR
		<u>3572.7 GL</u>	anda Nintura of Nintura	Report or Othe		
16.			cate Nature of Notice,	SUBSEQUENT		
TEST WATER SE Fracture Trea		TION TO: PULL OR ALTER CASING	WATER SHUT		REPAIRING WELL	
SHOOT OR ACIDI REPAIR WELL (Other)		ABANDON [®]	(Other) (Note (Other) (Note	· Donowt results of n	ABANDONMENT•	X
across ton	of Cisco at 8	8.832'. Spot 55	sx. 150 ft. Cla	ss H cement	10,540'-10,740' ad t plug 8,730'-8,88 plug 7,610'-7,760 nt plug 6,730'-6,8	80, °
across top (across top (across top (Spot 40 sx.	of Cisco at 8 of Wolfcamp a of Abo at 6,8 100 ft. Clas 7/22/76 spot	8,832'. Spot 55 1t 7,718'. Spot 330'. Spot 40 s is H cement plug 10 sx. 20 ft.	sx. 150 ft. Cla 55 sx. 150 ft. x. 100 ft. Class at 2,850'-2,950 Class H cement p	ss H cement Class H cemen H cement plu ' in and out lug in top o	t plug 8,7303,86 plug 7,610'-7,760 nt plug 6,730'-6,8 ug at 4,800'-4,900 of the 9-5/8" CS/ f casing and erec	80 880' 880' 8
across top (across top (across top (Spot 40 sx.	of Cisco at 8 of Wolfcamp a of Abo at 6,8 100 ft. Clas 7/22/76 spot	8,832'. Spot 55 1t 7,718'. Spot 330'. Spot 40 s is H cement plug 10 sx. 20 ft.	sx. 150 ft. Cla 55 sx. 150 ft. x. 100 ft. Class at 2.850'-2.950	ss H cement Class H cemen H cement plu ' in and out lug in top o	t plug 8,7303,86 plug 7,610'-7,760 nt plug 6,730'-6,8 ug at 4,800'-4,900 of the 9-5/8" CS/ f casing and erec	80 880' 880' 8
across top (across top (across top (Spot 40 sx.	of Cisco at 8 of Wolfcamp a of Abo at 6,8 100 ft. Clas 7/22/76 spot	8,832'. Spot 55 1t 7,718'. Spot 330'. Spot 40 s is H cement plug 10 sx. 20 ft.	sx. 150 ft. Cla 55 sx. 150 ft. x. 100 ft. Class at 2,850'-2,950 Class H cement p	ss H cement Class H cemen H cement plu ' in and out lug in top o	t plug 8,7303,86 plug 7,610'-7,760 nt plug 6,730'-6,8 ug at 4,800'-4,900 of the 9-5/8" CS/ f casing and erec	80 880 880 8
across top (across top (across top (Spot 40 sx.	of Cisco at 8 of Wolfcamp a of Abo at 6,8 100 ft. Clas 7/22/76 spot	8,832'. Spot 55 1t 7,718'. Spot 330'. Spot 40 s is H cement plug 10 sx. 20 ft.	sx. 150 ft. Cla 55 sx. 150 ft. x. 100 ft. Class at 2,850'-2,950 Class H cement p	ss H cement Class H cement H cement plu ' in and out lug in top o 6. Dry Hole	t plug 8,730 -8,86 plug 7,610'-7,760 nt plug 6,730'-6,8 ug at 4,800'-4,900 of the 9-5/8" CS/ f casing and erec JUL 2 8 1976	80 880 880 8
across top (across top (across top (Spot 40 sx.	of Cisco at 8 of Wolfcamp a of Abo at 6,8 100 ft. Clas 7/22/76 spot	8,832'. Spot 55 1t 7,718'. Spot 330'. Spot 40 s is H cement plug 10 sx. 20 ft.	sx. 150 ft. Cla 55 sx. 150 ft. x. 100 ft. Class at 2,850'-2,950 Class H cement p	ss H cement Class H cement H cement plu ' in and out lug in top o 6. Dry Hole	t plug 8,730 - 8,86 plug 7,610'-7,760 nt plug 6,730'-6,8 ug at 4,800'-4,900 of the 9-5/8" CS/ f casing and erec RECEIVED	80 880 880 8
across top (across top (across top (Spot 40 sx.	of Cisco at 8 of Wolfcamp a of Abo at 6,8 100 ft. Clas 7/22/76 spot	8,832'. Spot 55 1t 7,718'. Spot 330'. Spot 40 s is H cement plug 10 sx. 20 ft.	sx. 150 ft. Cla 55 sx. 150 ft. x. 100 ft. Class at 2,850'-2,950 Class H cement p	ss H cement Class H cement H cement plu ' in and out lug in top o 6. Dry Hole	RECEIVED JUL 28 1976	80 880' 880' 8
across top o across top o Spot 40 sx. 2,900'. On dry hole mat	of Cisco at 8 of Wolfcamp a of Abo at 6,8 100 ft. Clas 7/22/76 spot	8,832'. Spot 55 1t 7,718'. Spot 30'. Spot 40 s is H cement plug 10 sx. 20 ft. ation descripti	sx. 150 ft. Cla 55 sx. 150 ft. x. 100 ft. Class at 2,850'-2,950 Class H cement p	ss H cement Class H cement H cement plu ' in and out lug in top o 6. Dry Hole U.	RECEIVED JUL 28 1976	80 880 880 8
across top across top Spot 40 sx. 2,900'. On dry hole man	of Cisco at 8 of Wolfcamp a of Abo at 6,8 100 ft. Clas 7/22/76 spot rker with loc	R,832'. Spot 55 It 7,718'. Spot 30'. Spot 40 s. s H cement plug 10 sx. 20 ft. ation descripti ation descripti	sx. 150 ft. Clas 55 sx. 150 ft. x. 100 ft. Class at 2,850'-2,950 Class H cement p on. RREL 7/22/7	ss H cement Class H cement H cement plu ' in and out lug in top o 6. Dry Hole U.	T plug 8,730 - 3,86 plug 7,610' - 7,760 nt plug 6,730' - 6,8 ug at 4,800' - 4,900 of the 9-5/8" CSJ f casing and erec JUL 2 8 1976 JUL 2 8 1976 S. GEOLOGICAL SURVEY RTESIA, NEW MEXICO	80 880' 880' 8
across top a across top a Spot 40 sx. 2,900'. On dry hole man	of Cisco at 8 of Wolfcamp a of Abo at 6,8 100 ft. Clas 7/22/76 spot rker with loc with loc with loc that the foregoing f www. or	R,832'. Spot 55 It 7,718'. Spot 30'. Spot 40 s is H cement plug 10 sx. 20 ft. ation descripti is true and correct Ray W. Cox TIT Ice use)	sx. 150 ft. Clas 55 sx. 150 ft. x. 100 ft. Class at 2,850'-2,950 Class H cement p on. RREL 7/22/7	ss H cement Class H cement H cement plu ' in and out lug in top o 6. Dry Hole U.	T plug 8,730 - 8,86 plug 7,610'-7,760 nt plug 6,730'-6,8 ug at 4,800'-4,900 of the 9-5/8" CSJ f casing and erec JUL 2 8 1976 S GEOLOGICAL SURVEY RTESIA, NEW MEXICO	880' 880' 0'. A t