

NO. OF COPIES RECEIVED	3
DISTRIBUTION	
SANTA FE	1
FILE	1 ✓
U.S.G.S.	
LAND OFFICE	
OPERATOR	1

RECEIVED
NEW MEXICO OIL CONSERVATION COMMISSION
DEC 6 1976

Form C-103
Supersedes Old
C-102 and C-103
Effective 1-1-65

O. C. C.
ARTESIA, OFFICE

10. Indicate Type of Lease State <input checked="" type="checkbox"/> Fee <input type="checkbox"/>
11. State Oil & Gas Lease No. L-6518
7. Unit Agreement Name
8. Farm or Lease Name Aztec State
9. Well No. 2
10. Field and Pool, or Wildcat S. Loco Hills Q-G-S.A.
12. County Eddy

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)

1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>
2. Name of Operator Gene A. Snow
3. Address of Operator 606 S. 13th St., Lovington, New Mexico, 88260
4. Location of Well UNIT LETTER <u>D</u> <u>990</u> FEET FROM THE <u>West</u> LINE AND <u>660</u> FEET FROM THE <u>North</u> LINE, SECTION <u>32</u> TOWNSHIP <u>18S</u> RANGE <u>29E</u> NMPM.
15. Elevation (Show whether DF, RT, GR, etc.) 3451.0 GR.

Check Appropriate Box To Indicate Nature of Notice, Report or Other Data
NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF:

PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>	CASING TEST AND CEMENT JOBS <input checked="" type="checkbox"/>	OTHER <input type="checkbox"/>

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

1. Drilled 7 7/8" hole to 3485' and ran 4 1/2"; 9 5/8", J-55 Casing.
2. Cemented w/ 590 Sks. Class H Cement w/ 5# Salt per sack. Pressure test casing to 2000# for 30"; Held O.K. 5-17-76.
3. Perforated 2-1/2" holes per ft. with Welex Super-Dyna Jet. 1868-76; 2153-56; 2186-91; 2304-10; 2326-40; 2536-42; 2554-66; 2811-2815; 2821-23; 2827-30; 2833-36; 2983-88; 3164-78; 174 holes. 7-1-76.
4. Acidized perfs @ 3164-78 w/ 1000 gals 15% N E Acid. Swab perfs for 48 hrs. Well made 100% water. 7-6-76.
5. Set C.L. bridge plug @ 3050'. Cover plug with 40' of cement.
6. Frac well with 100,000 gals. of jelled water with 90,000# 20/40 Sand, and 15,000# 10/20 sand, using 4000 gals. acid. Fraced in 6 stages.
7. Put well to pumping load water. 8-1-76

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED Gene A. Snow TITLE Operator DATE 12-1-76

APPROVED BY W. A. Gressett TITLE SUPERVISOR, DISTRICT II DATE DEC 7 1976
CONDITIONS OF APPROVAL, IF ANY: