	DEPARTM		Y	5. LEASE DESIGNAT		
	this form for proposi	CES AND REPOR	plug back to a different reservoir.		TTEE OR TRIHE NAME	
OIL GAN WELL WE	S OTHER	Dry Hole		1976. FARM OR LEASE		
Yates Petroleum Corporation				Federal	Federal "GG"	
ADDRESS OF OPEN		oot Artonia	<b>D. C.</b> , NM 88210 <sup>ARTEBIA, D</sup>			
LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.) At surface				Undesigna	10. FIELD, SND 1900, OF WILLDCAT Undesignated 11. SEC., T., R., M., OR BLK, AND SUBVEY OF ABEA Sec. 28-185-27E Unit I NMPM	
660' FEL & 1980' FSL of Sec. 28-185-27E			Sec. 28-]			
4. PERMIT NO.		15. ELEVATIONS (Show when		12. COUNTY OR PA		
	,,,,	3418'	GR	Eddy	NM	
6.	Check Ap	propriate Box To Indic	ate Nature of Notice, Report,	or Other Data		
	NOTICE OF INTEN	TION TO :	SU	BSEQUENT REPORT OF:		
TEST WATER SE	IUT-OFF	PULL OR ALTER CASING	WATER SHUT-OFF	REPAIRI	NG WELL	
FRACTURE TREA		WULTIPLE COMPLETE	FRACTURE TREATMENT		G CASING	
SHOOT OR ACIDI		ABANDON*	SHOOTING OR ACIDIZING	ABANLO	S.fu <b>NT</b>	
REPAIR WELL CHANGE PLANS (Other)   (Other) (Note: Report rest Completion or keep				esults of multiple complete completion Report and L-	fon en Well	
7. DESCRIBE PROPOS proposed wor nent to this w	k. If well is directio	RATIONS (Clearly state all penally drilled, give subsurfac	ertinent details, and give pertinent ( e locations and measured and true v	dates, including estimated	date of starting any	
	e U. S. Geo Pull 8-5/ Run tubin	logical Survey 8" casing and	. Leon Beakman, Ac y to plug well as		Engineer,	
4. 5.	Spot 35 s Spot 10 s	acks of Class acks of Class	t and fill hole wi "C" cement at 104 "C" cement at 400 "C" cement at sur	0-940'. -300'. face with dry RECEIV JUN 2 9 13	y hole marke E <b>D</b> 76	
4. 5.	Spot 35 s Spot 10 s	acks of Class acks of Class acks of Class between each	t and fill hole wi "C" cement at 104 "C" cement at 400 "C" cement at sur	0-940'. -300'. face with dry RECEIV	y hole marke ED 76 SURVEY	
4. 5. 18. I hereby certify SIGNED	Spot 35 s Spot 10 s Heavy mud	acks of Class acks of Class acks of Class between each true and correct	t and fill hole wi "C" cement at 104 "C" cement at 400 "C" cement at sur	0-940'. -300'. face with dry RECEIV JUN 2 9 19 U. S. GEOLOGICAL ARTESIA, NEW ME	y hole marke ED 76 SURVEY	
4. 5. 18. I hereby certify SIGNED	Spot 35 s Spot 10 s Heavy mud	acks of Class acks of Class acks of Class between each between each true and correct <i>Miluse</i> TITLE ce use)	t and fill hole wi "C" cement at 104 "C" cement at 400 "C" cement at sur plug.	0-940'. -300'. face with dry RECEIV JUN 2 9 19 U. S. GEOLOGICAL ARTESIA, NEW ME	y hole marke ED 76 SURVEY EXICO	