



4-19-77

Compensated Neutron
Formation Density
0-11387

Dual Laterolog Micro-SPL
3506-11387

Gamma-Ray Log
10,400 - 10,700

IT IS THEREFORE ORDERED:

Case # 5868 2-16-77 R.S.
Order # 5381 5-15-77

(1) That an unorthodox gas well location for Wolfcamp and Pennsylvanian formations is hereby approved for the Harvey E. Yates Company Travis Deep Unit Well No. 1 to be drilled at a point 1980 feet from the South line and 1684 feet from the West line of Section 18, Township 18 South, Range 29 East, NMPM, Eddy County, New Mexico.

(2) That the S/2 of said Section 18 shall be dedicated to the above-described well.

Smead
No. 153C

Log Tops as Per JWR

Penn. 8973

Canyon - 9333

Strawn - 9684 9705

Atoka - 10,2²⁶~~72~~

MorrowLS - 10,6²⁰72

Morrow CL - 10,7¹⁸68

Chester - 112³⁸88

15
60 1810
60
210
120
3

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUBMIT IN TRIPLICATE*
(Other instructions on re-
verse side)

Form approved.
Budget Bureau No. 1004-0135
Expires August 31, 1985

5. LEASE DESIGNATION AND SERIAL NO.

NM 23417

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

Travis Deep Unit

8. FARM OR LEASE NAME

9. WELL NO.

1

10. FIELD AND POOL, OR WILDCAT

South Empire Morrow

11. SEC., T., R., M., OR BLK. AND
SURVEY OR AREA

Sec. 18, T18S, R29E

12. COUNTY OR PARISH 13. STATE

Eddy

NM

OCT 13 1987
SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT" for such proposals.)

1. ☒ OIL, GAS, WELL
☒ ARTESIAN OFFICE
☐ OTHER

2. NAME OF OPERATOR
Harvey E. Yates Company

3. ADDRESS OF OPERATOR

P.O. Box 1933, Roswell, New Mexico 88201

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*
See also space 17 below.)

At surface

1980' FSL & 1684' FWL

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

3555' GR

Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

FRACTURE TREAT

SHOOT OR ACIDIZE

REPAIR WELL

(Other)

PULL OR ALTER CASING

MULTIPLE COMPLETION

ABANDON*

CHANGE PLANS

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

FRACTURE TREATMENT

SHOOTING OR ACIDIZING

(Other)

REPAIRING WELL

ALTERING CASING

ABANDONMENT*

(Note: Report results of multiple completion on Well
Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

9-16-87 Set 4 1/2" CIBP @ 6300'w/35' cmt on top. Circ hole w/salt gel mud.

9-17-87 Free point 4 1/2" csg & cut @ 3188'.

9-18-87 Run tbg to 3550' & spot 85 sx plug. Tag plug @ 3160'. Free point 8 5/8" & cut @ 988'
Casing parted @ 551'. Run tbg to 1040' & spot 35 sx plug.

9-19-87 Tag plug @ 700'. Pump additional 30 sx plug to bring cmt to 680'. Pull tbg to 450' &
pump 75 sx plug across 12 1/4" shoe @ 364'.

9-20-87 Tag plug @ 350'. Circ hole w/salt gel mud. Pull tbg to 50' & pump 45 sx surface plug.
Install dry hole marker.

ACCEPTED FOR RECORD

SEP 27 1987

SJS
CARLSBAD, NEW MEXICO

SEP 28 8 18 AM '87
OIL & GAS DIVISION
ARTESIAN OFFICE

RECEIVED

18. I hereby certify that the foregoing is true and correct

SIGNED

TITLE Production Manager/Engineer

DATE Sept. 25, 1987

(This space for Federal or State office use)

APPROVED BY

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY:

*See Instructions on Reverse Side