

NO. OF COPIES RECEIVED	3
DISTRIBUTION	
SANTA FE	1
FILE	1 ✓
U.S.G.S.	
LAND OFFICE	
OPERATOR	1

RECEIVED
NEW MEXICO OIL CONSERVATION COMMISSION

FEB 1 1977

O. C. C.
ARTESIA OFFICE

Form C-103
Supersedes Old
C-102 and C-103
Effective 1-1-65

5a. Indicate Type of Lease State <input type="checkbox"/> Fee <input checked="" type="checkbox"/>
5. State Oil & Gas Lease No.
7. Unit Agreement Name
8. Farm or Lease Name Flint "GU"
9. Well No. 1 2
10. Field and Pool, or Wildcat Atoka San Andres
12. County Eddy

SUNDY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)

1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER- 2. Name of Operator Yates Petroleum Corporation 3. Address of Operator 207 South 4th Street - Artesia, NM, 88210 4. Location of Well UNIT LETTER I 2310 FEET FROM THE South LINE AND 990 FEET FROM THE East LINE, SECTION 22 TOWNSHIP 18S RANGE 26E NMPM. 15. Elevation (Show whether DF, RT, GR, etc.) 3318' GR

Check Appropriate Box To Indicate Nature of Notice, Report or Other Data
NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF:

PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input checked="" type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>	CASING TEST AND CEMENT JOB <input type="checkbox"/>	OTHER <input type="checkbox"/>

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.
Spudded a 9½" hole at 2:00 PM 1-20-77. TD 1197' - Ran 26 joints of 7" 20# K-55 (1197') of casing set at 1197' KB. 1-Howco guide shoe, 2 centralizers and 1 basket. Cemented w/350 sacks of Class C 6% gilsonite and 6/10#/sx flocele of cement 2% CaCl followed w/250 sacks of Class C 2% CaCl. Cement did not circulate. PD 9:00 AM 1-23-77. WOC 6 hours and ran Temp. Survey, found top of cement at 450'. Ran 1" to 450' and spotted 100 sacks of Class C 4% CaCl. PD 5:15 PM 1-23-77. Ran 1" and tagged cement at 270', spotted 150 sx of Class C 4% CaCl. PD 8:15 PM 1-23-77. Ran 1" and tagged cement at 185' spotted 50 sax of Class C 4% CaCl. PD 11:15 PM 1-23-77. Ran 1" and tagged cement at 150', spotted 50 sacks of Class C 4% CaCl. PD 12:15 AM 1-24-77. Ran 1" and tagged top of cement at 165' spotted 50 sx of Class C 4% CaCl. PD 5:30 AM 1-24-77. Had some returns. Pulled/80' and spotted 50 sxs of Class C 4% CaCl. Cement circulated PD 6:15 AM 1-24-77. WOC 18 hours, nipped up, installed BOP's and tested to 1000#. OK. Reduced hole to 6¼", drilled plug and tested to 600#. OK. Resumed drilling.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED Christine Tomlinson TITLE Geol. Secty DATE 1-31-77

APPROVED BY W. A. Gressett TITLE SUPERVISOR, DISTRICT II DATE FEB 1 1977

CONDITIONS OF APPROVAL, IF ANY: