

NO. OF COPIES RECEIVED	2
DISTRIBUTION	
SANTA FE	
FILE	
U.S.G.S.	
LAND OFFICE	
OPERATOR	

RECEIVED
NEW MEXICO OIL CONSERVATION COMMISSION

MAR 2 1977

O. C. C.
ARTESIA, OFFICE

Form C-103
Supersedes Old
C-102 and C-103
Effective 1-1-65

5a. Indicate Type of Lease	
State <input type="checkbox"/>	Fed <input checked="" type="checkbox"/>
5. State Oil & Gas Lease No.	

<p align="center">SUNDRY NOTICES AND REPORTS ON WELLS</p> <p align="center"><small>(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)</small></p>		
1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER- <input type="checkbox"/>	7. Unit Agreement Name	
2. Name of Operator Yates Petroleum Corporation	8. Farm or Lease Name Hawkins "GY"	
3. Address of Operator 207 South Fourth Street - Artesia, NM 88210	9. Well No. 1 2	
4. Location of Well UNIT LETTER B . 330 FEET FROM THE North LINE AND 2310 FEET FROM THE East LINE, SECTION 27 TOWNSHIP 18S RANGE 26E NMPM.	10. Field and Pool, or Willicat Und. Atoka S. A.	
15. Elevation (Show whether DF, RT, GR, etc.) 3318' GR	12. County Eddy	

16. Check Appropriate Box To Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:	SUBSEQUENT REPORT OF:
-------------------------	-----------------------

PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input checked="" type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>	CASING TEST AND CEMENT JOBS <input checked="" type="checkbox"/>	

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

Spudded a 9½" hole at 2:30 PM 2-8-77.
TD 1172'. Ran 31 joints of 7" 20# new K-55 casing (1176.06') set at 1172' KB, 1-Guide shoe and insert float and centralizers at 1133' & 653', cement baskets at 690' & 616'. Cemented by Denton w/350 sacks of Lite 2% CaCl followed w/150 sacks of Class "C" 2% CaCl. PD 5:45 PM 2-11-77. Cement did not circulate. WOC 6 hours and ran Temperature Survey, found top of cement at 410'. Ran 1" to 346', spotted 50 sacks of Class "C" 4% CaCl. PD 1:00 AM 2-12-77. WOC 3 hours, tagged top of cement at 240'. Ran 1" to 231', spotted 50 sacks of Class "C" 4% CaCl. PD 4:15 AM 2-12-77. WOC 3 hours tagged top of cement at 153'. Ran 1" to 126' and spotted 150 sacks of Class "C" 4% CaCl. PD 7:30 AM 2-12-77. Cement circulated approximately 10 sacks to surface. WOC 18 hours. Nippled up, tested BOP's to 1000#. OK. Reduced hole to 6¼", drilled plug and tested to 600#. OK. Resumed drilling.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED Christine Tomblinson TITLE Geological Secretary DATE 3-1-77

APPROVED BY W. A. Gussert TITLE SUPERVISOR, DISTRICT II DATE MAR 3 1977

CONDITIONS OF APPROVAL, IF ANY: