

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEYSUBMIT IN TRIPLICATE
(Other instructions
reverse side)Form approved.
Budget Bureau No. 42-R1424.

5. LEASE DESIGNATION AND SERIAL NO.

LC-064488

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

Yates Federal

9. WELL NO.

3

10. FIELD AND POOL, OR WILDCAT

Penasco Draw (Yeso, SA)

11. SEC., T., R., M., OR BLK. AND
SURVEY OR AREA

Sec. 25-18S-25E

Unit E NMPM

12. COUNTY OR PARISH 13. STATE

Eddy

NM

SUNDRY NOTICES AND REPORTS ON WELLS
(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)1. OIL WELL ☒ GAS WELL ☐ OTHER ☐

RECEIVED

2. NAME OF OPERATOR

Yates Petroleum Corporation

MAY 25 1977

3. ADDRESS OF OPERATOR

207 South 4th Street - Artesia, NM 88210

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.
See also space 17 below.)
At surfaceE.C.C.
ARTESIA, OFFICE

2200' FNL & 990' FWL of Sec. 25-18S-25E

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

3459' GR

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

SUBSEQUENT REPORT OF:

TEST WATER SHUT-OFF ☐PULL OR ALTER CASING ☐WATER SHUT-OFF ☐REPAIRING WELL ☐FRACTURE TREAT ☐MULTIPLE COMPLETE ☐FRACTURE TREATMENT ☒ALTERING CASING ☐SHOOT OR ACIDIZE ☐ABANDON* ☐SHOOTING OR ACIDIZING ☒ABANDONMENT* ☐REPAIR WELL ☐CHANGE PLANS ☐(Other) Set Prod. casing ☒(NOTE: Report results of multiple completion on Well
Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.) *

Ran 15 jts of 4½" 10.5# J-55 (606'), 27 jtsof 15.5# J-55 (1105') (Total 1711') set at 1707'. 1-Davis shoe, centralizers at 1667, 1627, 1587, 1547, 1507, 1467, 1427, 1368, & 1347. Cemented w/175 sacks of Class C by Denton. PD 2:00 PM 4-30-77. Cement circulated. WOC and tested to 1000#. OK.

Perforated 1382½-1479' w/25 .50" holes as follows: 1st Stage: 1384, 92, 96, 1400, 04, 08, 12, 15, 18 27½, 39, 79' (12 holes). 2nd Stage: 1382½, 90, 94, 98, 1402, 06, 10, 13½, 16½, 20, 29, 41½, 77' (13 holes) (Total 25 holes.). Treated all perforations w/2000 gallons of 15% acid, 60000 gallons of treated water, 95000# sand, 75000# 20-40 sand and 20000# 100 mesh w/ball sealers.

RECEIVED

MAY 23 1977

U.S. GEOLOGICAL SURVEY
ARTESIA, NEW MEXICO

18. I hereby certify that the foregoing is true and correct

SIGNED

Christine Tomlinson

TITLE Geol. Secty.

DATE 5-20-77

(This space for Federal or State office use)

APPROVED BY

Joe J. Lara

TITLE ACTING DISTRICT ENGINEER

DATE MAY 24 1977

CONDITIONS OF APPROVAL, IF ANY: