

U. S. GEOLOGICAL SURVEY  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY  
N.M.O.C.D. COPY  
SUBMIT IN TRI  
(Other instruction  
verse side)DATE  
on re-Form approved.  
Budget Bureau No. 42/R1424.

5. LEASE DESIGNATION AND SERIAL NO.

NM-0440087

6. IF INDIAN, ALLOTTEE OR BUREAU

RECEIVED

SEP 15 1980

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME  
Federal CX Com

9. WELL NO.

2

10. FIELD AND POOL, OR WILDCAT

Eagle Creek Permo Penn

11. SEC., T., R., M., OR BLK. AND  
SURVEY OR AREA

Unit L-

Sec. 7-18S-25E

12. COUNTY OR PARISH 13. STATE

Eddy

NM

SUNDRY NOTICES AND REPORTS ON WELLS  
(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.  
Use "APPLICATION FOR PERMIT—" for such proposals.)1. OIL WELL ☐ GAS WELL ☒ OTHER2. NAME OF OPERATOR  
Yates Petroleum Corporation3. ADDRESS OF OPERATOR  
207 So. 4th St., Artesia, NM 882104. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.\*  
See also space 17 below.)  
At surface 1980' FSL & 660' FWL, Sec. 7-18S-25E

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

3646' GL

## 16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

## NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

PULL OR ALTER CASING

FRACTURE TREAT

MULTIPLE COMPLETE

SHOOT OR ACIDIZE

ABANDON\*

REPAIR WELL

CHANGE PLANS

(Other)

## SUBSEQUENT REPORT OF:

WATER SHUT-OFF

REPAIRING WELL

FRACTURE TREATMENT

ALTERING CASING

SHOOTING OR ACIDIZING

ABANDONMENT\*

(Other)

(NOTE: Report results of multiple completion on Well  
Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

Review of our records reveals that reporting of Cisco perforations 6425'-6434' (18 - .50" holes) and 6454'-6456' (4 - .50" holes) was inadvertently omitted. These two sets of perforations were each treated with 1,000 gallons 15% DS-30 acid (2000 gallons total). Also overlooked was the reporting of removal of packer with blanking plug at 6590' and installation of packer with standing valve 6575'. The following Cisco perforations are open in this well:

6425-6434' (18 holes)  
6454-6456' (4 holes)  
6492-6496' (16 holes)  
6626-6636' (20 holes)  
6655-6664' (9 holes)

RECEIVED

SEP 2 1980

U.S. GEOLOGICAL SURVEY  
ARTESIA, NEW MEXICO

ACCEPTED FOR RECORD

R. Chester

SEP 9 1980

U.S. GEOLOGICAL SURVEY  
ROSWELL, NEW MEXICO

18. I hereby certify that the foregoing is true and correct.

SIGNED

TITLE

Engineer

DATE

8/27/80

(This space for Federal or State office use)

APPROVED BY

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY: