

NO. OF COPIES RECEIVED	3
DISTRIBUTION	
SANTA FE	1
FILE	1
U.S.G.S.	
LAND OFFICE	
OPERATOR	1

RECEIVED
NEW MEXICO OIL CONSERVATION COMMISSION

SEP 12 1977

O. C. C.
ARTESIA, OFFICE

Form C-103
Supersedes Old
C-102 and C-103
Effective 1-1-65

5a. Indicate Type of Lease	
State <input type="checkbox"/>	Fee <input checked="" type="checkbox"/>
5. State Oil & Gas Lease No.	

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR.
USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)

1. <input checked="" type="checkbox"/> OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER-		7. Unit Agreement Name	
2. Name of Operator Yates Petroleum Corporation		8. Farm or Lease Name Yates "AS" Fee	
3. Address of Operator 207 South 4th Street - Artesia, NM 88210		9. Well No. 1 5-Y	
4. Location of Well UNIT LETTER I 2200 FEET FROM THE South LINE AND 350 FEET FROM THE East LINE, SECTION 26 TOWNSHIP 18S RANGE 25E NMPM.		10. Field and Pool, or Wildcat Penasco Draw (Yeso SA)	
15. Elevation (Show whether DF, RT, GR, etc.) 3480' GR		12. County Eddy	

16. Check Appropriate Box To Indicate Nature of Notice, Report or Other Data
NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF:

PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>	CASING TEST AND CEMENT JOBS <input checked="" type="checkbox"/>	OTHER <input checked="" type="checkbox"/> Set Prod. log, perf., treat.

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

TD 1127' - Ran 28 joints of 7" 20# J-55 (1127') of casing set at 1127'. 1-Guide shoe, centralizers at 1087, 800 and 400' and 2 baskets at 800 and 400'. Cemented by Denton w/315 sacks of Denton-Lite 2% CaCl followed w/100 sacks of Class C 2% CaCl. PD 1:30 AM 8-28-77. Cement did not circulate. WOC 6 hours, ran Temperature Survey and found top of cement at 470'. Ran 1" and tagged cement at 472', spotted 25 sacks of Class C 4% CaCl. PD 11:00 AM 8-28-77. WOC 3 hours, ran 1" to 424', spotted 75 sacks of Class C 4% CaCl. PD 3:00 PM 8-28-77. WOC 3 hours ran 1" found top of cement at 399', spotted 50 sacks of Class C 4% CaCl. Pulled 3 stands out of hole and cemented w/25 sx of Class C 4% CaCl. PD 6:00 PM 8-28-77. WOC 3 hours. Ran 1" found top of cement at 347', pulled up 1 stand, spotted 175 sacks of Class C 4% CaCl. Cement circulated. PD 10:30 PM 8-28-77. Cement fell back 90' and filled hole to surface w/3 yards of Ready-mix. WOC 18 hours, NU and tested BOP's to 1000#. OK. Reduced hole to 6 1/4", drilled plug and tested to 600#. OK. Resumed drilling.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED Christine Tomlinson TITLE Geol. Secty DATE 9-9-77

APPROVED BY W.A. Gressett TITLE SUPERVISOR, DISTRICT II DATE SEP 12 1977

CONDITIONS OF APPROVAL, IF ANY: