

NO. OF COPIES RECEIVED	3
DISTRIBUTION	
SANTA FE	/
FILE	/
U.S.G.S.	
LAND OFFICE	
OPERATOR	/

NEW MEXICO OIL CONSERVATION COMMISSION

RECEIVED

SEP 12 1977

Form C-103
Supersedes Old
C-102 and C-103
Effective 1-1-65

5a. Indicate Type of Lease	
State <input type="checkbox"/>	Fed <input checked="" type="checkbox"/>
5. State Oil & Gas Lease No.	

O. C. C.

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR.
USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)

1. <input checked="" type="checkbox"/> OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER-	7. Unit Agreement Name
2. Name of Operator Yates Petroleum Corporation	8. Farm or Lease Name Yates "AS" Fee
3. Address of Operator 207 South 4th Street-Artesia, NM 88210	9. Well No. 1 5-Y
4. Location of Well UNIT LETTER I 2200 FEET FROM THE South LINE AND 350 FEET FROM THE East LINE, SECTION 26 TOWNSHIP 18S RANGE 25E NMPM.	10. Field and Pool, or Wildcat Penasco Draw (Yeso SA)
15. Elevation (Show whether DF, RT, GR, etc.) 3480' GR	12. County Eddy

16. Check Appropriate Box To Indicate Nature of Notice, Report or Other Data
NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF:

PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>	CASING TEST AND CEMENT JOB <input type="checkbox"/>	OTHER Set prod. csg, perf., & treat <input checked="" type="checkbox"/>

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

TD 1600' - PBTD 1533'. - Ran 11 joints of 4½" 9.5# J-55 (444'), 26 joints of 5½" 14# J-55 (1089') (Total 1533') set at 1533' GR. 1-Guide shoe, 6 centralizers at 1453, 1413, 1373, 1333, 1293, 1253'. Cemented w/150 sacks of Class C cement. Cement circulated. PD 8:00 PM 8-31-77. WOC and tested to 1000#. OK.
TD 1600'; PBTD 1533' - Perforated as follows: 1371½-1492' w/26 .50" holes.
1st Stage: - 1373, 75, 78, 82, 85, 88, 1412, 18, 23, 30, 37, 90' (12 holes).
2nd Stage: - 1371½, 74, 77, 80, 83, 87, 90, 93, 1406, 14, 20, 28, 35, & 92' (14 holes). Treated all perforations w/60000 gallons of treated water, 95000# sand, 20000# 100 mesh and 75000# 20-40 sand.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED Christian J. Mendenhall TITLE Geol. Secty DATE 9-9-77

APPROVED BY W. A. Gressett TITLE SUPERVISOR, DISTRICT II DATE SEP 12 1977

CONDITIONS OF APPROVAL, IF ANY: