

NO. OF COPIES RECEIVED	3
DISTRIBUTION	
SANTA FE	1
FILE	1 ✓
U.S.G.S.	
LAND OFFICE	
OPERATOR	1

# NEW MEXICO OIL CONSERVATION COMMISSION

Form C-103  
Supersedes Old  
C-102 and C-103  
Effective 1-1-65

5a. Indicate Type of Lease	
State <input type="checkbox"/>	Fee <input checked="" type="checkbox"/>
5. State Oil & Gas Lease No.	

SUNDRY NOTICES AND REPORTS ON WELLS  
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR.  
USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)

1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>		7. Unit Agreement Name
2. Name of Operator Yates Petroleum Corporation		8. Farm or Lease Name Gushwa "DR"
3. Address of Operator 207 South 4th Street - Artesia, NM 88210		9. Well No. 1 2
4. Location of Well UNIT LETTER F 1650 FEET FROM THE North LINE AND 2310 FEET FROM THE West LINE, SECTION 35 TOWNSHIP 18S RANGE 25E NMPM.		10. Field and Pool, or Wildcat Penasco Draw (Yeso SA)
15. Elevation (Show whether DF, RT, GR, etc.) 3499'		12. County Eddy

Check Appropriate Box To Indicate Nature of Notice, Report or Other Data  
NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>

SUBSEQUENT REPORT OF:

REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
COMMENCE DRILLING OPNS. <input checked="" type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
CASING TEST AND CEMENT JOB <input checked="" type="checkbox"/>	OTHER <input type="checkbox"/>

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

Spudded a 15" hole at 9:30 AM 10-30-77. Drilled to 380' and ran 9 jts of 10-3/4" 41# J-55 csg (383') set at 380'. Cmt'd w/250 sx of Class C 4% CaCl. Slurry wt. 14.8, 1.32 cu. ft./sx. Compressive Strength at 70 deg 1023 psi in 12 hrs. Cmt circ. 5 sx to surface. PD 9:30 PM 10-30-77. WOC 12 hrs, cut off, reduced hole to 9 1/2", drilled plug & tstd to 600#. OK. Resumed drilling.

TD 1130' - Ran 29 jts of 7" 20# J-55 csg (1132') set at 1130'. 1-Insert Float at 1105'. 2-Baskets and Centralizers at 912-474'. Cmt'd w/250 sx of Denton-Lite 2% CaCl cement followed w/150 sx of Class C 2% CaCl cmt. Cmt did not circ. PD 12:30 PM 11-2-77. WOC 6 hours. Ran Temp. Survey found top of cement at 630'. Ran 1" & tagged cement at 441'. Spotted 50 sx of Class C 4% CaCl and 8 cu ft Pearl-Lite. PD 8:15 PM 11-2-77. WOC 3 hrs, ran 1", tagged cmt at 388', sptd 200 sx of Class C 4% CaCl w/ 8 cu ft Pearl-Lite. Cmt circ to top. PD 12:00 AM 12-3-77. WOC 3 hrs cmt fell back. Ran 1" and tagged cmt at 388', sptd 50 sx of Class C 4% CaCl w/8 cu ft Pearl-Lite. PD 5:00 AM 11-3-77. WOC 3 hrs, ran 1" and tagged cmt at 378', sptd 100 sx of Class C 4% CaCl. PD 8:00 AM 11-3-77. WOC, ran 1" and tagged cmt at 380'. Filled hole w/2 1/2 yards of Ready-mix w/4% CaCl. Job complete 2:00 PM 11-3-77. WOC 18 hrs, NU, reduced hole to 6-1/8", drld plug and tstd to 600#, OK. Resumed drilling.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED Christie Tomlinson TITLE Geol. Secty DATE 11-4-77

APPROVED BY W. A. Gressett TITLE DIRECTOR, DISTRICT II DATE NOV 7 1977

CONDITIONS OF APPROVAL, IF ANY: