

30-015-22751

1-18-79
Lamma Ray Neutron
0-1278

IT IS THEREFORE ORDERED: Case 46619 8-8-79 R.T.S.
Order R-6109 9-19-79

(1) That a 62.75-acre non-standard gas proration unit for the Yates formation comprising Lots 1 and 2 of Section 19, Township 18 South, Range 29 East, NMPM, Eddy County, New Mexico, is hereby established and dedicated to a well previously drilled at an unorthodox location 330 feet from the North line and 660 feet from the West line of said Section 19.

DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

N.M. Oil Cons. Division
811 S. 1st Street
Artesia, NM 88210-2834
Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals

SUBMIT ORIGINAL + 6 COPIES

1. Type of Well ☐ Oil Well ☒ Gas Well ☐ Other

2. Name of Operator
Harvey E. Yates Company

3. Address and Telephone No.

P.O. Box 1933, Roswell, NM 88202

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

Unit D, 330' FNL & 660' FWL

Sec 19, T18S, R29E

5. Permit and Serial No.
NM-19671

6. If Indian, Allottee or Tribe Name

7. If Unit or CA, Agreement Designation

8. Well Name and No.
Depco Federal #1

9. API Well No.

30-015-22751

10. Field and Pool, or Exploratory Area

Travis Yates

11. County or Parish, State

Eddy County, NM

12 CHECK APPROPRIATE BOX (s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

☐ Notice of Intent
☒ Subsequent Report
☐ Final Abandonment Notice

TYPE OF ACTION

☐ Abandonment
☐ Recompletion
☐ Plugging Back
☐ Casing Repair
☐ Altering Casing
☒ Other **Plug & Abandon**
☐ Change of Plans
☐ New Construction
☐ Non-Routine Fracturing
☐ Water Shut-Off
☐ Conversion to Injection
☐ Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and log form)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If wells directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

3/7/01 MI plugging unit.

3/8/01 Swab well dry in 3 runs. LD 24 jts 2 3/8" tbg. ND wellhead. Pump 3 yds cmt down 4 1/2" csg. Cut off 4 1/2" csg & 8 5/8" csg. Pump additional 1/2 yd cmt down 8 5/8" csg. Weld on dry hole marker. Clean location, P&A complete.

Approved as to plugging of the well base.
Liability under bond is retained until
surface restoration is completed.

14. I hereby certify that the foregoing is true and correct

Signed

Dianna Rodgers
Dianna Rodgers

Title **Production Analyst**

Date

13-Mar-01

(This space for Federal or State office use)

Approved by
Conditions of approval, if any:

(ORIG. SGD.) **DAVID R. GLASS**

Title

PETROLEUM ENGINEER

Date

MAR 20 2001

RECEIVED

2001 MAR 14 AM 8:46

BUREAU OF LAND MGMT.
ROSSELL OFFICE