

NO. OF COPIES RECEIVED	5
DISTRIBUTION	
SANTA FE	/
FILE	/
U.S.G.S.	
LAND OFFICE	
OPERATOR	/

NEW MEXICO OIL CONSERVATION COMMISSION

RECEIVED

JAN 12 1979

Form C-103
Supersedes Old
C-102 and C-103
Effective 1-1-65

O. C. C.
ARTESIA, OFFICE

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)

1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>	5a. Indicate Type of Lease State <input type="checkbox"/> Fee <input checked="" type="checkbox"/>
2. Name of Operator Yates Petroleum Corporation	5. State Oil & Gas Lease No.
3. Address of Operator 207 South Fourth Street - Artesia, NM 88210	7. Unit Agreement Name
4. Location of Well UNIT LETTER L, 2310 FEET FROM THE South LINE AND 330 FEET FROM THE West LINE, SECTION 34 TOWNSHIP 18S RANGE 26E NMPM.	6. Farm or Lease Name Waldrip "JY"
15. Elevation (Show whether DF, RT, GR, etc.) 3358' GR	9. Well No. 1
	10. Field and Pool, or Wildcat Und. Atoka Yeso
	12. County Eddy

Check Appropriate Box To Indicate Nature of Notice, Report or Other Data
NOTICE OF INTENTION TO:

SUBSEQUENT REPORT OF:

PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input checked="" type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>	CASING TEST AND CEMENT JOB <input checked="" type="checkbox"/>	

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

Spudded a 9½" hole at 7:00 PM 12-10-78.

TD 1135'. Ran 31 joints of 7" 23# K-55 (1162') of casing set at 1133'. 1-guide shoe at 1133'. 1-insert float at 1123'. Centralizers at 1123', 700' & 300'. Baskets at 700' and 300'. Cemented w/250 sacks 50-50 Lite Poz, 10#/sack Kolite, 1/4#/sack celloflakes 3% CaCl, followed w/150 sacks Class "C" 2% CaCl. PD 3:00 PM 12-13-78. Cement did not circulate. WOC 6 hours. Ran Temperature Survey and found top of cement at 340'. Ran 1" and tagged cement at 180', spotted 100 sacks Class "C" 4% CaCl. PD 10:00 PM 12-13-78. WOC 2 hours. Ran 1" and found top of cement at 100', spotted 100 sacks Class "C" 4% CaCl. PD 1:00 AM 12-14-78. Cement circulated 8 sacks to surface. WOC 18 hours, nipples up and tested to 1000#, OK. Reduced hole to 6¼", drilled plug and tested to 600#, OK. Resumed drilling.

TD 3150'. Ran a tapered string of production casing as follows: ran 57 joints 4½" 10.5# K-55 (2293'); 20 joints 5½" 14# K-55 (829') (total 3122') of casing set at 3113'. Used 6 centralizers on 5½" casing and 4 centralizers on 4½" casing. Used 1 float shoe at 3113'. Cemented w/275 sacks Class "C". PD 5:00 PM 12-28-78. Cement circulated 20 sacks to surface. WOC and tested to 1000#, OK.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED Christine Indurain TITLE Geological Secretary DATE 1-12-79
APPROVED BY W. A. Gussert SUPERVISOR, DISTRICT II DATE JAN 18 1979
CONDITIONS OF APPROVAL, IF ANY: