

Form 9-331  
(May 1963)UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEYSUBMIT IN TRIPLICATE\*  
(Other instructions on re-  
verse side)Form approved.  
Budget Bureau No. 42-R1424.

5. LEASE DESIGNATION AND SERIAL NO.

NM-030752

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

Trigg-Jennings Com.

9. WELL NO.

1

10. FIELD AND POOL, OR WILDCAT

N. Turkey Track-Morrow

11. SEC., T., R., M., OR BLK. AND  
SURVEY OR AREA

28-T18S-R29E-Morrow

12. COUNTY OR PARISH

Eddy

13. STATE

New Mexico

## SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.  
Use "APPLICATION FOR PERMIT—" for such proposals.)1. OIL WELL ☐ GAS WELL ☒ OTHER

RECEIVED

2. NAME OF OPERATOR

Hondo Drilling Company ✓

APR 25 1979

3. ADDRESS OF OPERATOR

P. O. Drawer 2516, Midland, Texas 79702

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.\*  
See also space 17 below.)  
At surface

ARTESIA, OFFICE

1980' FWL, 660' FSL, Section 28 T18S R29E Unit

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

3424 Gr.

16.

## Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

## NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

FRACTURE TREAT

SHOOT OR ACIDIZE

REPAIR WELL

(Other)

PULL OR ALTER CASING

MULTIPLE COMPLETE

ABANDON\*

CHANGE PLANS

## SUBSEQUENT REPORT OF:

WATER SHUT-OFF

FRACTURE TREATMENT

SHOOTING OR ACIDIZING

(Other)

REPAIRING WELL

ALTERING CASING

ABANDONMENT\*

XX

(NOTE: Report results of multiple completion on Well  
Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

March 13, 1979 to April 14, 1979 - Drilling 7 7/8" hole total depth of 11,320',  
running logs and conditioned hole to run 5 1/2" casing.April 15, 1979 - Ran 278 joints 5 1/2" casing, 826 ft. 20 lb. N-80 and 10,501.40 ft.  
17 lb. N-80 casing - total of 11,327.40 ft. set at 11,319 ft. Cemented with 550  
sacks Class H Cement with 3/4 of 1% CFR-2 and 8 lbs. Salt. Plug pumped down with  
3% KCL water. Plug down at 5:30 P. M. April 15, 1979.April 16, 1979 - Ran cement temperature survey, top of cement at 9200 ft. Plug back  
total depth - 11,275 ft.

April 17, 1979 - Waiting on completion unit.

RECEIVED

APR 24 1979

U.S. GEOLOGICAL SURVEY  
MIDLAND, TEXAS

18. I hereby certify that the foregoing is true and correct

SIGNED

TITLE President

DATE 4/23/79

(This space for Federal or State office use)

APPROVED BY (Orig. Sgd.) ALBERT R. STALL  
CONDITIONS OF APPROVAL, IF ANY:

TITLE ACTING DISTRICT ENGINEER

DATE APR 24 1979