

Form 9-331  
(May 1963)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

SUBMIT IN 1 PLICATE\*  
(Other Instructions on reverse side)

Form approved.  
Budget Bureau No. 42-R1424.  
5. LEASE DESIGNATION AND SERIAL NO.

NM-030752

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.  
Use "APPLICATION FOR PERMIT" for such proposals.)

RECEIVED

1. OIL WELL ☐ GAS WELL ☒ OTHER

2. NAME OF OPERATOR

MAY 3 1979

Hondo Drilling Company

3. ADDRESS OF OPERATOR

O. C. C.

P. O. Drawer 2516, Midland, Texas 79702 ARTESIA, OFFICE

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.\*  
See also space 17 below.)  
At surface

1980' FWL, 660' FSL, Section 28-T18S-R29E Unit

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

Trigg-Jennings Com.

9. WELL NO.

1

10. FIELD AND POOL, OR WILDCAT

N. Turkey Track-Morrow

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA

28-T18S-R29E-Morrow

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

3424 Gr.

12. COUNTY OR PARISH

Eddy

13. STATE

New Mexico

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

FRACTURE TREAT

SHOOT OR ACIDIZE

REPAIR WELL

(Other)

PULL OR ALTER CASING

MULTIPLE COMPLETE

ABANDON\*

CHANGE PLANS

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

FRACTURE TREATMENT

SHOOTING OR ACIDIZING

(Other)

REPAIRING WELL

ALTERING CASING

ABANDONMENT\*

X

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

April 24, 1979 - Rigged up completion unit and picking up 2 3/8" tubing.  
April 25, 1979 - Rigged up Davis reverse unit and drilled out plug and cement to total depth of 11,270'.  
April 26, 1979 - Circulate hole clean, pulled 2 3/8" tubing out of hole and run Gamma-Ray correlation log.  
April 27, 1979 - Perforated well from 11,194' to 11,207' - 13', 26 holes and 11,215' to 11,225' - 10', 20 holes .50 diameter. Ran tubing and Guiberson packer in hole, set same at 11,136.68', removed B.O.P. - installed wellhead, set packer and opened vent assembly, let well flow on 3/4" choke.  
Tested well 2 hours on 3/4" choke 120 lbs. surface pressure.  
Gas rate - 2000 MCF/day.  
Well shut in for pipe line connection.

18. I hereby certify that the foregoing is true and correct

SIGNED

TITLE President

RECEIVED

MAY 1 1979 DATE 4/30/79

(This space for Federal or State office use)

(Orig. Sgd.) ALBERT R. STALL

APPROVED BY

CONDITIONS OF APPROVAL, IF ANY:

ACTING DISTRICT ENGINEER  
GEOLOGICAL SURVEY  
ARTESIA, NEW MEXICO

MAY 02 1979