

NO. OF COPIES RECEIVED	3
DISTRIBUTION	
SANCTUARY	1
FILE	1
U.S.G.S.	
LAND OFFICE	
OPERATOR	1

NEW MEXICO OIL CONSERVATION COMMISSION

RECEIVED

SEP 4 1979

Form C-103
Supersedes Old
C-102 and C-103
Effective 1-1-65

SUNDY NOTICES AND REPORTS ON WELLS

DO NOT USE THIS FORM FOR WELLS TO BE PLUGGED OR FOR WELLS TO BE ABANDONED. USE FORM C-103 FOR WELLS TO BE PLUGGED OR FOR WELLS TO BE ABANDONED.

1. OIL WELL ☐ GAS WELL ☒ OTHER ☐

2. Name of Operator
Sol West III

3. Address of Operator
P. O. Box 10151, El Paso, Texas 79992

4. Location of Well
UNIT LETTER I 660 FEET FROM THE East LINE AND 1980 FEET FROM THE South LINE, SECTION 26 TOWNSHIP 18-S RANGE 28-E

5. Indicate Type of Lease
State ☒ ☐

6. State Oil & Gas Lease No.
E-1286

7. Unit Agreement Name

8. Farm or Lease Name
Turkey Track Com.

9. Well No.
1

10. Field and Pool, or Well Unit
Undesignated N. Turkey Track (Morrow Gas)

12. County
Eddy

11. Elevation (Show whether DF, RT, GK, etc.)
3,459.4' GL

16. Check Appropriate Box To Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐ REMEDIAL WORK ☐ ALTERING CASING ☐

TEMPORARILY ABANDON ☐ CHANGE PLANS ☐ COMMENCE DRILLING OPNS. ☐ PLUG AND ABANDONMENT ☐

PULL OR ALTER CASING ☐ OTHER ☐ CASING TEST AND CEMENT JOBS ☐

OTHER ☐ Drilling Operations Continued ☒

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE C 1103.

8-25-79: At 8670' drilling in lime and shale. Made 365'. Totco at 8640' was 1 1/4°.
Drilling with cut brine with 9.1# weight. PH = 10.5. Viscosity = 29. Chlorides = 101,000 ppm. Started adding brine at 8470'. Went to steel pits.

8-26-79: At 9075' drilling in lime. Made 405'. Drilling with cut brine with 9.2# weight. PH = 10.5. Chlorides = 101,000 ppm.

8-27-79: At 9442' drilling in lime and sand. Made 367'. Totco at 9140' was 2°. Drilling with brine with 9.2# weight. PH = 10.5. Chlorides = 101,000 ppm.

8-28-79: At 9775' drilling in lime. Made 333'. Totco at 9640' was 1 1/2°. Drilling with brine with 9.3# weight. PH = 10. Chlorides = 109,000 ppm.

8-29-79: At 10,152' drilling in lime. Made 377'. Totco at 10,140' was 1 1/4°. Drilling with brine with 9.3# weight. PH = 10.5. Chlorides = 110,000 ppm.

8-30-79: At 10,266' coming out of hole, laying down crooked drill pipe. Formation lime and shale. Made 114'. Drilling with brine with 9.3# weight. PH = 10. Chlorides = 111,000 ppm. Pipe parted, fished and recovered fish.

8-31-79: At 10,266' just began drilling at report time. Made 0'. Totco at 10,266' was 1 1/2°. Drilling with brine with 9.2# weight. PH = 10. Chlorides = 110,000 ppm. Checked and straightened drill pipe.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED Patty Robbins Agent DATE 8-31-79

RECEIVED BY W. A. Gressett SUPERVISOR, DISTRICT II DATE SEP 4 1979

NO. OF COPIES IN ADDITIONAL, IF ANY: